

new/usr/src/cmd/cmd-inet/usr.lib/wanboot/p12split/Makefile

1

1176 Mon May 4 17:02:00 2015
new/usr/src/cmd/cmd-inet/usr.lib/wanboot/p12split/Makefile
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <danmcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
```

```
25 include ../Makefile.com
```

```
27 PROG=          p12split
28 LDLIBS +=       -lwanboot -linetutil -lwanbootutil -lcrypto
29 CPPFLAGS +=     -I$(CMNCRYPTDIR)
30 LINTFLAGS +=    -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED
```

```
32 all:           $(PROG)
```

```
34 install:       all $(ROOTCMD)
```

```
36 clean:
```

```
38 lint:          lint_PROG
```

```
40 include ../../../../Makefile.targ
```

new/usr/src/cmd/cmd-inet/usr.lib/wanboot/wanboot-cgi/Makefile

1

1190 Mon May 4 17:02:03 2015
new/usr/src/cmd/cmd-inet/usr.lib/wanboot/wanboot-cgi/Makefile
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <danmcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
```

```
25 include ../Makefile.com
```

```
27 PROG = wanboot-cgi
28 LDLIBS += -lgen -lnsl -lwanbootutil -lnvpair -lwanboot -lcrypto
29 CPPFLAGS += -I$(CMNCRYPTDIR)
30 LINTFLAGS += -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED
```

```
32 all: $(PROG)
```

```
34 install: all $(ROOTCMD)
```

```
36 clean:
```

```
38 lint: lint_PROG
```

```
40 include ../../../../Makefile.targ
```

new/usr/src/lib/libkmf/plugins/kmf_openssl/Makefile.com

1

```
*****
2200 Mon May  4 17:02:05 2015
new/usr/src/lib/libkmf/plugins/kmf_openssl/Makefile.com
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <dammcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the license file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
24 # Makefile for KMF Plugins
25 #

27 LIBRARY=      kmf_openssl.a
28 VERS=         .1

30 OBJECTS=      openssl_spi.o

32 include $(SRC)/lib/Makefile.lib

34 LIBLINKS=     $(DYNLIB:.so.1=.so)
35 KMFINC=       -I../.../include -I../.../ber_der/inc

37 BERLIB=       -lkmf -lkmfberder
38 BERLIB64=     $(BERLIB)

40 OPENSLLIBS=   $(BERLIB) -lcrypto -lcryptoutil -lc
41 OPENSLLIBS64= $(BERLIB64) -lcrypto -lcryptoutil -lc

43 LINTSSLLIBS   = $(BERLIB) -lcrypto -lcryptoutil -lc
44 LINTSSLLIBS64 = $(BERLIB64) -lcrypto -lcryptoutil -lc

46 # Because of varying openssl implementations, we need to not have lint
47 # complain if we're being liberal in our suppression directives.
48 LINTFLAGS     += -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED
49 LINTFLAGS64   += -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED

51 SRCDIR=       ../common
52 INCDIR=       ../.../include

54 CFLAGS        += $(CCVERBOSE)
55 CPPFLAGS      += -D_REENTRANT $(KMFINC) \
56               -I$(INCDIR) -I$(ADJUNCT_PROTO)/usr/include/libxml2

58 CERRWARN      += -_gcc=-Wno-unused-label
```

new/usr/src/lib/libkmf/plugins/kmf_openssl/Makefile.com

2

```
59 CERRWARN      += -_gcc=-Wno-unused-value
60 CERRWARN      += -_gcc=-Wno-uninitialized

62 PICS=         $(OBJECTS:%=pics/%)

64 lint:=        OPENSLLIBS=    $(LINTSSLLIBS)
65 lint:=        OPENSLLIBS64=  $(LINTSSLLIBS64)

67 LDLIBS32      +=            $(OPENSLLIBS)

69 ROOTLIBDIR=    $(ROOTFS_LIBDIR)/crypto
70 ROOTLIBDIR64=  $(ROOTFS_LIBDIR)/crypto/$(MACH64)

72 .KEEP_STATE:

74 LIBS          =            $(DYNLIB)
75 all:          $(DYNLIB) $(LINTLIB)

77 lint: lintcheck

79 FRC:

81 include $(SRC)/lib/Makefile.targ
```

new/usr/src/lib/libkmf/plugins/kmf_openssl/common/openssl_spi.c

1

133872 Mon May 4 17:02:08 2015
new/usr/src/lib/libkmf/plugins/kmf_openssl/common/openssl_spi.c
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <danmcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>

_____unchanged_portion_omitted_____

```
3757 static KMF_RETURN
3758 set_pkey_attr(EVP_PKEY *pkey, ASN1_TYPE *attrib, int nid)
3759 {
3760     X509_ATTRIBUTE *attr = NULL;
3761
3762     if (pkey == NULL || attrib == NULL)
3763         return (KMF_ERR_BAD_PARAMETER);
3764
3765     if (pkey->attributes == NULL) {
3766         pkey->attributes = sk_X509_ATTRIBUTE_new_null();
3767         if (pkey->attributes == NULL)
3768             return (KMF_ERR_MEMORY);
3769     }
3770     attr = X509_ATTRIBUTE_create(nid, attrib->type, attrib->value.ptr);
3771     if (attr != NULL) {
3772         int i;
3773         X509_ATTRIBUTE *a;
3774         for (i = 0;
3775              i < sk_X509_ATTRIBUTE_num(pkey->attributes); i++) {
3776             /* LINTED E_BAD_PTR_CASE_ALIGN */
3777             a = sk_X509_ATTRIBUTE_value(pkey->attributes, i);
3778             if (OBJ_obj2nid(a->object) == nid) {
3779                 X509_ATTRIBUTE_free(a);
3780                 /* LINTED E_BAD_PTR_CAST_ALIGN */
3781                 (void) sk_X509_ATTRIBUTE_set(pkey->attributes,
3782                 sk_X509_ATTRIBUTE_set(pkey->attributes,
3783                 i, attr);
3784             }
3785         }
3786         if (sk_X509_ATTRIBUTE_push(pkey->attributes, attr) == NULL) {
3787             X509_ATTRIBUTE_free(attr);
3788             return (KMF_ERR_MEMORY);
3789         }
3790     } else {
3791         return (KMF_ERR_MEMORY);
3792     }
3793
3794     return (KMF_OK);
3795 }
```

_____unchanged_portion_omitted_____

new/usr/src/lib/libpkg/Makefile.com

1

```
*****
2538 Mon May 4 17:02:11 2015
new/usr/src/lib/libpkg/Makefile.com
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <danmcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #

27 LIBRARY= libpkg.a
28 VERS= .1

30 # include library definitions
31 OBJECTS=
32         canonize.o  ckparam.o  ckvolseq.o \
33         devtype.o   dstream.o  gpgklist.o \
34         gpgkmap.o   isdir.o    logerr.o \
35         mappath.o   ncgrpw.o  nhash.o \
36         pkgexec1.o  pkgexecv.o  pkgmount.o \
37         pkgtrans.o  ppgkmap.o \
38         progerr.o   putcfile.o  rrmkdir.o \
39         runcmd.o    srchcfile.o  tputcfent.o \
40         verify.o    security.o  pkgweb.o \
41         pkgerr.o    keystore.o  p12lib.o \
42         vfpop.o     fmkmdir.o  pkgstr.o \
43         handlelocalfs.o pkgserv.o

46 # include library definitions
47 include $(SRC)/lib/Makefile.lib

49 SRCDIR=      ../common

51 POFILE =      libpkg.po
52 MSGFILES =    $(OBJECTS:%.o=../common/%.i)
53 CLEANFILES += $(MSGFILES)

55 # This library is NOT lint clean

57 # openssl forces us to ignore dubious pointer casts, thanks to its clever
58 # use of macros for stack management.
```

new/usr/src/lib/libpkg/Makefile.com

2

```
59 LINTFLAGS=    -umx -errtags \
60               -erroff=E_BAD_PTR_CAST_ALIGN,E_BAD_PTR_CAST
61 LINTFLAGS +=   -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED
62 LINTFLAGS64 += -erroff=E_SUPPRESSION_DIRECTIVE_UNUSED
63 $(LINTLIB):=   SRCS = $(SRCDIR)/$(LINTSRC)

66 LIBS = $(DYNLIB) $(LINTLIB)

69 LDLIBS +=     -lc -lssl -lwanboot -lcrypto -lscf -ladm

71 CFLAGS +=     $(CCVERBOSE)
72 CERRWARN +=   -_gcc=-wno-unused-label
73 CERRWARN +=   -_gcc=-wno-parentheses
74 CERRWARN +=   -_gcc=-wno-uninitialized
75 CERRWARN +=   -_gcc=-wno-clobbered
76 CERRWARN +=   -_gcc=-wno-switch
77 CERRWARN +=   -_gcc=-wno-unused-value
78 CPPFLAGS +=   -I$(SRCDIR) -D_FILE_OFFSET_BITS=64

80 .KEEP_STATE:

82 all:         $(LIBS)

84 $(POFILE): $(MSGFILES)
85             $(BUILDPO.msgfiles)

87 _msg: $(MSGDOMAINPOFILE)

89 lint: lintcheck

91 # include library targets
92 include $(SRC)/lib/Makefile.targ
93 include $(SRC)/Makefile.msg.targ
```

new/usr/src/lib/libwanboot/Makefile.com

1

```
*****
2741 Mon May  4 17:02:14 2015
new/usr/src/lib/libwanboot/Makefile.com
5878 Additional lint fixes for sunstudio12.1 and more modern OpenSSL
Reviewed by: Dan McDonald <danmcd@omniti.com>
Reviewed by: Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
Reviewed by: Alexander Pyhalov <alp@rsu.ru>
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 #

27 LIBRARY =      libwanboot.a
28 VERS =        .1

30 # List of locally located modules.
31 LOC_DIR =      ../common
32 LOC_OBJS =      socket_inet.o bootinfo_aux.o
33 LOC_SRCS =      $(LOC_OBJS:%.o=$(LOC_DIR)/%.c)

35 # List of common wanboot objects.
36 COM_DIR =      ../../../common/net/wanboot
37 COM_OBJS =      auxutil.o \
38                 boot_http.o \
39                 bootconf.o \
40                 bootconf_errmsg.o \
41                 bootinfo.o \
42                 bootlog.o \
43                 http_errorstr.o \
44                 p12access.o \
45                 p12auxpars.o \
46                 p12auxutl.o \
47                 p12err.o \
48                 p12misc.o \
49                 parseURL.o
50 COM_SRCS =      $(COM_OBJS:%.o=$(COM_DIR)/%.c)

52 # List of common DHCP modules.
53 DHCP_DIR =      $(SRC)/common/net/dhcp
54 DHCP_OBJS =      dhcpinfo.o
55 DHCP_SRCS =      $(DHCP_OBJS:%.o=$(DHCP_DIR)/%.c)

57 OBJECTS =      $(LOC_OBJS) $(COM_OBJS) $(DHCP_OBJS)
```

new/usr/src/lib/libwanboot/Makefile.com

2

```
59 include ../../Makefile.lib

61 LIBS +=        $(LINTLIB)
62 LDLIBS +=      -lnvpair -lresolv -lnsl -lsocket -ldevinfo -ldhcuputil \
63                -linetutil -lc -lcrypto -lssl
64 CPPFLAGS =      -I$(SRC)/common/net/wanboot/crypt $(CPPFLAGS.master)
65 CERRWARN +=     -_gcc=-Wno-switch
66 CERRWARN +=     -_gcc=-Wno-parentheses
67 CERRWARN +=     -_gcc=-Wno-unused-value
68 CERRWARN +=     -_gcc=-Wno-uninitialized

70 # Must override SRCS from Makefile.lib since sources have
71 # multiple source directories.
72 SRCS =          $(LOC_SRCS) $(COM_SRCS) $(DHCP_SRCS)

74 # Must define location of lint library source.
75 SRCDIR =        $(LOC_DIR)
76 $(LINTLIB) :=   SRCS = $(SRCDIR)/$(LINTSRC)

78 # OpenSSL (incl. varying versions) requires us to turn these off
79 LINTFLAGS +=    -erroff=E_BAD_PTR_CAST_ALIGN,E_SUPPRESSION_DIRECTIVE_UNUSED
80 LINTFLAGS64 +=  -erroff=E_BAD_PTR_CAST_ALIGN,E_SUPPRESSION_DIRECTIVE_UNUSED
78 # OpenSSL requires us to turn this off
79 LINTFLAGS +=    -erroff=E_BAD_PTR_CAST_ALIGN
80 LINTFLAGS64 +=  -erroff=E_BAD_PTR_CAST_ALIGN

82 CFLAGS +=      $(CCVERBOSE)
83 CPPFLAGS +=     -I$(LOC_DIR) -I$(COM_DIR) -I$(DHCP_DIR)

85 .KEEP_STATE:

87 all: $(LIBS)

89 lint: lintcheck

91 pics/%.o: $(COM_DIR)/%.c
92           $(COMPILE.c) -o $@ $<
93           $(POST_PROCESS_O)

95 pics/%.o: $(DHCP_DIR)/%.c
96           $(COMPILE.c) -o $@ $<
97           $(POST_PROCESS_O)

99 include ../../Makefile.targ
```