

new/exception_lists/packaging

1

```

*****
27797 Tue Nov  4 14:39:54 2014
new/exception_lists/packaging
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 #
28 #
29 #
30 # Exception List for validate_pkg
31 #
32 #
33 #
34 # The following entries are built in the /proto area
35 # but not included in any packages - this is intentional.
36 #
37 usr/include/auth_list.h
38 usr/include/bsm/audit_door_infc.h
39 usr/include/bsm/audit_private.h
40 usr/include/bsm/devalloc.h
41 usr/include/getxby_door.h
42 usr/include/passwdutil.h
43 usr/include/priv_utils.h
44 usr/include/rpcsvc/daemon_utils.h
45 usr/include/rpcsvc/svc_dg_priv.h
46 usr/include/security/pam_impl.h
47 usr/include/sys/clock_impl.h
48 usr/include/sys/winlockio.h
49 usr/include/scsi/plugins/ses/vendor/sun_impl.h
50 #
51 # Private/Internal libraries of the Cryptographic Framework.
52 #
53 lib/libkcf.so
54 lib/libl-elfsign
55 lib/libl-elfsign.ln
56 lib/libl-kcfd
57 lib/libl-kcfd.ln
58 usr/include/libelfsign.h

```

new/exception_lists/packaging

2

```

59 usr/lib/libl-lsoftcrypto
60 usr/lib/libl-lsoftcrypto.ln
61 usr/lib/amd64/libl-lsoftcrypto.ln      i386
62 usr/lib/sparcv9/libl-lsoftcrypto.ln    sparc
63 #
64 #
65 # The following files are used by the DHCP service, the
66 # standalone's DHCP implementation, and the kernel (nfs_d1boot).
67 # They contain interfaces which are currently private.
68 #
69 usr/include/dhcp_svc_confkey.h
70 usr/include/dhcp_svc_confopt.h
71 usr/include/dhcp_svc_private.h
72 usr/include/dhcp_symbol.h
73 usr/include/sys/sunos_dhcp_class.h
74 usr/lib/libdhcpsvc.so
75 usr/lib/libl-ldhcpsvc.ln
76 #
77 # Private MAC driver header files
78 #
79 usr/include/inet/iptun.h
80 usr/include/sys/aggr_impl.h
81 usr/include/sys/aggr.h
82 usr/include/sys/dld_impl.h
83 usr/include/sys/dld_ioc.h
84 usr/include/sys/dls_impl.h
85 usr/include/sys/dls.h
86 usr/include/sys/mac_client_impl.h
87 usr/include/sys/mac_client.h
88 usr/include/sys/mac_flow_impl.h
89 usr/include/sys/mac_impl.h
90 usr/include/sys/mac_soft_ring.h
91 usr/include/sys/mac_stat.h
92 #
93 # Private GLDv3 userland libraries and headers
94 #
95 usr/include/libdladm_impl.h
96 usr/include/libdlaggr.h
97 usr/include/libdlether.h
98 usr/include/libdlflow_impl.h
99 usr/include/libdlflow.h
100 usr/include/libdliptun.h
101 usr/include/libdlmgmt.h
102 usr/include/libdlsim.h
103 usr/include/libdlstat.h
104 usr/include/libdlvnic.h
105 usr/include/libdlwlan_impl.h
106 usr/include/libdlwlan.h
107 #
108 # Virtual Network Interface Card (VNIC)
109 #
110 usr/include/sys/vnic.h
111 usr/include/sys/vnic_impl.h
112 #
113 # Private libipadm lint library and header files
114 #
115 usr/include/ipadm_ipmgmt.h
116 usr/include/ipadm_ndpd.h
117 usr/include/libipadm.h
118 lib/libl-ipadm
119 lib/libl-ipadm.ln
120 lib/libipadm.so
121 #
122 # Private libsocket header file
123 #

```

new/exception_lists/packaging

3

```

119 usr/include/libsocket_priv.h
120 #
121 # IKE and IPsec support library exceptions. The IKE support
122 # library contains exclusively private interfaces, as does
123 # libipsecutil. My apologies for the glut of header files here.
124 #
125 usr/include/errfp.h
126 usr/include/ikedoor.h
127 usr/include/ipsec_util.h
128 usr/lib/libike.so
129 usr/lib/amd64/libike.so          i386
130 usr/lib/sparcv9/libike.so        sparc
131 usr/lib/libipsecutil.so
132 usr/lib/amd64/libipsecutil.so    i386
133 usr/lib/sparcv9/libipsecutil.so  sparc
134 usr/lib/llib-like
135 usr/lib/llib-like.ln
136 usr/lib/amd64/llib-like.ln      i386
137 usr/lib/sparcv9/llib-like.ln    sparc
138 usr/lib/llib-lipsecutil
139 usr/lib/llib-lipsecutil.ln
140 usr/lib/amd64/llib-lipsecutil.ln i386
141 usr/lib/sparcv9/llib-lipsecutil.ln sparc
142 #
143 usr/include/inet/ip_impl.h
144 usr/include/inet/ip_ndp.h
145 usr/include/inet/ip2mac_impl.h
146 usr/include/inet/ip2mac.h
147 usr/include/inet/rawip_impl.h
148 usr/include/inet/tcp_impl.h
149 usr/include/inet/udp_impl.h
150 usr/include/libmail.h
151 usr/include/libnwam_priv.h
152 usr/include/protocols/ripngd.h
153 usr/include/s_string.h
154 usr/include/sys/logindmux_impl.h
155 usr/include/sys/vgareg.h
156 #
157 # Some IPsec headers can't be shipped lest we hit export controls...
158 #
159 usr/include/inet/ipsec_impl.h
160 usr/include/inet/ipsec_info.h
161 usr/include/inet/ipsec.h
162 usr/include/inet/ipsecesp.h
163 usr/include/inet/keysock.h
164 usr/include/inet/sadb.h
165 usr/include/sys/sha1_consts.h
166 usr/include/sys/sha2_consts.h
167 #
168 #
169 # Filtering out directories not shipped
170 #
171 usr/4lib          i386
172 #
173 # These files contain definitions shared privately between the kernel
174 # and libc. There is no reason for them to be part of a package that
175 # a customer should ever see. They are installed in the proto area by
176 # the uts build because libc and other components, like truss, are
177 # dependent upon their contents and should not have their own copies.
178 #
179 usr/include/sys/libc_kernel.h
180 usr/include/sys/synch32.h
181 #
182 # These files are installed in the proto area by the build of libproc for
183 # the benefit of the builds of cmd/truss, cmd/gcore and cmd/ptools, which
184 # use libproc as their common process-control library. These are not

```

new/exception_lists/packaging

4

```

185 # interfaces for customer use, so the files are excluded from packaging.
186 #
187 lib/llib-lproc
188 lib/llib-lproc.ln
189 lib/amd64/llib-lproc.ln          i386
190 lib/sparcv9/llib-lproc.ln        sparc
191 usr/include/libproc.h
192 #
193 # Private interfaces for libdisasm
194 #
195 usr/include/libdisasm.h
196 usr/lib/llib-ldisasm
197 usr/lib/llib-ldisasm.ln
198 usr/lib/amd64/llib-ldisasm.ln    i386
199 usr/lib/sparcv9/llib-ldisasm.ln  sparc
200 #
201 # Private interfaces for libraidcfg
202 #
203 usr/include/raidcfg_spi.h
204 usr/include/raidcfg.h
205 usr/lib/libraidcfg.so
206 usr/lib/amd64/libraidcfg.so       i386
207 usr/lib/sparcv9/libraidcfg.so     sparc
208 usr/lib/llib-lraidcfg
209 usr/lib/llib-lraidcfg.ln
210 usr/lib/amd64/llib-lraidcfg.ln    i386
211 usr/lib/sparcv9/llib-lraidcfg.ln  sparc
212 #
213 # This file is used for private communication between mdb, drv/kmdb, and
214 # misc/kmdb. The interfaces described herein are not intended for customer
215 # use, and are thus excluded from packaging.
216 #
217 usr/include/sys/kmdb.h
218 #
219 # These files are installed in the proto area by the build of libdhcpage
220 # and libdhcputil for the benefit of DHCP-related networking commands such
221 # as dhcpage, dhcinfo, ifconfig, and netstat. These are not interfaces
222 # for customer use, so the files are excluded from packaging.
223 #
224 lib/libdhcpage.so
225 lib/libdhcputil.so
226 lib/amd64/libdhcputil.so          i386
227 lib/sparcv9/libdhcputil.so        sparc
228 lib/llib-ldhcpage
229 lib/llib-ldhcpage.ln
230 lib/llib-ldhcputil
231 lib/llib-ldhcputil.ln
232 lib/amd64/llib-ldhcputil.ln       i386
233 lib/sparcv9/llib-ldhcputil.ln     sparc
234 usr/include/dhcp_hostconf.h
235 usr/include/dhcp_impl.h
236 usr/include/dhcp_inittab.h
237 usr/include/dhcp_stable.h
238 usr/include/dhcp_symbol_common.h
239 usr/include/dhcpagent_ipc.h
240 usr/include/dhcpagent_util.h
241 usr/include/dhcpmsg.h
242 usr/lib/libdhcpage.so
243 usr/lib/libdhcputil.so
244 usr/lib/amd64/libdhcputil.so       i386
245 usr/lib/sparcv9/libdhcputil.so     sparc
246 usr/lib/llib-ldhcpage
247 usr/lib/llib-ldhcpage.ln
248 usr/lib/llib-ldhcputil
249 usr/lib/llib-ldhcputil.ln
250 usr/lib/amd64/llib-ldhcputil.ln    i386

```

new/exception_lists/packaging

5

```

251 usr/lib/sparcv9/llib-ldhcuputil.ln      sparc
252 #
253 # These files are installed in the proto area by the build of libinstzones
254 # and libpkg
255 #
256 usr/lib/llib-linstzones
257 usr/lib/llib-linstzones.ln
258 usr/lib/amd64/llib-linstzones.ln      i386
259 usr/lib/sparcv9/llib-linstzones.ln      sparc
260 usr/lib/llib-lpkg
261 usr/lib/llib-lpkg.ln
262 #
263 # Don't ship header files private to libipmp and in.mpathd
264 #
265 usr/include/ipmp_query_impl.h
266 #
267 # These files are installed in the proto area by the build of libinetsvc,
268 # an inetd-specific library shared by inetd, inetadm and inetconv. Only
269 # the shared object is shipped.
270 #
271 usr/include/inetsvc.h
272 usr/lib/libinetsvc.so
273 usr/lib/llib-linetsvc
274 usr/lib/llib-linetsvc.ln
275 #
276 # These files are installed in the proto area by the build of libinetutil,
277 # a general purpose library for the benefit of internet utilities. Only
278 # the shared object is shipped.
279 #
280 lib/libinetutil.so
281 lib/amd64/libinetutil.so      i386
282 lib/sparcv9/libinetutil.so      sparc
283 lib/llib-linetutil
284 lib/llib-linetutil.ln
285 lib/amd64/llib-linetutil.ln      i386
286 lib/sparcv9/llib-linetutil.ln      sparc
287 usr/include/libinetutil.h
288 usr/include/netinet/inetutil.h
289 usr/include/ofmt.h
290 usr/lib/libinetutil.so
291 usr/lib/amd64/libinetutil.so      i386
292 usr/lib/sparcv9/libinetutil.so      sparc
293 usr/lib/llib-linetutil
294 usr/lib/llib-linetutil.ln
295 usr/lib/amd64/llib-linetutil.ln      i386
296 usr/lib/sparcv9/llib-linetutil.ln      sparc
297 #
298 # Miscellaneous kernel interfaces or kernel<->user interfaces that are
299 # consolidation private and we do not want to export at this time.
300 #
301 usr/include/sys/cryptmod.h
302 usr/include/sys/dumpadm.h
303 usr/include/sys/ontrap.h
304 usr/include/sys/sysmsg_impl.h
305 usr/include/sys/vlan.h
306 #
307 # These files are installed in the proto area so lvm can use
308 # them during the build process.
309 #
310 lib/llib-lmeta
311 lib/llib-lmeta.ln
312 usr/include/sdssc.h
313 usr/lib/llib-lmeta
314 usr/lib/llib-lmeta.ln
315 #
316 # non-public pci header

```

new/exception_lists/packaging

6

```

317 #
318 usr/include/sys/pci_impl.h
319 usr/include/sys/pci_tools.h
320 #
321 # Exception list for RCM project, included by librcm and rcm_daemon
322 #
323 usr/include/librcm_event.h
324 usr/include/librcm_impl.h
325 #
326 # MDB deliverables that are not yet public
327 #
328 usr/lib/mdb/proc/mdb_test.so
329 usr/lib/mdb/proc/sparcv9/mdb_test.so      sparc
330 #
331 # SNCA project exception list
332 #
333 usr/include/inet/kssl/kssl.h
334 usr/include/inet/kssl/ksslimpl.h
335 usr/include/inet/kssl/ksslproto.h
336 usr/include/inet/nca
337 #
338 # these are "removed" from the source product build because the only
339 # packages that currently deliver them are removed.
340 # they really should't be in here.
341 #
342 etc/sfw
343 #
344 # Entries for the libmech_krb5 symlink, which has been included
345 # for build purposes only, not delivered to customers.
346 #
347 usr/lib/gss/libmech_krb5.so
348 usr/lib/amd64/gss/libmech_krb5.so      i386
349 usr/lib/sparcv9/gss/libmech_krb5.so      sparc
350 usr/lib/libmech_krb5.so
351 usr/lib/amd64/libmech_krb5.so      i386
352 usr/lib/sparcv9/libmech_krb5.so      sparc
353 #
354 # Entries for headers from efcode project which user does not need to see
355 #
356 usr/platform/sun4u/include/sys/fc_plat.h      sparc
357 usr/platform/sun4u/include/sys/fcode.h      sparc
358 #
359 # Private net80211 headers
360 #
361 usr/include/sys/net80211_crypto.h
362 usr/include/sys/net80211_ht.h
363 usr/include/sys/net80211_proto.h
364 usr/include/sys/net80211.h
365 #
366 usr/include/net/wpa.h
367 #
368 # PPPoE files not delivered to customers.
369 #
370 usr/include/net/pppoe.h
371 usr/include/net/sppptun.h
372 #
373 # Simnet
374 #
375 usr/include/net/simnet.h
376 #
377 # Bridging internal data structures
378 #
379 usr/include/net/bridge_impl.h
380 #
381 # User<->kernel interface used by cfgadm/USB only
382 #

```

new/exception_lists/packaging

7

```

383 usr/include/sys/usb/hubd/hubd_impl.h
384 #
385 # User<->kernel interface used by cfgadm/SATA only
386 #
387 usr/include/sys/sata/sata_cfgadm.h          i386
388 #
389 # Private ucared kernel header
390 #
391 usr/include/sys/ucared.h
392 #
393 # Private and/or platform-specific smf(5) files
394 #
395 lib/librestart.so
396 lib/llib-lrestart
397 lib/llib-lrestart.ln
398 lib/amd64/llib-lrestart.ln          i386
399 lib/sparcv9/llib-lrestart.ln        sparc
400 usr/include/libcontract_priv.h
401 usr/include/librestart_priv.h
402 usr/include/librestart.h
403 usr/lib/librestart.so
404 usr/lib/sparcv9/librestart.so        sparc
405 lib/svc/manifest/platform/sun4u     i386
406 lib/svc/manifest/platform/sun4v     i386
407 var/svc/manifest/platform/sun4u     i386
408 var/svc/manifest/platform/sun4v     i386
409 etc/svc/profile/platform_sun4v.xml  i386
410 etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml i386
411 etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml i386
412 etc/svc/profile/platform_SUNW,Sun-Fire-880.xml i386
413 etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml i386
414 etc/svc/profile/platform_SUNW,Sun-Fire.xml i386
415 etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml i386
416 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml i386
417 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml i386
418 etc/svc/profile/platform_SUNW,UltraSPARC-III-Netract.xml i386
419 #
420 # Private libuutil files
421 #
422 lib/libuutil.so
423 lib/llib-luutil
424 lib/llib-luutil.ln
425 lib/sparcv9/llib-luutil.ln          sparc
426 usr/include/libuutil_impl.h
427 usr/lib/libuutil.so
428 usr/lib/sparcv9/libuutil.so          sparc
429 #
430 # Private Multidata file.
431 #
432 usr/include/sys/multidata_impl.h
433 #
434 # The following files are used by wanboot.
435 # They contain interfaces which are currently private.
436 #
437 usr/include/sys/wanboot_impl.h
438 usr/include/wanboot
439 usr/include/wanbootutil.h
440 #
441 # Even though all the objects built under usr/src/stand are later glommed
442 # together into a couple of second-stage boot loaders, we dump the static
443 # archives and lint libraries into $(ROOT)/stand for intermediate use
444 # (e.g., for lint, linking the second-stage boot loaders, ...). Since
445 # these are merely intermediate objects, they do not need to be packaged.
446 #
447 stand                                sparc
448 #

```

new/exception_lists/packaging

8

```

449 # Private KCF header files
450 #
451 usr/include/sys/crypto/elfsign.h
452 usr/include/sys/crypto/impl.h
453 usr/include/sys/crypto/ops_impl.h
454 usr/include/sys/crypto/sched_impl.h
455 #
456 # The following files are installed in the proto area
457 # by the build of libavl (AVL Tree Interface Library).
458 # libavl contains interfaces which are all private interfaces.
459 #
460 lib/libavl.so
461 lib/amd64/libavl.so          i386
462 lib/sparcv9/libavl.so        sparc
463 lib/llib-lavl
464 lib/llib-lavl.ln
465 lib/amd64/llib-lavl.ln      i386
466 lib/sparcv9/llib-lavl.ln    sparc
467 usr/lib/libavl.so
468 usr/lib/amd64/libavl.so      i386
469 usr/lib/sparcv9/libavl.so    sparc
470 usr/lib/llib-lavl
471 usr/lib/llib-lavl.ln
472 usr/lib/amd64/llib-lavl.ln  i386
473 usr/lib/sparcv9/llib-lavl.ln sparc
474 #
475 # The following files are installed in the proto area
476 # by the build of libcmdutils (Command Utilities Library).
477 # libcmdutils contains interfaces which are all private interfaces.
478 #
479 lib/libcmdutils.so
480 lib/amd64/libcmdutils.so      i386
481 lib/sparcv9/libcmdutils.so    sparc
482 lib/llib-lcmdutils
483 lib/llib-lcmdutils.ln
484 lib/amd64/llib-lcmdutils.ln  i386
485 lib/sparcv9/llib-lcmdutils.ln sparc
486 usr/include/libcmdutils.h
487 usr/lib/libcmdutils.so
488 usr/lib/amd64/libcmdutils.so  i386
489 usr/lib/sparcv9/libcmdutils.so sparc
490 usr/lib/llib-lcmdutils
491 usr/lib/llib-lcmdutils.ln
492 usr/lib/amd64/llib-lcmdutils.ln i386
493 usr/lib/sparcv9/llib-lcmdutils.ln sparc
494 #
495 # Private interfaces in libsec
496 #
497 usr/include/aclutils.h
498 #
499 # USB skeleton driver stays in sync with the rest of USB but doesn't ship.
500 #
501 kernel/drv/usbskel          i386
502 kernel/drv/amd64/usbskel     i386
503 kernel/drv/sparcv9/usbskel    sparc
504 kernel/drv/usbskel.conf
505 #
506 # Consolidation and Sun private libdevid interfaces
507 # Public libdevid interfaces provided by devid.h
508 #
509 usr/include/sys/libdevid.h
510 #
511 # The following files are installed in the proto area by the build of
512 # libprtdiag. libprtdiag contains interfaces which are all private.
513 # Only the shared object is shipped.
514 #

```

new/exception_lists/packaging

9

```

515 usr/platform/sun4u/lib/llib-lprtdiag          sparc
516 usr/platform/sun4u/lib/llib-lprtdiag.ln       sparc
517 usr/platform/sun4v/lib/llib-lprtdiag.ln       sparc
518 #
519 # The following files are installed in the proto area by the build of
520 # mdesc driver in sun4v. These header files are used on in the build
521 # and do not need to be shipped to customers.
522 #
523 usr/include/sys/mdesc.h                        sparc
524 usr/include/sys/mdesc_impl.h                  sparc
525 usr/platform/sun4v/include/sys/mach_descrip.h  sparc
526 #
527 # The following files are installed in the proto area by the build of
528 # libpcp. libpcp contains interfaces which are all private.
529 # Only the shared object is shipped.
530 #
531 usr/platform/sun4v/lib/llib-lpcp.ln            sparc
532 usr/platform/SUNW,Netra-CP3060/lib/llib-lpcp.ln sparc
533 usr/platform/SUNW,Netra-CP3260/lib/llib-lpcp.ln sparc
534 usr/platform/SUNW,Netra-T5220/lib/llib-lpcp.ln sparc
535 usr/platform/SUNW,Netra-T5440/lib/llib-lpcp.ln sparc
536 usr/platform/SUNW,SPARC-Enterprise-T5120/lib/llib-lpcp.ln sparc
537 usr/platform/SUNW,Sun-Blade-T6300/lib/llib-lpcp.ln sparc
538 usr/platform/SUNW,Sun-Blade-T6320/lib/llib-lpcp.ln sparc
539 usr/platform/SUNW,Sun-Fire-T200/lib/llib-lpcp.ln sparc
540 usr/platform/SUNW,T5140/lib/llib-lpcp.ln       sparc
541 usr/platform/SUNW,USBRDT-5240/lib/llib-lpcp.ln  sparc
542 #
543 # ZFS internal tools and lint libraries
544 #
545 usr/lib/llib-lzfs_jni                          i386
546 usr/lib/llib-lzfs_jni.ln                       sparc
547 usr/lib/amd64/llib-lzfs_jni.ln                  i386
548 usr/lib/sparcv9/llib-lzfs_jni.ln                sparc
549 usr/lib/llib-lzpool                             i386
550 usr/lib/llib-lzpool.ln                          i386
551 usr/lib/amd64/llib-lzpool.ln                    i386
552 usr/lib/sparcv9/llib-lzpool.ln                  sparc
553 #
554 # ZFS JNI headers
555 #
556 usr/include/libzfs_jni_dataset.h
557 usr/include/libzfs_jni_disk.h
558 usr/include/libzfs_jni_diskmgmt.h
559 usr/include/libzfs_jni_ipool.h
560 usr/include/libzfs_jni_main.h
561 usr/include/libzfs_jni_pool.h
562 usr/include/libzfs_jni_property.h
563 usr/include/libzfs_jni_util.h
564 #
565 # These files are installed in the proto area for Solaris scsi_vhci driver
566 # (for MPAPI support) and should not be shipped
567 #
568 usr/include/sys/scsi/adapters/mpapi_impl.h
569 usr/include/sys/scsi/adapters/mpapi_scsi_vhci.h
570 #
571 # This library is installed in the proto area by the build of libdisasm, and is
572 # only used when building the KMDB disasm module.
573 #
574 usr/lib/libstanddisasm.so
575 usr/lib/amd64/libstanddisasm.so                  i386
576 usr/lib/sparcv9/libstanddisasm.so                sparc
577 #
578 # TSol: tsol doesn't ship lint source, and tsnet isn't for customers at all.
579 #
580 lib/libtsnet.so

```

new/exception_lists/packaging

10

```

581 usr/lib/llib-ltsnet
582 usr/lib/llib-ltsol
583 #
584 # nss interfaces shared between libnsl and other ON libraries.
585 #
586 usr/include/nss.h
587 #
588 # AT&T AST (ksh93) files which are currently needed only to build OS/Net
589 # (msgcc&co.)
590 # libast
591 usr/lib/libast.so
592 usr/lib/amd64/libast.so                          i386
593 usr/lib/sparcv9/libast.so                        sparc
594 usr/lib/llib-last
595 usr/lib/llib-last.ln
596 usr/lib/amd64/llib-last.ln                      i386
597 usr/lib/sparcv9/llib-last.ln                    sparc
598 # libcmd
599 usr/lib/llib-lcmd
600 usr/lib/llib-lcmd.ln
601 usr/lib/amd64/llib-lcmd.ln                      i386
602 usr/lib/sparcv9/llib-lcmd.ln                    sparc
603 # libdll
604 usr/lib/libdll.so
605 usr/lib/amd64/libdll.so                          i386
606 usr/lib/sparcv9/libdll.so                        sparc
607 usr/lib/llib-ldll
608 usr/lib/llib-ldll.ln
609 usr/lib/amd64/llib-ldll.ln                      i386
610 usr/lib/sparcv9/llib-ldll.ln                    sparc
611 # libpp (a helper library needed by AST's msgcc)
612 usr/lib/libpp.so
613 usr/lib/llib-lpp
614 usr/lib/llib-lpp.ln
615 usr/lib/locale/C/LC_MESSAGES/libpp
616 # libshell
617 usr/lib/libshell.so
618 usr/lib/amd64/libshell.so                        i386
619 usr/lib/sparcv9/libshell.so                      sparc
620 usr/lib/llib-lshell
621 usr/lib/llib-lshell.ln
622 usr/lib/amd64/llib-lshell.ln                    i386
623 usr/lib/sparcv9/llib-lshell.ln                  sparc
624 # libsum
625 usr/lib/libsum.so
626 usr/lib/amd64/libsum.so                          i386
627 usr/lib/sparcv9/libsum.so                        sparc
628 usr/lib/llib-lsum
629 usr/lib/llib-lsum.ln
630 usr/lib/amd64/llib-lsum.ln                      i386
631 usr/lib/sparcv9/llib-lsum.ln                    sparc
632 #
633 # This file is used in ON to build DSCP clients. It is not for customers.
634 #
635 usr/include/libdscp.h                            sparc
636 #
637 # These files are used by the iSCSI Target and the iSCSI Initiator
638 #
639 usr/include/sys/iscsi_protocol.h
640 usr/include/sys/iscsi_authclient.h
641 usr/include/sys/iscsi_authclientglue.h
642 #
643 # These files are used by the COMSTAR iSCSI target port provider
644 #
645 usr/include/sys/idm
646 usr/include/sys/iscsit/chap.h

```

new/exception_lists/packaging

11

```

647 usr/include/sys/iscsit/iscsi_if.h
648 usr/include/sys/iscsit/iscsi_protocol.h
649 usr/include/sys/iscsit/radius_packet.h
650 usr/include/sys/iscsit/radius_protocol.h
651 #
652 # libshare is private and the 64-bit sharemgr is not delivered.
653 #
654 usr/lib/libshare.so
655 usr/lib/amd64/libshare.so          i386
656 usr/lib/sparcv9/libshare.so        sparc
657 usr/lib/fs/autofs/libshare_autofs.so
658 usr/lib/fs/autofs/amd64/libshare_autofs.so      i386
659 usr/lib/fs/autofs/sparcv9/libshare_autofs.so    sparc
660 usr/lib/fs/nfs/libshare_nfs.so
661 usr/lib/fs/nfs/amd64/libshare_nfs.so            i386
662 usr/lib/fs/nfs/sparcv9/libshare_nfs.so          sparc
663 usr/lib/fs/smb/libshare_smb.so
664 usr/lib/fs/smb/amd64/libshare_smb.so            i386
665 usr/lib/fs/smb/sparcv9/libshare_smb.so          sparc
666 usr/lib/fs/smbfs/libshare_smbfs.so
667 usr/lib/fs/smbfs/amd64/libshare_smbfs.so        i386
668 usr/lib/fs/smbfs/sparcv9/libshare_smbfs.so      sparc
669 usr/include/libshare_impl.h
670 usr/include/scfutil.h
671 #
672 # These files are installed in the proto area by the build of libpri for
673 # the benefit of the builds of FMA libldom, Zeus, picld plugins, and/or
674 # other libpri consumers. However, the libpri interfaces are private to
675 # Sun (Consolidation Private) and not intended for customer use. So these
676 # files (the symlink and the lint library) are excluded from packaging.
677 #
678 usr/lib/libpri.so                  sparc
679 usr/lib/liblib-lpri               sparc
680 usr/lib/liblib-lpri.ln            sparc
681 usr/lib/sparcv9/libpri.so         sparc
682 usr/lib/sparcv9/liblib-lpri.ln    sparc
683 #
684 # These files are installed in the proto area by the build of libds for
685 # the benefit of the builds of sun4v IO FMA and/or other libds
686 # consumers. However, the libds interfaces are private to Sun
687 # (Consolidation Private) and not intended for customer use. So these
688 # files (the symlink and the lint library) are excluded from packaging.
689 #
690 usr/lib/libds.so                  sparc
691 usr/lib/sparcv9/libds.so          sparc
692 usr/lib/liblib-lds               sparc
693 usr/lib/liblib-lds.ln            sparc
694 usr/lib/sparcv9/liblib-lds.ln    sparc
695 usr/lib/libdsconfig.so
696 usr/lib/liblib-ldsconfig.ln
697 usr/platform/sun4v/include/sys/libds.h  sparc
698 usr/platform/sun4v/include/sys/vlds.h   sparc
699 #
700 # Private/Internal u8_textprep header file. Do not ship.
701 #
702 usr/include/sys/u8_textprep_data.h
703 #
704 # SQLite is private, used by SMF (svc.configd), idmapd and libsmb.
705 #
706 usr/include/sqlite
707 usr/lib/libsqlite-native.o
708 usr/lib/libsqlite.o
709 usr/lib/liblib-lsqlite.ln
710 usr/lib/smbd/libsqlite.o
711 #
712 # Private/Internal kiconv header files. Do not ship.

```

new/exception_lists/packaging

12

```

713 #
714 usr/include/sys/kiconv_big5_utf8.h
715 usr/include/sys/kiconv_cck_common.h
716 usr/include/sys/kiconv_cp950hkscs_utf8.h
717 usr/include/sys/kiconv_emea1.h
718 usr/include/sys/kiconv_emea2.h
719 usr/include/sys/kiconv_euckr_utf8.h
720 usr/include/sys/kiconv_euctw_utf8.h
721 usr/include/sys/kiconv_gb18030_utf8.h
722 usr/include/sys/kiconv_gb2312_utf8.h
723 usr/include/sys/kiconv_hkscs_utf8.h
724 usr/include/sys/kiconv_ja_jis_to_unicode.h
725 usr/include/sys/kiconv_ja_unicode_to_jis.h
726 usr/include/sys/kiconv_ja.h
727 usr/include/sys/kiconv_ko.h
728 usr/include/sys/kiconv_latin1.h
729 usr/include/sys/kiconv_sc.h
730 usr/include/sys/kiconv_tc.h
731 usr/include/sys/kiconv_uhc_utf8.h
732 usr/include/sys/kiconv_utf8_big5.h
733 usr/include/sys/kiconv_utf8_cp950hkscs.h
734 usr/include/sys/kiconv_utf8_euckr.h
735 usr/include/sys/kiconv_utf8_euctw.h
736 usr/include/sys/kiconv_utf8_gb18030.h
737 usr/include/sys/kiconv_utf8_gb2312.h
738 usr/include/sys/kiconv_utf8_hkscs.h
739 usr/include/sys/kiconv_utf8_uhc.h
740 #
741 # At this time, the ttydefs.cleanup file is only useful on sun4u systems
742 #
743 etc/flash/postdeployment/ttydefs.cleanup          i386
744 #
745 # This header file is shared only between the power commands and
746 # ppm/srn modules # and should not be in any package
747 #
748 usr/include/sys/srn.h
749 #
750 # Private/Internal header files of smbsrv. Do not ship.
751 #
752 usr/include/smb
753 usr/include/smbd
754 #
755 # Private/Internal dtrace scripts of smbsrv. Do not ship.
756 #
757 usr/lib/smbd/dtrace
758 #
759 # Private/Internal (lint) libraries of smbsrv. Do not ship.
760 #
761 usr/lib/reparse/liblib-lreparse_smb
762 usr/lib/reparse/liblib-lreparse_smb.ln
763 usr/lib/smbd/liblib-lmlrpc
764 usr/lib/smbd/liblib-lmlrpc.ln
765 usr/lib/smbd/liblib-lmlsvc
766 usr/lib/smbd/liblib-lmlsvc.ln
767 usr/lib/smbd/liblib-lsmb
768 usr/lib/smbd/liblib-lsmb.ln
769 usr/lib/smbd/liblib-lsmbns
770 usr/lib/smbd/liblib-lsmbns.ln
771 #
772 #
773 # Private/Internal 64-bit libraries of smbsrv. Do not ship.
774 #
775 usr/lib/smbd/amd64          i386
776 usr/lib/smbd/sparcv9        sparc
777 #
778 usr/lib/reparse/amd64/libreparse_smb.so          i386

```

new/exception_lists/packaging

13

```

779 usr/lib/reparse/amd64/libreparse_smb.so.1      i386
780 usr/lib/reparse/amd64/l1ib-lreparse_smb.ln     i386
781 usr/lib/reparse/sparcv9/libreparse_smb.so       sparc
782 usr/lib/reparse/sparcv9/libreparse_smb.so.1     sparc
783 usr/lib/reparse/sparcv9/l1ib-lreparse_smb.ln    sparc
784 #
785 # Private dirent, extended to include flags, for use by SMB server
786 #
787 usr/include/sys/extdirent.h
788 #
789 # Private header files for vscan service
790 #
791 usr/include/libvscan.h
792 usr/include/sys/vscan.h
793 #
794 # libvscan is private
795 #
796 usr/lib/vscan/l1ib-lvscan
797 usr/lib/vscan/l1ib-lvscan.ln
798 #
799 # i86hvm is not a full platform. It is just a home for paravirtualized
800 # drivers. There is no usr/ component to this sub-platform, but the
801 # directory is created in the proto area to keep other tools happy.
802 #
803 usr/platform/i86hvm                                i386
804 #
805 # Private sdcard framework headers
806 #
807 usr/include/sys/sdcard
808 #
809 # libsmbfs is private
810 #
811 usr/include/netsmb
812 usr/lib/libsmbsfs.so
813 usr/lib/amd64/libsmbsfs.so                        i386
814 usr/lib/sparcv9/libsmbsfs.so                      sparc
815 usr/lib/l1ib-lsmbsfs
816 usr/lib/l1ib-lsmbsfs.ln
817 usr/lib/amd64/l1ib-lsmbsfs.ln                    i386
818 usr/lib/sparcv9/l1ib-lsmbsfs.ln                  sparc
819 #
820 # demo & test program for smbfs (private) ACL support
821 #
822 usr/lib/fs/smbfs/chacl
823 usr/lib/fs/smbfs/lsacl
824 usr/lib/fs/smbfs/testnp
825 #
826 # FC related files
827 kernel/kmdb/fcip                                i386
828 kernel/kmdb/amd64/fcip                          i386
829 kernel/kmdb/sparcv9/fcip                        sparc
830 kernel/kmdb/fcp                                 i386
831 kernel/kmdb/amd64/fcp                           i386
832 kernel/kmdb/sparcv9/fcp                         sparc
833 kernel/kmdb/fctl                                i386
834 kernel/kmdb/amd64/fctl                          i386
835 kernel/kmdb/sparcv9/fctl                        sparc
836 kernel/kmdb/qlc                                 i386
837 kernel/kmdb/amd64/qlc                           i386
838 kernel/kmdb/sparcv9/qlc                         sparc
839 lib/l1ib-la5k                                   sparc
840 lib/l1ib-la5k.ln                                sparc
841 lib/sparcv9/l1ib-la5k.ln                        sparc
842 lib/l1ib-lg_fc                                  sparc
843 lib/l1ib-lg_fc.ln                               sparc
844 lib/sparcv9/l1ib-lg_fc.ln                       sparc

```

new/exception_lists/packaging

14

```

845 usr/include/a_state.h                          sparc
846 usr/include/a5k.h                              sparc
847 usr/include/exec.h                             sparc
848 usr/include/g_scsi.h                           sparc
849 usr/include/g_state.h                          sparc
850 usr/include/gfc.h                              sparc
851 usr/include/l_common.h                         sparc
852 usr/include/l_error.h                         sparc
853 usr/include/rom.h                              sparc
854 usr/include/stgcom.h                           sparc
855 usr/include/sys/fibre-channel
856 usr/lib/l1ib-lHBAAPI
857 usr/lib/l1ib-lHBAAPI.ln
858 usr/lib/amd64/l1ib-lHBAAPI.ln                  i386
859 usr/lib/sparcv9/l1ib-lHBAAPI.ln                sparc
860 #
861 usr/bin/dscfgcli
862 usr/bin/sd_diag
863 usr/bin/sd_stats
864 usr/include/nsctl.h
865 usr/include/sys/ncall
866 usr/include/sys/nsc_ddi.h
867 usr/include/sys/nsc_thread.h
868 usr/include/sys/nsctl
869 usr/include/sys/nskernd.h
870 usr/include/sys/unistat
871 usr/lib/libnsctl.so
872 usr/lib/librdc.so
873 usr/lib/libunistat.so
874 usr/lib/l1ib-lnsctl.ln
875 usr/lib/l1ib-lrdc.ln
876 usr/lib/l1ib-lunistat.ln
877 #
878 # These files are used by the iSCSI initiator only.
879 # No reason to ship them.
880 #
881 usr/include/sys/scsi/adapters/iscsi_door.h
882 usr/include/sys/scsi/adapters/iscsi_if.h
883 #
884 # sbd ioctl hdr
885 #
886 usr/include/sys/stmf_sbd_ioctl.h
887 #
888 # proxy port provider interface
889 #
890 usr/include/sys/pppt_ic_if.h
891 usr/include/sys/pppt_ioctl.h
892 #
893 # proxy daemon lint library
894 #
895 usr/lib/l1ib-lstmfproxy
896 usr/lib/l1ib-lstmfproxy.ln
897 usr/lib/amd64/l1ib-lstmfproxy.ln                i386
898 usr/lib/sparcv9/l1ib-lstmfproxy.ln              sparc
899 #
900 # portable object file and dictionary used by libfmd_msg test
901 #
902 usr/lib/fm/dict/TEST.dict
903 usr/lib/locale/C/LC_MESSAGES/TEST.mo
904 usr/lib/locale/C/LC_MESSAGES/TEST.po
905 #
906 # Private idmap RPC protocol
907 #
908 usr/include/rpcsvc/idmap_prot.h
909 usr/include/rpcsvc/idmap_prot.x
910 #

```

new/exception_lists/packaging

15

```

911 # Private idmap directory API
912 #
913 usr/include/directory.h
914 #
915 # librstp is private for bridging
916 #
917 usr/include/stp_bpdu.h
918 usr/include/stp_in.h
919 usr/include/stp_vectors.h
920 usr/lib/librstp.so
921 usr/lib/llib-lrstp
922 usr/lib/llib-lrstp.ln
923 #
924 # Private nvfru API
925 #
926 usr/include/nvfru.h
927 #
928 # vrrp
929 #
930 usr/include/libvrrpadm.h
931 usr/lib/libvrrpadm.so
932 usr/lib/amd64/libvrrpadm.so          i386
933 usr/lib/sparcv9/libvrrpadm.so       sparc
934 usr/lib/llib-lvrrpadm
935 usr/lib/llib-lvrrpadm.ln
936 usr/lib/amd64/llib-lvrrpadm.ln     i386
937 usr/lib/sparcv9/llib-lvrrpadm.ln   sparc
938 #
939 # This is only used during the -t tools build
940 #
941 opt/onbld/bin/i386/elfsign          i386
942 opt/onbld/bin/sparc/elfsign         sparc
943 opt/onbld/bin/i386/mandoc          i386
944 opt/onbld/bin/sparc/mandoc         sparc

946 #
947 # Private libdwarf
948 #
949 opt/onbld/lib/i386/libdwarf.so      i386
950 opt/onbld/lib/sparc/libdwarf.so     sparc

952 #
953 # Private socket filter API
954 #
955 usr/include/sys/sockfilter.h
956 #
957 # We don't actually validate license action payloads, and the license
958 # staging area is provided as a separate basedir for package
959 # publication. The net result is that everything therein should be
960 # ignored for packaging validation.
961 #
962 licenses
963 #
964 # Libbe is private
965 #
966 usr/include/libbe_priv.h
967 #
968 # ipmi is at present only useful on i386, but for historical reasons is
969 # delivered on SPARC and used by the build.
970 #
971 usr/include/sys/ipmi.h             sparc

973 #
974 # libsaveargs is private
975 #
976 usr/include/saveargs.h             i386

```

new/exception_lists/packaging

16

```

977 usr/lib/amd64/libsaveargs.so       i386
978 usr/lib/amd64/libstandsaveargs.so  i386
979 usr/lib/amd64/llib-lsaveargs.ln    i386

981 #
982 # libpcidb is private
983 #
984 usr/include/pcidb.h
985 usr/lib/amd64/libpcidb.so           i386
986 usr/lib/amd64/llib-lpcidb.ln       i386
987 usr/lib/sparcv9/libpcidb.so        sparc
988 usr/lib/sparcv9/llib-lpcidb.ln     sparc
989 usr/lib/libpcidb.so
990 usr/lib/llib-lpcidb
991 usr/lib/llib-lpcidb.ln

```

new/usr/src/Makefile.lint

1

8722 Tue Nov 4 14:39:54 2014

new/usr/src/Makefile.lint

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 #
25 # Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
26 # Copyright (c) 2012 by Delphix. All rights reserved.
27 #
28 # include global definitions
29 include Makefile.master
30 #
31 #
32 # As pieces are made lint-clean, add them here so the nightly build
33 # can be used to keep them that way.
34 #
35 COMMON_SUBDIRS = \
36     cmd/acctadm \
37     cmd/asa \
38     cmd/amt \
39     cmd/audio/audiocctl \
40     cmd/audio/audiotest \
41     cmd/audit \
42     cmd/auditconfig \
43     cmd/auditd \
44     cmd/auditreduce \
45     cmd/auditstat \
46     cmd/auths \
47     cmd/autopush \
48     cmd/availdevs \
49     cmd/avs \
50     cmd/awk \
51     cmd/banner \
52     cmd/bart \
53     cmd/basename \
54     cmd/bdiff \
55     cmd/bfs \
56     cmd/busstat \
57     cmd/boot \
58     cmd/cal \
```

new/usr/src/Makefile.lint

2

```
59     cmd/captoinfo \
60     cmd/cat \
61     cmd/cdrw \
62     cmd/cfgadm \
63     cmd/checkeq \
64     cmd/checknr \
65     cmd/chgrp \
66     cmd/chmod \
67     cmd/chown \
68     cmd/chroot \
69     cmd/clinfo \
70     cmd/cmd-crypto \
71     cmd/cmd-inet/lib \
72     cmd/cmd-inet/lib/netcfgd \
73     cmd/cmd-inet/lib/nwamd \
74     cmd/cmd-inet/sbin \
75     cmd/cmd-inet/usr.bin \
76     cmd/cmd-inet/usr.lib/bridged \
77     cmd/cmd-inet/usr.lib/dsvclockd \
78     cmd/cmd-inet/usr.lib/ilbd \
79     cmd/cmd-inet/usr.lib/in.dhcpd \
80     cmd/cmd-inet/usr.lib/in.mpathd \
81     cmd/cmd-inet/usr.lib/in.ndpd \
82     cmd/cmd-inet/usr.lib/inetd \
83     cmd/cmd-inet/usr.lib/pppoe \
84     cmd/cmd-inet/usr.lib/slpd \
85     cmd/cmd-inet/usr.lib/vrrpd \
86     cmd/cmd-inet/usr.lib/wpad \
87     cmd/cmd-inet/usr.lib/wanboot \
88     cmd/cmd-inet/usr.sadm \
89     cmd/cmd-inet/usr.sbin \
90     cmd/cmd-inet/usr.sbin/ilbadm \
91     cmd/cmd-inet/usr.sbin/nwamadm \
92     cmd/cmd-inet/usr.sbin/nwamcfg \
93     cmd/col \
94     cmd/compress \
95     cmd/consadm \
96     cmd/coreadm \
97     cmd/cpc \
98     cmd/cpio \
99     cmd/crypt \
100    cmd/csplit \
101    cmd/ctrunc \
102    cmd/ctstat \
103    cmd/ctwatch \
104    cmd/date \
105    cmd/dd \
106    cmd/deroff \
107    cmd/devctl \
108    cmd/devfsadm \
109    cmd/devinfo \
110    cmd/devmgmt \
111    cmd/devprop \
112    cmd/dfs.cmds \
113    cmd/diff3 \
114    cmd/dis \
115    cmd/dirname \
116    cmd/diskscan \
117    cmd/dispadmin \
118    cmd/dladm \
119    cmd/dlmgmt \
120    cmd/dtrace \
121    cmd/du \
122    cmd/dumpadm \
123    cmd/dumpcs \
124    cmd/echo \
```

new/usr/src/Makefile.lint

```
123      cmd/eject \
124      cmd/emul64ioctl \
125      cmd/env \
126      cmd/expand \
127      cmd/fcinfo \
128      cmd/fdetach \
129      cmd/fdformat \
130      cmd/fdisk \
131      cmd/fgrep \
132      cmd/file \
133      cmd/find \
134      cmd/fmthard \
135      cmd/fmtmsg \
136      cmd/fold \
137      cmd/fm \
138      cmd/format \
139      cmd/fs.d/fd \
140      cmd/fs.d/lofs/mount \
141      cmd/fs.d/mntfs \
142      cmd/fs.d/pcfs/mount \
143      cmd/fs.d/proc \
144      cmd/fs.d/tmpfs \
145      cmd/fs.d/udfs/mount \
146      cmd/fs.d/ufs/mount \
147      cmd/fs.d/ufs/fsirand \
148      cmd/fs.d/zfs/fstyp \
149      cmd/fwflash \
150      cmd/fuser \
151      cmd/gcore \
152      cmd/genmsg \
153      cmd/getconf \
154      cmd/getdevpolicy \
155      cmd/getfacl \
156      cmd/getopt \
157      cmd/gettext \
158      cmd/grep \
159      cmd/grep_xpg4 \
160      cmd/groups \
161      cmd/halt \
162      cmd/head \
163      cmd/hostid \
164      cmd/hostname \
165      cmd/hotplug \
166      cmd/hotplugd \
167      cmd/idmap \
168      cmd/init \
169      cmd/intrstat \
170      cmd/ipcrm \
171      cmd/ipcs \
172      cmd/isaexec \
173      cmd/isalist \
174      cmd/iscsiadm \
175      cmd/iscsid \
176      cmd/iscsitsvc \
177      cmd/isns \
178      cmd/itadm \
179      cmd/kbd \
180      cmd/killall \
181      cmd/ldap \
182      cmd/last \
183      cmd/lastcomm \
184      cmd/ldapcachemgr \
185      cmd/line \
186      cmd/link \
187      cmd/locator \
188      cmd/localedef \
```

3

new/usr/src/Makefile.lint

```
189      cmd/lockstat \
190      cmd/lofiadm \
191      cmd/logadm \
192      cmd/logger \
193      cmd/login \
194      cmd/logins \
195      cmd/ls \
196      cmd/luxadm \
197      cmd/lvm \
198      cmd/machid \
199      cmd/mailwrapper \
200      cmd/makekey \
201      cmd/mdb \
202      cmd/mesg \
203      cmd/mkdir \
204      cmd/mkfifo \
205      cmd/mkfile \
206      cmd/mkmsgs \
207      cmd/mknod \
208      cmd/mpathadm \
209      cmd/modload \
210      cmd/msgfmt \
211      cmd/msgid \
212      cmd/mt \
213      cmd/mv \
214      cmd/ndmpadm \
215      cmd/ndmpd \
216      cmd/ndmpstat \
217      cmd/newform \
218      cmd/newgrp \
219      cmd/newtask \
220      cmd/nice \
221      cmd/nl \
222      cmd/nohup \
223      cmd/nscd \
224      cmd/od \
225      cmd/pagesize \
226      cmd/passwd \
227      cmd/pathchk \
228      cmd/pbind \
229      cmd/pcidr \
230      cmd/pcitool \
231      cmd/pfexec \
232      cmd/pgrep \
233      cmd/picl/picld \
234      cmd/picl/prtpicl \
235      cmd/plockstat \
236      cmd/pools \
237      cmd/power \
238      cmd/powertop \
239      cmd/printf \
240      cmd/latencytop \
241      cmd/ppgsz \
242      cmd/praudit \
243      cmd/prctl \
244      cmd/priocntl \
245      cmd/profiles \
246      cmd/prstat \
247      cmd/prtconf \
248      cmd/prtdiag \
249      cmd/prtvtoc \
250      cmd/ps \
251      cmd/psradm \
252      cmd/psrinfo \
253      cmd/psrset \
254      cmd/ptools \
```

4

new/usr/src/Makefile.lint

```
255 cmd/pwck \
256 cmd/pwconv \
257 cmd/ramdiskadm \
258 cmd/raidctl \
259 cmd/rcap \
260 cmd/rcm_daemon \
261 cmd/rctladm \
262 cmd/renice \
263 cmd/rm \
264 cmd/rmdir \
265 cmd/rmformat \
266 cmd/rmt \
267 cmd/roles \
268 cmd/rpcgen \
269 cmd/rpcsvc/rpc.bootparamd \
270 cmd/runat \
271 cmd/savecore \
272 cmd/sbdadm \
273 cmd/sdpadm \
274 cmd/sed \
275 cmd/setpgrp \
276 cmd/smbios \
277 cmd/sgs \
278 cmd/smbsrv \
279 cmd/smserverd \
280 cmd/sort \
281 cmd/split \
282 cmd/srptadm \
283 cmd/srptsvc \
284 cmd/ssh \
285 cmd/stat \
286 cmd/stmfadm \
287 cmd/stmfsvc \
288 cmd/stmsboot \
289 cmd/streams/strcmd \
290 cmd/strings \
291 cmd/su \
292 cmd/sulogin \
293 cmd/svc \
294 cmd/swap \
295 cmd/sync \
296 cmd/syseventadm \
297 cmd/syseventd \
298 cmd/syslogd \
299 cmd/tabs \
300 cmd/tail \
301 cmd/th_tools \
302 cmd/tip \
303 cmd/touch \
304 cmd/tr \
305 cmd/truss \
306 cmd/tty \
307 cmd/tzreload \
308 cmd/uadmin \
309 cmd/ul \
310 cmd/userattr \
311 cmd/users \
312 cmd/utmp_update \
313 cmd/utmpd \
314 cmd/valtools \
315 cmd/vrrpadm \
316 cmd/vt \
317 cmd/wall \
318 cmd/who \
319 cmd/whodo \
320 cmd/wracct \
```

5

new/usr/src/Makefile.lint

```
321 cmd/wusbadm \
322 cmd/xargs \
323 cmd/xstr \
324 cmd/yes \
325 cmd/yppasswd \
326 cmd/zdb \
327 cmd/zdump \
328 cmd/zfs \
329 cmd/zhack \
330 cmd/zinject \
331 cmd/zlogin \
332 cmd/zoneadm \
333 cmd/zoneadm \
334 cmd/zonecfg \
335 cmd/zonename \
336 cmd/zpool \
337 cmd/zlook \
338 cmd/ztest \
339 lib/abi \
340 lib/auditd_plugins \
341 lib/libbe \
342 lib/pylibbe \
343 lib/brand/sn1 \
344 lib/brand/solaris10 \
345 lib/crypt_modules \
346 lib/extendedFILE \
347 lib/libadm \
348 lib/libadutils \
349 lib/libadt_jni \
350 lib/libaio \
351 lib/libavl \
352 lib/libbrand \
353 lib/libbsdmalloc \
354 lib/libbsm \
355 lib/libc \
356 lib/libc_db \
357 lib/libcfdgm \
358 lib/libcmdutils \
359 lib/libcommutil \
360 lib/libcontract \
361 lib/libcryptoutil \
362 lib/libctf \
363 lib/libdevice \
364 lib/libdevvid \
365 lib/libdevinfo \
366 lib/libdhcagent \
367 lib/libdhcdu \
368 lib/libdhcpsvc \
369 lib/libdhcputil \
370 lib/libdisasm \
371 lib/libdiskmgt \
372 lib/libdladm \
373 lib/libdlpi \
374 lib/libdoor \
375 lib/libdscfg \
376 lib/libdtrace \
377 lib/libefi \
378 lib/libelfsign \
379 lib/libexacct \
380 lib/libfcoe \
381 lib/libgen \
382 lib/libgrubmgt \
383 lib/libgss \
384 lib/libhotplug \
385 lib/libidmap \
386 lib/libilb \
```

6

new/usr/src/Makefile.lint

```

385 lib/libinetsvc \
386 lib/libinetutil \
387 lib/libinstzones \
388 lib/libipadm \
389 lib/libipmi \
390 lib/libipmp \
391 lib/libipp \
392 lib/libipsecutil \
393 lib/libiscsit \
394 lib/libkrmf \
395 lib/libkstat \
396 lib/liblgrp \
397 lib/liblm \
398 lib/libm \
399 lib/libm1 \
400 lib/libmvec \
401 lib/libmalloc \
402 lib/libmapmalloc \
403 lib/libmapid \
404 lib/libmd \
405 lib/libmp \
406 lib/libmtmalloc \
407 lib/libndmp \
408 lib/libnsctl \
409 lib/libnsl \
410 lib/libnvpair \
411 lib/libnwam \
412 lib/libpam \
413 lib/libpctx \
414 lib/libpicl \
415 lib/libpicltree \
416 lib/libpkg \
417 lib/libpool \
418 lib/libproc \
419 lib/libpthread \
420 lib/libraidcfg \
421 lib/librcm \
422 lib/librdc \
423 lib/libreparse \
424 lib/librestart \
425 lib/librstp \
426 lib/librt \
427 lib/libscf \
428 lib/libsec \
429 lib/libsecdb \
430 lib/libsendfile \
431 lib/libsip \
432 lib/libshare \
433 lib/libslldap \
434 lib/libslp \
435 lib/libsmvfs \
436 lib/libsmbios \
437 lib/libsmmedia \
438 lib/libsrpt \
439 lib/libstmf \
440 lib/libsun_ima \
441 lib/libsysevent \
442 lib/libthread \
443 lib/libtsnet \
444 lib/libtsol \
445 lib/libumem \
446 lib/libunistat \
447 lib/libuuid \
448 lib/libuutil \
449 lib/libvrrpadm \
450 lib/libwanboot \

```

7

new/usr/src/Makefile.lint

```

451 lib/libwanbootutil \
452 lib/libxnet \
453 lib/libzfs \
454 lib/libzfs_jni \
455 lib/libzonecfg \
456 lib/libzoneinfo \
457 lib/lvm \
458 lib/madv \
459 lib/mpss \
460 lib/nametoaddr \
461 lib/ncad_addr \
462 lib/nsswitch \
463 lib/pam_modules \
464 lib/passwdutil \
465 lib/pkcs11 \
466 lib/print \
467 lib/raidcfg_plugins \
468 lib/scsi \
469 lib/smbsrv \
470 lib/fm \
471 lib/udapl \
472 lib/watchmalloc \
473 psm \
474 test \
475 ucbbcmd/basename \
476 ucbbcmd/biff \
477 ucbbcmd/echo \
478 ucbbcmd/groups \
479 ucbbcmd/mkstr \
480 ucbbcmd/printenv \
481 ucbbcmd/sum \
482 ucbbcmd/test \
483 ucbbcmd/users \
484 ucbbcmd/whoami

486 i386_SUBDIRS= \
487 cmd/acpihp \
488 cmd/biosdev \
489 cmd/rtc \
490 cmd/ucodeadm \
491 lib/cfgadm_plugins/sata \
492 lib/cfgadm_plugins/sbd \
493 lib/libfdisk

495 sparc_SUBDIRS= \
496 cmd/datadm \
497 cmd/dcs \
498 cmd/drd \
499 cmd/fruadm \
500 cmd/ldmad \
501 cmd/prtdsc \
502 cmd/prtfu \
503 cmd/sckmd \
504 cmd/virtinfo \
505 cmd/vntsd \
506 lib/libds \
507 lib/libdsc \
508 lib/libpri \
509 lib/libpcp \
510 lib/libtsalarm \
511 lib/libv12n \
512 lib/storage \
513 stand

```

```

515 LINTSUBDIRS= $(COMMON_SUBDIRS) $( $(MACH)_SUBDIRS)

```

8

new/usr/src/Makefile.lint

9

```
517 .PARALLEL:      $(LINTSUBDIRS)
519 lint:            uts .WAIT subdirs
521 subdirs:         $(LINTSUBDIRS)
523 uts $(LINTSUBDIRS):      FRC
524     @cd $@; pwd; $(MAKE) lint
526 FRC:
```

new/usr/src/Targetdirs

1

```

*****
71370 Tue Nov  4 14:39:55 2014
new/usr/src/Targetdirs
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>
*****
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2011, Richard Lowe
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2012, Igor Kozhukhov <ikozhukhov@gmail.com>
26 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
27 # Copyright (c) 2013 RackTop Systems.
28 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
29 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
30 #
31 #
32 #
33 # It is easier to think in terms of directory names without the ROOT macro
34 # prefix. ROOTDIRS is TARGETDIRS with ROOT prefixes. It is necessary
35 # to work with ROOT prefixes when controlling conditional assignments.
36 #
37 #
38 DIRLINKS=      $(SYM.DIRS)
39 $(BUILDD64)    DIRLINKS += $(SYM.DIRS64)
40 #
41 FILELINKS= $(SYM.USRCCSLIB) $(SYM.USRLIB)
42 $(BUILDD64)    FILELINKS += $(SYM.USRCCSLIB64) $(SYM.USRLIB64)
43 #
44 TARGETDIRS=    $(DIRS)
45 $(BUILDD64)    TARGETDIRS += $(DIRS64)
46 #
47 TARGETDIRS     += $(FILELINKS) $(DIRLINKS)
48 #
49 i386_DIRS=     \
50 /boot/acpi     \
51 /boot/acpi/tables \
52 /boot/grub     \
53 /boot/grub/bin  \
54 /platform/i86pc \
55 /lib/libmvec    \
56 /usr/lib/xen     \
57 /usr/lib/xen/bin

```

new/usr/src/Targetdirs

2

```

59 sparc_DIRS= \
60 /usr/lib/ldoms

62 sparc_64ONLY= $(POUND_SIGN)
63 64ONLY=  $(MACH)_64ONLY)

65 $(64ONLY) MACH32_DIRS=/usr/ucb/$(MACH32)

67 DIRS= \
68 /boot \
69 /boot/solaris \
70 /boot/solaris/bin \
71 $(MACH_DIRS) \
72 /dev \
73 /dev/dsk \
74 /dev/fd \
75 /dev/ipnet \
76 /dev/net \
77 /dev/rdisk \
78 /dev/rmt \
79 /dev/pts \
80 /dev/sad \
81 /dev/swap \
82 /dev/term \
83 /dev/vt \
84 /dev/zcons \
85 /devices \
86 /devices/pseudo \
87 /etc \
88 /etc/brand \
89 /etc/brand/solaris10 \
90 /etc/cron.d \
91 /etc/crypto \
92 /etc/crypto/certs \
93 /etc/crypto/crls \
94 /etc/dbus-1 \
95 /etc/dbus-1/system.d \
96 /etc/default \
97 /etc/devices \
98 /etc/dev \
99 /etc/dfs \
100 /etc/dladm \
101 /etc/fs \
102 /etc/fs/nfs \
103 /etc/fs/zfs \
104 /etc/ftpd \
105 /etc/hal \
106 /etc/hal/fdi \
107 /etc/hal/fdi/information \
108 /etc/hal/fdi/information/10freedesktop \
109 /etc/hal/fdi/information/20thirdparty \
110 /etc/hal/fdi/information/30user \
111 /etc/hal/fdi/policy \
112 /etc/hal/fdi/policy/10osvendor \
113 /etc/hal/fdi/policy/20thirdparty \
114 /etc/hal/fdi/policy/30user \
115 /etc/hal/fdi/preprobe \
116 /etc/hal/fdi/preprobe/10osvendor \
117 /etc/hal/fdi/preprobe/20thirdparty \
118 /etc/hal/fdi/preprobe/30user \
119 /etc/ipadm \
120 /etc/iscsi \
121 /etc/rpcsec \
122 /etc/security \
123 /etc/security/auth_attr.d \
124 /etc/security/exec_attr.d \

```

new/usr/src/Targetdirs

```

125 /etc/security/prof_attr.d \
126 /etc/security/tsol \
127 /etc/gss \
128 /etc/init.d \
129 /etc/dhcp \
130 /etc/lib \
131 /etc/mail \
132 /etc/mail/cf \
133 /etc/mail/cf/cf \
134 /etc/mail/cf/domain \
135 /etc/mail/cf/feature \
136 /etc/mail/cf/m4 \
137 /etc/mail/cf/mailer \
138 /etc/mail/cf/ostype \
139 /etc/mail/cf/sh \
140 /etc/net-snmpp \
141 /etc/net-snmpp/snmpp \
142 /etc/opt \
143 /etc/rc0.d \
144 /etc/rc1.d \
145 /etc/rc2.d \
146 /etc/rc3.d \
147 /etc/rcS.d \
148 /etc/saf \
149 /etc/sasl \
150 /etc/sfw \
151 /etc/skel \
152 /etc/svc \
153 /etc/svc/profile \
154 /etc/svc/profile/site \
155 /etc/svc/volatile \
156 /etc/tm \
157 /etc/usb \
158 /etc/user_attr.d \
159 /etc/zfs \
160 /etc/zones \
161 /export \
162 /home \
163 /lib \
164 /lib/crypto \
165 /lib/inet \
166 /lib/fm \
167 /lib/secure \
168 /lib/svc \
169 /lib/svc/bin \
170 /lib/svc/capture \
171 /lib/svc/manifest \
172 /lib/svc/manifest/milestone \
173 /lib/svc/manifest/device \
174 /lib/svc/manifest/system \
175 /lib/svc/manifest/system/device \
176 /lib/svc/manifest/system/filesystem \
177 /lib/svc/manifest/system/security \
178 /lib/svc/manifest/system/svc \
179 /lib/svc/manifest/network \
180 /lib/svc/manifest/network/dns \
181 /lib/svc/manifest/network/ipsec \
182 /lib/svc/manifest/network/ldap \
183 /lib/svc/manifest/network/nfs \
184 /lib/svc/manifest/network/nis \
185 /lib/svc/manifest/network/rpc \
186 /lib/svc/manifest/network/security \
187 /lib/svc/manifest/network/shares \
188 /lib/svc/manifest/network/ssl \
189 /lib/svc/manifest/application \
190 /lib/svc/manifest/application/management \

```

3

new/usr/src/Targetdirs

```

191 /lib/svc/manifest/application/security \
192 /lib/svc/manifest/application/print \
193 /lib/svc/manifest/platform \
194 /lib/svc/manifest/platform/sun4u \
195 /lib/svc/manifest/platform/sun4v \
196 /lib/svc/manifest/site \
197 /lib/svc/method \
198 /lib/svc/monitor \
199 /lib/svc/seed \
200 /lib/svc/share \
201 /kernel \
202 /mnt \
203 /opt \
204 /platform \
205 /proc \
206 /root \
207 /sbin \
208 /system \
209 /system/contract \
210 /system/object \
211 /tmp \
212 /usr \
213 /usr/4lib \
214 /usr/ast \
215 /usr/ast/bin \
216 /usr/bin \
217 /usr/bin/$(MACH32) \
218 /usr/ccs \
219 /usr/ccs/bin \
220 /usr/ccs/lib \
221 /usr/demo \
222 /usr/demo/SOUND \
223 /usr/games \
224 /usr/has \
225 /usr/has/bin \
226 /usr/has/lib \
227 /usr/has/man \
228 /usr/has/man/man1has \
229 /usr/include \
230 /usr/include/ast \
231 /usr/include/fm \
232 /usr/include/gssapi \
233 /usr/include/hal \
234 /usr/include/kerberosv5 \
235 /usr/include/libmilter \
236 /usr/include/libpolkit \
237 /usr/include/sasl \
238 /usr/include/scsi \
239 /usr/include/security \
240 /usr/include/sys/crypto \
241 /usr/include/tsol \
242 /usr/kernel \
243 /usr/kvm \
244 /usr/lib \
245 /usr/lib/abi \
246 /usr/lib/brand \
247 /usr/lib/brand/ipkg \
248 /usr/lib/brand/labeled \
249 /usr/lib/brand/shared \
250 /usr/lib/brand/sn1 \
251 /usr/lib/brand/solaris10 \
252 /usr/lib/class \
253 /usr/lib/class/FSS \
254 /usr/lib/class/FX \
255 /usr/lib/class/IA \
256 /usr/lib/class/RT \

```

4

new/usr/src/Targetdirs

```
257 /usr/lib/class/SDC \
258 /usr/lib/class/TS \
259 /usr/lib/crypto \
260 /usr/lib/drv \
261 /usr/lib/elfedit \
262 /usr/lib/fm \
263 /usr/lib/font \
264 /usr/lib/fs \
265 /usr/lib/fs/nfs \
266 /usr/lib/fs/proc \
267 /usr/lib/fs/smb \
268 /usr/lib/fs/zfs \
269 /usr/lib/gss \
270 /usr/lib/hal \
271 /usr/lib/inet \
271 /usr/lib/inet/dhcx \
272 /usr/lib/inet/dhcx/nsu \
273 /usr/lib/inet/dhcx/svc \
274 /usr/lib/inet/dhcx/svcadm \
272 /usr/lib/inet/ilb \
273 /usr/lib/inet/$(MACH32) \
274 /usr/lib/inet/wanboot \
275 /usr/lib/krb5 \
276 /usr/lib/link_audit \
277 /usr/lib/libp \
278 /usr/lib/lwp \
279 /usr/lib/mdb \
280 /usr/lib/mdb/kvm \
281 /usr/lib/mdb/proc \
282 /usr/lib/nfs \
283 /usr/net \
284 /usr/net/servers \
285 /usr/lib/pool \
286 /usr/lib/python2.6 \
287 /usr/lib/python2.6/vendor-packages \
288 /usr/lib/python2.6/vendor-packages/64 \
289 /usr/lib/python2.6/vendor-packages/solaris \
290 /usr/lib/python2.6/vendor-packages/zfs \
291 /usr/lib/python2.6/vendor-packages/beadm \
292 /usr/lib/rcap \
293 /usr/lib/rcap/$(MACH32) \
294 /usr/lib/sa \
295 /usr/lib/saf \
296 /usr/lib/sasl \
297 /usr/lib/scsi \
298 /usr/lib/secure \
299 /usr/lib/security \
300 /usr/lib/smbfs \
301 /usr/lib/vscan \
302 /usr/lib/zfs \
303 /usr/lib/zones \
304 /usr/old \
305 /usr/platform \
306 /usr/proc \
307 /usr/proc/bin \
308 /usr/sadm \
309 /usr/sadm/install \
310 /usr/sadm/install/bin \
311 /usr/sadm/install/scripts \
312 /usr/sbin \
313 /usr/sbin/$(MACH32) \
314 /usr/share \
315 /usr/share/applications \
316 /usr/share/audio \
317 /usr/share/audio/samples \
318 /usr/share/audio/samples/au \
```

5

new/usr/src/Targetdirs

```
319 /usr/share/gnome \
320 /usr/share/gnome/autostart \
321 /usr/share/hwdata \
322 /usr/share/lib \
323 /usr/share/lib/ccs \
324 /usr/share/lib/tmac \
325 /usr/share/lib/ldif \
326 /usr/share/lib/xml \
327 /usr/share/lib/xml/dtd \
328 /usr/share/man \
329 /usr/share/man/man1 \
330 /usr/share/man/man1b \
331 /usr/share/man/man1c \
332 /usr/share/man/man1m \
333 /usr/share/man/man2 \
334 /usr/share/man/man3 \
335 /usr/share/man/man3bsm \
336 /usr/share/man/man3c \
337 /usr/share/man/man3c_db \
338 /usr/share/man/man3cfgadm \
339 /usr/share/man/man3commutil \
340 /usr/share/man/man3contract \
341 /usr/share/man/man3cpc \
342 /usr/share/man/man3curses \
343 /usr/share/man/man3dat \
344 /usr/share/man/man3devic \
345 /usr/share/man/man3devinfo \
346 /usr/share/man/man3dlpi \
347 /usr/share/man/man3dns_sd \
348 /usr/share/man/man3elf \
349 /usr/share/man/man3exacct \
350 /usr/share/man/man3ext \
351 /usr/share/man/man3fcoe \
352 /usr/share/man/man3fstyp \
353 /usr/share/man/man3gen \
354 /usr/share/man/man3gss \
355 /usr/share/man/man3head \
356 /usr/share/man/man3iscsit \
357 /usr/share/man/man3kstat \
358 /usr/share/man/man3kvm \
359 /usr/share/man/man3ldap \
360 /usr/share/man/man3lgrp \
361 /usr/share/man/man3lib \
362 /usr/share/man/man3m \
363 /usr/share/man/man3mail \
364 /usr/share/man/man3malloc \
365 /usr/share/man/man3mp \
366 /usr/share/man/man3mpapi \
367 /usr/share/man/man3mvec \
368 /usr/share/man/man3nsl \
369 /usr/share/man/man3nvpair \
370 /usr/share/man/man3pam \
371 /usr/share/man/man3papi \
372 /usr/share/man/man3perl \
373 /usr/share/man/man3picl \
374 /usr/share/man/man3picltree \
375 /usr/share/man/man3pool \
376 /usr/share/man/man3proc \
377 /usr/share/man/man3project \
378 /usr/share/man/man3resolv \
379 /usr/share/man/man3rpc \
380 /usr/share/man/man3rsm \
381 /usr/share/man/man3sas1 \
382 /usr/share/man/man3scf \
383 /usr/share/man/man3sec \
384 /usr/share/man/man3secdb \
```

6

new/usr/src/Targetdirs

7

```

385 /usr/share/man/man3sip \
386 /usr/share/man/man3slp \
387 /usr/share/man/man3socket \
388 /usr/share/man/man3stmf \
389 /usr/share/man/man3sysevent \
390 /usr/share/man/man3tecla \
391 /usr/share/man/man3tnf \
392 /usr/share/man/man3tsol \
393 /usr/share/man/man3uuid \
394 /usr/share/man/man3volmgt \
395 /usr/share/man/man3xcurses \
396 /usr/share/man/man3xnet \
397 /usr/share/man/man4 \
398 /usr/share/man/man5 \
399 /usr/share/man/man7 \
400 /usr/share/man/man7d \
401 /usr/share/man/man7fs \
402 /usr/share/man/man7i \
403 /usr/share/man/man7ipp \
404 /usr/share/man/man7m \
405 /usr/share/man/man7p \
406 /usr/share/man/man9 \
407 /usr/share/man/man9e \
408 /usr/share/man/man9f \
409 /usr/share/man/man9p \
410 /usr/share/man/man9s \
411 /usr/share/src \
412 /usr/snadm \
413 /usr/snadm/lib \
414 /usr/ucb \
415 $(MACH32_DIRS) \
416 /usr/ucb/lib \
417 /usr/xpg4 \
418 /usr/xpg4/bin \
419 /usr/xpg4/include \
420 /usr/xpg4/lib \
421 /usr/xpg6 \
422 /usr/xpg6/bin \
423 /var \
424 /var/adm \
425 /var/adm/exacct \
426 /var/adm/log \
427 /var/adm/pool \
428 /var/adm/sa \
429 /var/adm/sm.bin \
430 /var/adm/streams \
431 /var/cores \
432 /var/cron \
433 /var/db \
434 /var/db/ipf \
435 /var/games \
436 /var/idmap \
437 /var/krb5 \
438 /var/krb5/rcache \
439 /var/krb5/rcache/root \
440 /var/ld \
441 /var/log \
442 /var/log/pool \
443 /var/logadm \
444 /var/mail \
445 /var/news \
446 /var/opt \
447 /var/preserve \
448 /var/run \
449 /var/saf \
450 /var/sadm \

```

new/usr/src/Targetdirs

8

```

451 /var/sadm/install \
452 /var/sadm/install/admin \
453 /var/sadm/install/logs \
454 /var/sadm/pkg \
455 /var/sadm/security \
456 /var/smb \
457 /var/smb/cvol \
458 /var/smb/cvol/windows \
459 /var/smb/cvol/windows/system32 \
460 /var/smb/cvol/windows/system32/vss \
461 /var/spool \
462 /var/spool/cron \
463 /var/spool/cron/atjobs \
464 /var/spool/cron/crontabs \
465 /var/spool/lp \
466 /var/spool/pkg \
467 /var/spool/uucp \
468 /var/spool/uucppublic \
469 /var/svc \
470 /var/svc/log \
471 /var/svc/manifest \
472 /var/svc/manifest/milestone \
473 /var/svc/manifest/device \
474 /var/svc/manifest/system \
475 /var/svc/manifest/system/device \
476 /var/svc/manifest/system/filesystem \
477 /var/svc/manifest/system/security \
478 /var/svc/manifest/system/svc \
479 /var/svc/manifest/network \
480 /var/svc/manifest/network/dns \
481 /var/svc/manifest/network/ipsec \
482 /var/svc/manifest/network/ldap \
483 /var/svc/manifest/network/nfs \
484 /var/svc/manifest/network/nis \
485 /var/svc/manifest/network/rpc \
486 /var/svc/manifest/network/routing \
487 /var/svc/manifest/network/security \
488 /var/svc/manifest/network/shares \
489 /var/svc/manifest/network/ssl \
490 /var/svc/manifest/application \
491 /var/svc/manifest/application/management \
492 /var/svc/manifest/application/print \
493 /var/svc/manifest/application/security \
494 /var/svc/manifest/platform \
495 /var/svc/manifest/platform/sun4u \
496 /var/svc/manifest/platform/sun4v \
497 /var/svc/manifest/site \
498 /var/svc/profile \
499 /var/uucp \
500 /var/tmp \
501 /var/tsol \
502 /var/tsol/doors

504 sparcv9_DIRS64= \
505 /platform/sun4u \
506 /platform/sun4u/lib \
507 /platform/sun4u/lib/$(MACH64) \
508 /usr/platform/sun4u \
509 /usr/platform/sun4u/sbin \
510 /usr/platform/sun4u/lib \
511 /platform/sun4v/lib \
512 /platform/sun4v/lib/$(MACH64) \
513 /usr/platform/sun4v/sbin \
514 /usr/platform/sun4v/lib \
515 /usr/platform/sun4u-us3/lib \
516 /usr/platform/sun4u-opl/lib

```

```

518 amd64_DIRS64= \
519     /platform/i86pc/amd64

521 DIRS64= \
522     ${$(MACH64)_DIRS64} \
523     /lib/${$(MACH64)} \
524     /lib/crypto/${$(MACH64)} \
525     /lib/fm/${$(MACH64)} \
526     /lib/secure/${$(MACH64)} \
527     /usr/bin/${$(MACH64)} \
528     /usr/ccs/bin/${$(MACH64)} \
529     /usr/ccs/lib/${$(MACH64)} \
530     /usr/lib/${$(MACH64)} \
531     /usr/lib/${$(MACH64)}/gss \
532     /usr/lib/brand/sn1/${$(MACH64)} \
533     /usr/lib/brand/solaris10/${$(MACH64)} \
534     /usr/lib/elfedit/${$(MACH64)} \
535     /usr/lib/fm/${$(MACH64)} \
536     /usr/lib/fs/nfs/${$(MACH64)} \
537     /usr/lib/fs/smb/${$(MACH64)} \
538     /usr/lib/inet/${$(MACH64)} \
539     /usr/lib/krb5/${$(MACH64)} \
540     /usr/lib/libp/${$(MACH64)} \
541     /usr/lib/link_audit/${$(MACH64)} \
542     /usr/lib/lwp/${$(MACH64)} \
543     /usr/lib/mdb/kvm/${$(MACH64)} \
544     /usr/lib/mdb/proc/${$(MACH64)} \
545     /usr/lib/rcap/${$(MACH64)} \
546     /usr/lib/sasl/${$(MACH64)} \
547     /usr/lib/scsi/${$(MACH64)} \
548     /usr/lib/secure/${$(MACH64)} \
549     /usr/lib/security/${$(MACH64)} \
550     /usr/lib/smbsrv/${$(MACH64)} \
551     /usr/lib/abi/${$(MACH64)} \
552     /usr/sbin/${$(MACH64)} \
553     /usr/ucb/${$(MACH64)} \
554     /usr/ucblib/${$(MACH64)} \
555     /usr/xpg4/lib/${$(MACH64)} \
556     /var/ld/${$(MACH64)}

558 # /var/mail/:saved is built directly by the rootdirs target in
559 # /usr/src/Makefile because of the colon in its name.

561 # macros for symbolic links
562 SYM.DIRS= \
563     /bin \
564     /dev/stdin \
565     /dev/stdout \
566     /dev/stderr \
567     /etc/lib/ld.so.1 \
568     /etc/lib/libdl.so.1 \
569     /etc/lib/nss_files.so.1 \
570     /etc/log \
571     /lib/32 \
572     /lib/crypto/32 \
573     /lib/secure/32 \
574     /usr/adm \
575     /usr/spool \
576     /usr/lib/tmac \
577     /usr/ccs/lib/link_audit \
578     /usr/news \
579     /usr/preserve \
580     /usr/lib/32 \
581     /usr/lib/cron \
582     /usr/lib/elfedit/32 \

```

```

583     /usr/lib/libp/32 \
584     /usr/lib/lwp/32 \
585     /usr/lib/link_audit/32 \
586     /usr/lib/secure/32 \
587     /usr/mail \
588     /usr/man \
589     /usr/pub \
590     /usr/src \
591     /usr/tmp \
592     /usr/ucblib/32 \
593     /var/ld/32

595 sparc_SYM.DIRS64=

597 SYM.DIRS64= \
598     ${$(MACH)_SYM.DIRS64} \
599     /lib/64 \
600     /lib/crypto/64 \
601     /lib/secure/64 \
602     /usr/lib/64 \
603     /usr/lib/brand/sn1/64 \
604     /usr/lib/brand/solaris10/64 \
605     /usr/lib/elfedit/64 \
606     /usr/lib/libp/64 \
607     /usr/lib/link_audit/64 \
608     /usr/lib/lwp/64 \
609     /usr/lib/secure/64 \
610     /usr/lib/security/64 \
611     /usr/xpg4/lib/64 \
612     /var/ld/64 \
613     /usr/ucblib/64

615 # prepend the ROOT prefix

617 ROOTDIRS=      ${TARGETDIRS:%=${(ROOT)%}}

619 # conditional assignments
620 #
621 # Target directories with non-default values for owner and group must
622 # be referenced here, using their fully-prefixed names, and the non-
623 # default values assigned. If a directory is mentioned above and not
624 # mentioned below, it has default values for attributes.
625 #
626 # The default value for DIRMAGE is specified in usr/src/Makefile.master.
627 #

629 ${(ROOT)}/var/adm \
630 ${(ROOT)}/var/adm/sa :=          DIRMAGE= 775

632 ${(ROOT)}/var/spool/lp:=        DIRMAGE= 775

634 # file mode
635 #
636 ${(ROOT)}/tmp \
637 ${(ROOT)}/var/krb5/rcache \
638 ${(ROOT)}/var/preserve \
639 ${(ROOT)}/var/spool/pkg \
640 ${(ROOT)}/var/spool/uucppublic \
641 ${(ROOT)}/var/tmp:=            DIRMAGE= 1777

643 ${(ROOT)}/root:=              DIRMAGE= 700

645 ${(ROOT)}/var/krb5/rcache/root:= DIRMAGE= 700

648 #

```

new/usr/src/Targetdirs

11

```

649 # These permissions must match those set
650 # in the package manifests.
651 #
652 $(ROOT)/var/sadm/pkg \
653 $(ROOT)/var/sadm/security \
654 $(ROOT)/var/sadm/install/logs :=          DIRMODE= 555

657 #
658 # These permissions must match the ones set
659 # internally by fdfs and autofs.
660 #
661 $(ROOT)/dev/fd \
662 $(ROOT)/home:=          DIRMODE= 555

664 $(ROOT)/var/mail:=      DIRMODE=1777

666 $(ROOT)/proc:=          DIRMODE= 555

668 $(ROOT)/system/contract:=      DIRMODE= 555
669 $(ROOT)/system/object:=        DIRMODE= 555

671 # symlink assignments, LINKDEST is the value of the symlink
672 #
673 $(ROOT)/usr/lib/cron:=          LINKDEST=../etc/cron.d
674 $(ROOT)/bin:=                  LINKDEST=usr/bin
675 $(ROOT)/lib/32:=               LINKDEST=.
676 $(ROOT)/lib/crypto/32:=        LINKDEST=.
677 $(ROOT)/lib/secure/32:=        LINKDEST=.
678 $(ROOT)/dev/stdin:=             LINKDEST=fd/0
679 $(ROOT)/dev/stdout:=            LINKDEST=fd/1
680 $(ROOT)/dev/stderr:=           LINKDEST=fd/2
681 $(ROOT)/usr/pub:=               LINKDEST=share/lib/pub
682 $(ROOT)/usr/man:=              LINKDEST=share/man
683 $(ROOT)/usr/src:=              LINKDEST=share/src
684 $(ROOT)/usr/adm:=              LINKDEST=../var/adm
685 $(ROOT)/etc/lib/ld.so.1:=       LINKDEST=../lib/ld.so.1
686 $(ROOT)/etc/lib/libdl.so.1:=    LINKDEST=../lib/libdl.so.1
687 $(ROOT)/etc/lib/nss_files.so.1:= LINKDEST=../lib/nss_files.so.1
688 $(ROOT)/etc/log:=              LINKDEST=../var/adm/log
689 $(ROOT)/usr/mail:=             LINKDEST=../var/mail
690 $(ROOT)/usr/news:=            LINKDEST=../var/news
691 $(ROOT)/usr/preserve:=         LINKDEST=../var/preserve
692 $(ROOT)/usr/spool:=            LINKDEST=../var/spool
693 $(ROOT)/usr/tmp:=             LINKDEST=../var/tmp
694 $(ROOT)/usr/lib/tmac:=         LINKDEST=../share/lib/tmac
695 $(ROOT)/usr/lib/32:=           LINKDEST=.
696 $(ROOT)/usr/lib/elfedit/32:=    LINKDEST=.
697 $(ROOT)/usr/lib/libp/32:=       LINKDEST=.
698 $(ROOT)/usr/lib/lwp/32:=        LINKDEST=.
699 $(ROOT)/usr/lib/link_audit/32:= LINKDEST=.
700 $(ROOT)/usr/lib/secure/32:=     LINKDEST=.
701 $(ROOT)/usr/ccs/lib/link_audit:= LINKDEST=../lib/link_audit
702 $(ROOT)/var/ld/32:=            LINKDEST=.
703 $(ROOT)/usr/ucb/lib/32:=        LINKDEST=.

706 $(BUILD64) $(ROOT)/lib/64:=     LINKDEST=$(MACH64)
707 $(BUILD64) $(ROOT)/lib/crypto/64:= LINKDEST=$(MACH64)
708 $(BUILD64) $(ROOT)/lib/secure/64:= LINKDEST=$(MACH64)
709 $(BUILD64) $(ROOT)/usr/lib/64:=   LINKDEST=$(MACH64)
710 $(BUILD64) $(ROOT)/usr/lib/elfedit/64:= LINKDEST=$(MACH64)
711 $(BUILD64) $(ROOT)/usr/lib/brand/solaris10/64:= LINKDEST=$(MACH64)
712 $(BUILD64) $(ROOT)/usr/lib/brand/solaris10/64:= LINKDEST=$(MACH64)
713 $(BUILD64) $(ROOT)/usr/lib/libp/64:= LINKDEST=$(MACH64)
714 $(BUILD64) $(ROOT)/usr/lib/lwp/64:= LINKDEST=$(MACH64)

```

new/usr/src/Targetdirs

12

```

715 $(BUILD64) $(ROOT)/usr/lib/link_audit/64:=          LINKDEST=$(MACH64)
716 $(BUILD64) $(ROOT)/usr/lib/secure/64:=              LINKDEST=$(MACH64)
717 $(BUILD64) $(ROOT)/usr/lib/security/64:=             LINKDEST=$(MACH64)
718 $(BUILD64) $(ROOT)/usr/xpg4/lib/64:=                 LINKDEST=$(MACH64)
719 $(BUILD64) $(ROOT)/var/ld/64:=                       LINKDEST=$(MACH64)
720 $(BUILD64) $(ROOT)/usr/ucb/lib/64:=                  LINKDEST=$(MACH64)

722 #
723 # Installing a directory symlink calls for overriding INS.dir to install
724 # a symlink.
725 #
726 $(DIRLINKS:=$(ROOT)%):= \
727     INS.dir= -$(RM) -r $@; $(SYMLINK) $(LINKDEST) $@

729 # Special symlinks to populate usr/ccs/lib, whose objects
730 # have actually been moved to usr/lib
731 # Rather than adding another set of rules, we add usr/lib/lwp files here
732 $(ROOT)/usr/ccs/lib/libcurses.so:=      REALPATH=../lib/libcurses.so.1
733 $(ROOT)/usr/ccs/lib/libl-lcurses:=      REALPATH=../lib/libl-lcurses
734 $(ROOT)/usr/ccs/lib/libl-lcurses.ln:=   REALPATH=../lib/libl-lcurses.ln
735 $(ROOT)/usr/ccs/lib/liblform.so:=       REALPATH=../lib/liblform.so.1
736 $(ROOT)/usr/ccs/lib/libl-lform:=        REALPATH=../lib/libl-lform
737 $(ROOT)/usr/ccs/lib/libl-lform.ln:=     REALPATH=../lib/libl-lform.ln
738 $(ROOT)/usr/ccs/lib/liblgen.so:=        REALPATH=../lib/liblgen.so.1
739 $(ROOT)/usr/ccs/lib/libl-lgen:=         REALPATH=../lib/libl-lgen
740 $(ROOT)/usr/ccs/lib/libl-lgen.ln:=      REALPATH=../lib/libl-lgen.ln
741 $(ROOT)/usr/ccs/lib/liblmalloc.so:=     REALPATH=../lib/liblmalloc.so.1
742 $(ROOT)/usr/ccs/lib/liblmenu.so:=       REALPATH=../lib/liblmenu.so.1
743 $(ROOT)/usr/ccs/lib/libl-lmenu:=        REALPATH=../lib/libl-lmenu
744 $(ROOT)/usr/ccs/lib/libl-lmenu.ln:=     REALPATH=../lib/libl-lmenu.ln
745 $(ROOT)/usr/ccs/lib/liblpanel.so:=      REALPATH=../lib/liblpanel.so.1
746 $(ROOT)/usr/ccs/lib/libl-lpanel:=       REALPATH=../lib/libl-lpanel
747 $(ROOT)/usr/ccs/lib/libl-lpanel.ln:=    REALPATH=../lib/libl-lpanel.ln
748 $(ROOT)/usr/ccs/lib/libltermcap.so:=    REALPATH=../lib/libltermcap.so.1
749 $(ROOT)/usr/ccs/lib/libl-ltermcap:=     REALPATH=../lib/libl-ltermcap
750 $(ROOT)/usr/ccs/lib/libl-ltermcap.ln:=  REALPATH=../lib/libl-ltermcap.ln
751 $(ROOT)/usr/ccs/lib/libltermcap.so:=    REALPATH=../lib/libltermcap.so.1
752 $(ROOT)/usr/ccs/lib/libl-ltermcap:=     REALPATH=../lib/libl-ltermcap
753 $(ROOT)/usr/ccs/lib/libl-ltermcap.ln:=  REALPATH=../lib/libl-ltermcap.ln
754 $(ROOT)/usr/ccs/lib/values-Xa.o:=       REALPATH=../lib/values-Xa.o
755 $(ROOT)/usr/ccs/lib/values-Xc.o:=       REALPATH=../lib/values-Xc.o
756 $(ROOT)/usr/ccs/lib/values-Xs.o:=       REALPATH=../lib/values-Xs.o
757 $(ROOT)/usr/ccs/lib/values-Xt.o:=       REALPATH=../lib/values-Xt.o
758 $(ROOT)/usr/ccs/lib/values-xpg4.o:=     REALPATH=../lib/values-xpg4.o
759 $(ROOT)/usr/ccs/lib/values-xpg6.o:=     REALPATH=../lib/values-xpg6.o
760 $(ROOT)/usr/ccs/lib/libl.so:=            REALPATH=../lib/libl.so.1
761 $(ROOT)/usr/ccs/lib/libl-ll.ln:=         REALPATH=../lib/libl-ll.ln
762 $(ROOT)/usr/ccs/lib/liblby.so:=          REALPATH=../lib/liblby.so.1
763 $(ROOT)/usr/ccs/lib/libl-ly.ln:=         REALPATH=../lib/libl-ly.ln
764 $(ROOT)/usr/lib/libp/libc.so.1:=        REALPATH=../lib/libc.so.1
765 $(ROOT)/usr/lib/lwp/libthread.so.1:=    REALPATH=../libthread.so.1
766 $(ROOT)/usr/lib/lwp/libthread_db.so.1:=  REALPATH=../libthread_db.so.1

768 # symlinks to populate usr/ccs/lib/$(MACH64)
769 $(ROOT)/usr/ccs/lib/$(MACH64)/libcurses.so:= \
770     REALPATH=../lib/$(MACH64)/libcurses.so.1
771 $(ROOT)/usr/ccs/lib/$(MACH64)/libl-lcurses.ln:= \
772     REALPATH=../lib/$(MACH64)/libl-lcurses.ln
773 $(ROOT)/usr/ccs/lib/$(MACH64)/liblform.so:= \
774     REALPATH=../lib/$(MACH64)/liblform.so.1
775 $(ROOT)/usr/ccs/lib/$(MACH64)/libl-lform.ln:= \
776     REALPATH=../lib/$(MACH64)/libl-lform.ln
777 $(ROOT)/usr/ccs/lib/$(MACH64)/liblgen.so:= \
778     REALPATH=../lib/$(MACH64)/liblgen.so.1
779 $(ROOT)/usr/ccs/lib/$(MACH64)/libl-lgen.ln:= \
780     REALPATH=../lib/$(MACH64)/libl-lgen.ln

```

```

781 $(ROOT)/usr/ccs/lib/$(MACH64)/libmalloc.so:= \
782     REALPATH=../../../../lib/$(MACH64)/libmalloc.so.1
783 $(ROOT)/usr/ccs/lib/$(MACH64)/libmenu.so:= \
784     REALPATH=../../../../lib/$(MACH64)/libmenu.so.1
785 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lmenu.ln:= \
786     REALPATH=../../../../lib/$(MACH64)/llib-lmenu.ln
787 $(ROOT)/usr/ccs/lib/$(MACH64)/libpanel.so:= \
788     REALPATH=../../../../lib/$(MACH64)/libpanel.so.1
789 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lpanel.ln:= \
790     REALPATH=../../../../lib/$(MACH64)/llib-lpanel.ln
791 $(ROOT)/usr/ccs/lib/$(MACH64)/libtermlib.so:= \
792     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
793 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ltermlib.ln:= \
794     REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
795 $(ROOT)/usr/ccs/lib/$(MACH64)/libtermcap.so:= \
796     REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
797 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ltermcap.ln:= \
798     REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
799 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xa.o:= \
800     REALPATH=../../../../lib/$(MACH64)/values-Xa.o
801 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xc.o:= \
802     REALPATH=../../../../lib/$(MACH64)/values-Xc.o
803 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xs.o:= \
804     REALPATH=../../../../lib/$(MACH64)/values-Xs.o
805 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xt.o:= \
806     REALPATH=../../../../lib/$(MACH64)/values-Xt.o
807 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg4.o:= \
808     REALPATH=../../../../lib/$(MACH64)/values-xpg4.o
809 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg6.o:= \
810     REALPATH=../../../../lib/$(MACH64)/values-xpg6.o
811 $(ROOT)/usr/ccs/lib/$(MACH64)/libl.so:= \
812     REALPATH=../../../../lib/$(MACH64)/libl.so.1
813 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ll.ln:= \
814     REALPATH=../../../../lib/$(MACH64)/llib-ll.ln
815 $(ROOT)/usr/ccs/lib/$(MACH64)/liby.so:= \
816     REALPATH=../../../../lib/$(MACH64)/liby.so.1
817 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ly.ln:= \
818     REALPATH=../../../../lib/$(MACH64)/llib-ly.ln
819 $(ROOT)/usr/lib/libp/$(MACH64)/libc.so.1:= \
820     REALPATH=../../../../lib/$(MACH64)/libc.so.1
821 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread.so.1:= \
822     REALPATH=../../../../lib/$(MACH64)/libthread.so.1
823 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread_db.so.1:= \
824     REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1

```

```

826 SYM.USRCCSLIB= \
827     /usr/ccs/lib/libcurses.so \
828     /usr/ccs/lib/llib-lcurses \
829     /usr/ccs/lib/llib-lcurses.ln \
830     /usr/ccs/lib/libform.so \
831     /usr/ccs/lib/llib-lform \
832     /usr/ccs/lib/llib-lform.ln \
833     /usr/ccs/lib/libgen.so \
834     /usr/ccs/lib/llib-lgen \
835     /usr/ccs/lib/llib-lgen.ln \
836     /usr/ccs/lib/libmalloc.so \
837     /usr/ccs/lib/libmenu.so \
838     /usr/ccs/lib/llib-lmenu \
839     /usr/ccs/lib/llib-lmenu.ln \
840     /usr/ccs/lib/libpanel.so \
841     /usr/ccs/lib/llib-lpanel \
842     /usr/ccs/lib/llib-lpanel.ln \
843     /usr/ccs/lib/libtermlib.so \
844     /usr/ccs/lib/llib-ltermlib \
845     /usr/ccs/lib/llib-ltermlib.ln \
846     /usr/ccs/lib/libtermcap.so \

```

```

847     /usr/ccs/lib/llib-ltermcap \
848     /usr/ccs/lib/llib-ltermcap.ln \
849     /usr/ccs/lib/values-Xa.o \
850     /usr/ccs/lib/values-Xc.o \
851     /usr/ccs/lib/values-Xs.o \
852     /usr/ccs/lib/values-Xt.o \
853     /usr/ccs/lib/values-xpg4.o \
854     /usr/ccs/lib/values-xpg6.o \
855     /usr/ccs/lib/libl.so \
856     /usr/ccs/lib/llib-ll.ln \
857     /usr/ccs/lib/liby.so \
858     /usr/ccs/lib/llib-ly.ln \
859     /usr/lib/libp/libc.so.1 \
860     /usr/lib/lwp/libthread.so.1 \
861     /usr/lib/lwp/libthread_db.so.1

```

```

863 SYM.USRCCSLIB64= \
864     /usr/ccs/lib/$(MACH64)/libcurses.so \
865     /usr/ccs/lib/$(MACH64)/llib-lcurses.ln \
866     /usr/ccs/lib/$(MACH64)/libform.so \
867     /usr/ccs/lib/$(MACH64)/llib-lform.ln \
868     /usr/ccs/lib/$(MACH64)/libgen.so \
869     /usr/ccs/lib/$(MACH64)/llib-lgen.ln \
870     /usr/ccs/lib/$(MACH64)/libmalloc.so \
871     /usr/ccs/lib/$(MACH64)/libmenu.so \
872     /usr/ccs/lib/$(MACH64)/llib-lmenu.ln \
873     /usr/ccs/lib/$(MACH64)/libpanel.so \
874     /usr/ccs/lib/$(MACH64)/llib-lpanel.ln \
875     /usr/ccs/lib/$(MACH64)/libtermlib.so \
876     /usr/ccs/lib/$(MACH64)/llib-ltermlib.ln \
877     /usr/ccs/lib/$(MACH64)/libtermcap.so \
878     /usr/ccs/lib/$(MACH64)/llib-ltermcap.ln \
879     /usr/ccs/lib/$(MACH64)/values-Xa.o \
880     /usr/ccs/lib/$(MACH64)/values-Xc.o \
881     /usr/ccs/lib/$(MACH64)/values-Xs.o \
882     /usr/ccs/lib/$(MACH64)/values-Xt.o \
883     /usr/ccs/lib/$(MACH64)/values-xpg4.o \
884     /usr/ccs/lib/$(MACH64)/values-xpg6.o \
885     /usr/ccs/lib/$(MACH64)/libl.so \
886     /usr/ccs/lib/$(MACH64)/llib-ll.ln \
887     /usr/ccs/lib/$(MACH64)/liby.so \
888     /usr/ccs/lib/$(MACH64)/llib-ly.ln \
889     /usr/lib/libp/$(MACH64)/libc.so.1 \
890     /usr/lib/lwp/$(MACH64)/libthread.so.1 \
891     /usr/lib/lwp/$(MACH64)/libthread_db.so.1

```

```

893 # Special symlinks to direct libraries that have been moved
894 # from /usr/lib to /lib in order to live in the root filesystem.
895 $(ROOT)/lib/libposix4.so.1:= REALPATH=librt.so.1
896 $(ROOT)/lib/libposix4.so:= REALPATH=libposix4.so.1
897 $(ROOT)/lib/llib-lposix4:= REALPATH=llib-lrt
898 $(ROOT)/lib/llib-lposix4.ln:= REALPATH=llib-lrt.ln
899 $(ROOT)/lib/libthread_db.so.1:= REALPATH=libc_db.so.1
900 $(ROOT)/lib/libthread_db.so:= REALPATH=libc_db.so.1
901 $(ROOT)/usr/lib/ld.so.1:= REALPATH=../../../../lib/ld.so.1
902 $(ROOT)/usr/lib/libadm.so.1:= REALPATH=../../../../lib/libadm.so.1
903 $(ROOT)/usr/lib/libadm.so:= REALPATH=../../../../lib/libadm.so.1
904 $(ROOT)/usr/lib/libaio.so.1:= REALPATH=../../../../lib/libaio.so.1
905 $(ROOT)/usr/lib/libaio.so:= REALPATH=../../../../lib/libaio.so.1
906 $(ROOT)/usr/lib/libavl.so.1:= REALPATH=../../../../lib/libavl.so.1
907 $(ROOT)/usr/lib/libavl.so:= REALPATH=../../../../lib/libavl.so.1
908 $(ROOT)/usr/lib/libbsm.so.1:= REALPATH=../../../../lib/libbsm.so.1
909 $(ROOT)/usr/lib/libbsm.so:= REALPATH=../../../../lib/libbsm.so.1
910 $(ROOT)/usr/lib/libc.so.1:= REALPATH=../../../../lib/libc.so.1
911 $(ROOT)/usr/lib/libc.so:= REALPATH=../../../../lib/libc.so.1
912 $(ROOT)/usr/lib/libc_db.so.1:= REALPATH=../../../../lib/libc_db.so.1

```

```

913 $(ROOT)/usr/lib/libc_db.so:=
914 $(ROOT)/usr/lib/libcmdutils.so.1:=
915 $(ROOT)/usr/lib/libcmdutils.so:=
916 $(ROOT)/usr/lib/libcontract.so.1:=
917 $(ROOT)/usr/lib/libcontract.so:=
918 $(ROOT)/usr/lib/libcryptoutil.so.1:=
919 $(ROOT)/usr/lib/libcryptoutil.so:=
920 $(ROOT)/usr/lib/libctf.so.1:=
921 $(ROOT)/usr/lib/libctf.so:=
922 $(ROOT)/usr/lib/libcurses.so.1:=
923 $(ROOT)/usr/lib/libcurses.so:=
924 $(ROOT)/usr/lib/libdevice.so.1:=
925 $(ROOT)/usr/lib/libdevice.so:=
926 $(ROOT)/usr/lib/libdevvid.so.1:=
927 $(ROOT)/usr/lib/libdevvid.so:=
928 $(ROOT)/usr/lib/libdevinfo.so.1:=
929 $(ROOT)/usr/lib/libdevinfo.so:=
930 $(ROOT)/usr/lib/libdhcpagent.so.1:=
931 $(ROOT)/usr/lib/libdhcpagent.so:=
932 $(ROOT)/usr/lib/libdhcputil.so.1:=
933 $(ROOT)/usr/lib/libdhcputil.so:=
934 $(ROOT)/usr/lib/libddl.so.1:=
935 $(ROOT)/usr/lib/libddl.so:=
936 $(ROOT)/usr/lib/libdmpi.so.1:=
937 $(ROOT)/usr/lib/libdmpi.so:=
938 $(ROOT)/usr/lib/libdoor.so.1:=
939 $(ROOT)/usr/lib/libdoor.so:=
940 $(ROOT)/usr/lib/libefi.so.1:=
941 $(ROOT)/usr/lib/libefi.so:=
942 $(ROOT)/usr/lib/libelf.so.1:=
943 $(ROOT)/usr/lib/libelf.so:=
944 $(ROOT)/usr/lib/libfdisk.so.1:=
945 $(ROOT)/usr/lib/libfdisk.so:=
946 $(ROOT)/usr/lib/libgen.so.1:=
947 $(ROOT)/usr/lib/libgen.so:=
948 $(ROOT)/usr/lib/libinetutil.so.1:=
949 $(ROOT)/usr/lib/libinetutil.so:=
950 $(ROOT)/usr/lib/libintl.so.1:=
951 $(ROOT)/usr/lib/libintl.so:=
952 $(ROOT)/usr/lib/libkmf.so.1:=
953 $(ROOT)/usr/lib/libkmf.so:=
954 $(ROOT)/usr/lib/libkmfberder.so.1:=
955 $(ROOT)/usr/lib/libkmfberder.so:=
956 $(ROOT)/usr/lib/libkstat.so.1:=
957 $(ROOT)/usr/lib/libkstat.so:=
958 $(ROOT)/usr/lib/liblddbg.so.4:=
959 $(ROOT)/usr/lib/liblm.so.1:=
960 $(ROOT)/usr/lib/liblm.so.2:=
961 $(ROOT)/usr/lib/liblm.so:=
962 $(ROOT)/usr/lib/liblmd.so.1:=
963 $(ROOT)/usr/lib/liblmd.so:=
964 $(ROOT)/usr/lib/liblmd5.so.1:=
965 $(ROOT)/usr/lib/liblmd5.so:=
966 $(ROOT)/usr/lib/libmeta.so.1:=
967 $(ROOT)/usr/lib/libmeta.so:=
968 $(ROOT)/usr/lib/libmp.so.1:=
969 $(ROOT)/usr/lib/libmp.so.2:=
970 $(ROOT)/usr/lib/libmp.so:=
971 $(ROOT)/usr/lib/libmvec.so.1:=
972 $(ROOT)/usr/lib/libmvec.so:=
973 $(ROOT)/usr/lib/libnsl.so.1:=
974 $(ROOT)/usr/lib/libnsl.so:=
975 $(ROOT)/usr/lib/libnvpair.so.1:=
976 $(ROOT)/usr/lib/libnvpair.so:=
977 $(ROOT)/usr/lib/libpam.so.1:=
978 $(ROOT)/usr/lib/libpam.so:=

```

```

REALPATH=.../lib/libc_db.so.1
REALPATH=.../lib/libcmdutils.so.1
REALPATH=.../lib/libcmdutils.so.1
REALPATH=.../lib/libcontract.so.1
REALPATH=.../lib/libcontract.so.1
REALPATH=.../lib/libcryptoutil.so.1
REALPATH=.../lib/libcryptoutil.so.1
REALPATH=.../lib/libctf.so.1
REALPATH=.../lib/libctf.so.1
REALPATH=.../lib/libcurses.so.1
REALPATH=.../lib/libcurses.so.1
REALPATH=.../lib/libdevice.so.1
REALPATH=.../lib/libdevice.so.1
REALPATH=.../lib/libdevvid.so.1
REALPATH=.../lib/libdevvid.so.1
REALPATH=.../lib/libdevinfo.so.1
REALPATH=.../lib/libdevinfo.so.1
REALPATH=.../lib/libdhcpagent.so.1
REALPATH=.../lib/libdhcpagent.so.1
REALPATH=.../lib/libdhcputil.so.1
REALPATH=.../lib/libdhcputil.so.1
REALPATH=.../lib/libddl.so.1
REALPATH=.../lib/libddl.so.1
REALPATH=.../lib/libdmpi.so.1
REALPATH=.../lib/libdmpi.so.1
REALPATH=.../lib/libdoor.so.1
REALPATH=.../lib/libdoor.so.1
REALPATH=.../lib/libefi.so.1
REALPATH=.../lib/libefi.so.1
REALPATH=.../lib/libelf.so.1
REALPATH=.../lib/libelf.so.1
REALPATH=.../lib/libfdisk.so.1
REALPATH=.../lib/libfdisk.so.1
REALPATH=.../lib/libgen.so.1
REALPATH=.../lib/libgen.so.1
REALPATH=.../lib/libinetutil.so.1
REALPATH=.../lib/libinetutil.so.1
REALPATH=.../lib/libintl.so.1
REALPATH=.../lib/libintl.so.1
REALPATH=.../lib/libkmf.so.1
REALPATH=.../lib/libkmf.so.1
REALPATH=.../lib/libkmfberder.so.1
REALPATH=.../lib/libkmfberder.so.1
REALPATH=.../lib/libkstat.so.1
REALPATH=.../lib/libkstat.so.1
REALPATH=.../lib/liblddbg.so.4
REALPATH=.../lib/liblm.so.1
REALPATH=.../lib/liblm.so.2
REALPATH=.../lib/liblm.so.2
REALPATH=.../lib/liblmd.so.1
REALPATH=.../lib/liblmd.so.1
REALPATH=.../lib/liblmd5.so.1
REALPATH=.../lib/liblmd5.so.1
REALPATH=.../lib/libmeta.so.1
REALPATH=.../lib/libmeta.so.1
REALPATH=.../lib/libmp.so.1
REALPATH=.../lib/libmp.so.2
REALPATH=.../lib/libmp.so.2
REALPATH=.../lib/libmvec.so.1
REALPATH=.../lib/libmvec.so.1
REALPATH=.../lib/libnsl.so.1
REALPATH=.../lib/libnsl.so.1
REALPATH=.../lib/libnvpair.so.1
REALPATH=.../lib/libnvpair.so.1
REALPATH=.../lib/libpam.so.1
REALPATH=.../lib/libpam.so.1

```

```

979 $(ROOT)/usr/lib/libposix4.so.1:=
980 $(ROOT)/usr/lib/libposix4.so:=
981 $(ROOT)/usr/lib/libproc.so.1:=
982 $(ROOT)/usr/lib/libproc.so:=
983 $(ROOT)/usr/lib/libpthread.so.1:=
984 $(ROOT)/usr/lib/libpthread.so:=
985 $(ROOT)/usr/lib/librcm.so.1:=
986 $(ROOT)/usr/lib/librcm.so:=
987 $(ROOT)/usr/lib/libresolv.so.1:=
988 $(ROOT)/usr/lib/libresolv.so.2:=
989 $(ROOT)/usr/lib/libresolv.so:=
990 $(ROOT)/usr/lib/librestart.so.1:=
991 $(ROOT)/usr/lib/librestart.so:=
992 $(ROOT)/usr/lib/librpcsvc.so.1:=
993 $(ROOT)/usr/lib/librpcsvc.so:=
994 $(ROOT)/usr/lib/librt.so.1:=
995 $(ROOT)/usr/lib/librt.so:=
996 $(ROOT)/usr/lib/librtld.so.1:=
997 $(ROOT)/usr/lib/librtld_db.so.1:=
998 $(ROOT)/usr/lib/librtld_db.so:=
999 $(ROOT)/usr/lib/librscf.so.1:=
1000 $(ROOT)/usr/lib/libscf.so:=
1001 $(ROOT)/usr/lib/libsec.so.1:=
1002 $(ROOT)/usr/lib/libsec.so:=
1003 $(ROOT)/usr/lib/libsecdb.so.1:=
1004 $(ROOT)/usr/lib/libsecdb.so:=
1005 $(ROOT)/usr/lib/libsendfile.so.1:=
1006 $(ROOT)/usr/lib/libsendfile.so:=
1007 $(ROOT)/usr/lib/libsocket.so.1:=
1008 $(ROOT)/usr/lib/libsocket.so:=
1009 $(ROOT)/usr/lib/libsysevent.so.1:=
1010 $(ROOT)/usr/lib/libsysevent.so:=
1011 $(ROOT)/usr/lib/libtermcap.so.1:=
1012 $(ROOT)/usr/lib/libtermcap.so:=
1013 $(ROOT)/usr/lib/libtermplib.so.1:=
1014 $(ROOT)/usr/lib/libtermplib.so:=
1015 $(ROOT)/usr/lib/libthread.so.1:=
1016 $(ROOT)/usr/lib/libthread.so:=
1017 $(ROOT)/usr/lib/libthread_db.so.1:=
1018 $(ROOT)/usr/lib/libthread_db.so:=
1019 $(ROOT)/usr/lib/libtsnet.so.1:=
1020 $(ROOT)/usr/lib/libtsnet.so:=
1021 $(ROOT)/usr/lib/libtsol.so.2:=
1022 $(ROOT)/usr/lib/libtsol.so:=
1023 $(ROOT)/usr/lib/libumem.so.1:=
1024 $(ROOT)/usr/lib/libumem.so:=
1025 $(ROOT)/usr/lib/libuuid.so.1:=
1026 $(ROOT)/usr/lib/libuuid.so:=
1027 $(ROOT)/usr/lib/libuutil.so.1:=
1028 $(ROOT)/usr/lib/libuutil.so:=
1029 $(ROOT)/usr/lib/libw.so.1:=
1030 $(ROOT)/usr/lib/libw.so:=
1031 $(ROOT)/usr/lib/libxnet.so.1:=
1032 $(ROOT)/usr/lib/libxnet.so:=
1033 $(ROOT)/usr/lib/libzfs.so.1:=
1034 $(ROOT)/usr/lib/libzfs.so:=
1035 $(ROOT)/usr/lib/libzfs_core.so.1:=
1036 $(ROOT)/usr/lib/libzfs_core.so:=
1037 $(ROOT)/usr/lib/lib-ladm.ln:=
1038 $(ROOT)/usr/lib/lib-ladm:=
1039 $(ROOT)/usr/lib/lib-lao.ln:=
1040 $(ROOT)/usr/lib/lib-lao:=
1041 $(ROOT)/usr/lib/lib-lavl.ln:=
1042 $(ROOT)/usr/lib/lib-lavl:=
1043 $(ROOT)/usr/lib/lib-lbsm.ln:=
1044 $(ROOT)/usr/lib/lib-lbsm:=

```

```

REALPATH=.../lib/librt.so.1
REALPATH=.../lib/librt.so.1
REALPATH=.../lib/libproc.so.1
REALPATH=.../lib/libproc.so.1
REALPATH=.../lib/libpthread.so.1
REALPATH=.../lib/libpthread.so.1
REALPATH=.../lib/librcm.so.1
REALPATH=.../lib/librcm.so.1
REALPATH=.../lib/libresolv.so.1
REALPATH=.../lib/libresolv.so.2
REALPATH=.../lib/libresolv.so.2
REALPATH=.../lib/librestart.so.1
REALPATH=.../lib/librestart.so.1
REALPATH=.../lib/librpcsvc.so.1
REALPATH=.../lib/librpcsvc.so.1
REALPATH=.../lib/librt.so.1
REALPATH=.../lib/librt.so.1
REALPATH=.../lib/librtld.so.1
REALPATH=.../lib/librtld_db.so.1
REALPATH=.../lib/librtld_db.so.1
REALPATH=.../lib/librscf.so.1
REALPATH=.../lib/libscf.so.1
REALPATH=.../lib/libsec.so.1
REALPATH=.../lib/libsecdb.so.1
REALPATH=.../lib/libsecdb.so.1
REALPATH=.../lib/libsendfile.so.1
REALPATH=.../lib/libsendfile.so.1
REALPATH=.../lib/libsocket.so.1
REALPATH=.../lib/libsocket.so.1
REALPATH=.../lib/libsysevent.so.1
REALPATH=.../lib/libsysevent.so.1
REALPATH=.../lib/libtermcap.so.1
REALPATH=.../lib/libtermcap.so.1
REALPATH=.../lib/libtermplib.so.1
REALPATH=.../lib/libtermplib.so.1
REALPATH=.../lib/libthread.so.1
REALPATH=.../lib/libthread.so.1
REALPATH=.../lib/libthread_db.so.1
REALPATH=.../lib/libthread_db.so.1
REALPATH=.../lib/libtsnet.so.1
REALPATH=.../lib/libtsnet.so.1
REALPATH=.../lib/libtsol.so.2
REALPATH=.../lib/libtsol.so.2
REALPATH=.../lib/libumem.so.1
REALPATH=.../lib/libumem.so.1
REALPATH=.../lib/libuuid.so.1
REALPATH=.../lib/libuuid.so.1
REALPATH=.../lib/libuutil.so.1
REALPATH=.../lib/libuutil.so.1
REALPATH=.../lib/libw.so.1
REALPATH=.../lib/libw.so.1
REALPATH=.../lib/libxnet.so.1
REALPATH=.../lib/libxnet.so.1
REALPATH=.../lib/libzfs.so.1
REALPATH=.../lib/libzfs.so.1
REALPATH=.../lib/libzfs_core.so.1
REALPATH=.../lib/libzfs_core.so.1
REALPATH=.../lib/lib-ladm.ln
REALPATH=.../lib/lib-ladm
REALPATH=.../lib/lib-lao.ln
REALPATH=.../lib/lib-lao
REALPATH=.../lib/lib-lavl.ln
REALPATH=.../lib/lib-lavl
REALPATH=.../lib/lib-lbsm.ln
REALPATH=.../lib/lib-lbsm

```

```

1045 $(ROOT)/usr/lib/llib-lc.ln:=
1046 $(ROOT)/usr/lib/llib-lc:=
1047 $(ROOT)/usr/lib/llib-lcmdutils.ln:=
1048 $(ROOT)/usr/lib/llib-lcmdutils:=
1049 $(ROOT)/usr/lib/llib-lcontract.ln:=
1050 $(ROOT)/usr/lib/llib-lcontract:=
1051 $(ROOT)/usr/lib/llib-lctf.ln:=
1052 $(ROOT)/usr/lib/llib-lctf:=
1053 $(ROOT)/usr/lib/llib-lcurses.ln:=
1054 $(ROOT)/usr/lib/llib-lcurses:=
1055 $(ROOT)/usr/lib/llib-ldevice.ln:=
1056 $(ROOT)/usr/lib/llib-ldevice:=
1057 $(ROOT)/usr/lib/llib-ldevinfo.ln:=
1058 $(ROOT)/usr/lib/llib-ldevinfo:=
1059 $(ROOT)/usr/lib/llib-ldevinfo.ln:=
1060 $(ROOT)/usr/lib/llib-ldevinfo:=
1061 $(ROOT)/usr/lib/llib-ldhcpagent.ln:=
1062 $(ROOT)/usr/lib/llib-ldhcpagent:=
1063 $(ROOT)/usr/lib/llib-ldhcputil.ln:=
1064 $(ROOT)/usr/lib/llib-ldhcputil:=
1065 $(ROOT)/usr/lib/llib-ldl.ln:=
1066 $(ROOT)/usr/lib/llib-ldl:=
1067 $(ROOT)/usr/lib/llib-ldoor.ln:=
1068 $(ROOT)/usr/lib/llib-ldoor:=
1069 $(ROOT)/usr/lib/llib-lefi.ln:=
1070 $(ROOT)/usr/lib/llib-lefi:=
1071 $(ROOT)/usr/lib/llib-lelf.ln:=
1072 $(ROOT)/usr/lib/llib-lelf:=
1073 $(ROOT)/usr/lib/llib-lfdisk.ln:=
1074 $(ROOT)/usr/lib/llib-lfdisk:=
1075 $(ROOT)/usr/lib/llib-lgen.ln:=
1076 $(ROOT)/usr/lib/llib-lgen:=
1077 $(ROOT)/usr/lib/llib-linetutil.ln:=
1078 $(ROOT)/usr/lib/llib-linetutil:=
1079 $(ROOT)/usr/lib/llib-lintl.ln:=
1080 $(ROOT)/usr/lib/llib-lintl:=
1081 $(ROOT)/usr/lib/llib-lkstat.ln:=
1082 $(ROOT)/usr/lib/llib-lkstat:=
1083 $(ROOT)/usr/lib/llib-lm:=
1084 $(ROOT)/usr/lib/llib-lm.ln:=
1085 $(ROOT)/usr/lib/llib-lmd5.ln:=
1086 $(ROOT)/usr/lib/llib-lmd5:=
1087 $(ROOT)/usr/lib/llib-lmeta.ln:=
1088 $(ROOT)/usr/lib/llib-lmeta:=
1089 $(ROOT)/usr/lib/llib-lns1.ln:=
1090 $(ROOT)/usr/lib/llib-lns1:=
1091 $(ROOT)/usr/lib/llib-lnvpair.ln:=
1092 $(ROOT)/usr/lib/llib-lnvpair:=
1093 $(ROOT)/usr/lib/llib-lpam.ln:=
1094 $(ROOT)/usr/lib/llib-lpam:=
1095 $(ROOT)/usr/lib/llib-lposix4.ln:=
1096 $(ROOT)/usr/lib/llib-lposix4:=
1097 $(ROOT)/usr/lib/llib-lpthread.ln:=
1098 $(ROOT)/usr/lib/llib-lpthread:=
1099 $(ROOT)/usr/lib/llib-lresolv.ln:=
1100 $(ROOT)/usr/lib/llib-lresolv:=
1101 $(ROOT)/usr/lib/llib-lrpcsvc.ln:=
1102 $(ROOT)/usr/lib/llib-lrpcsvc:=
1103 $(ROOT)/usr/lib/llib-lrt.ln:=
1104 $(ROOT)/usr/lib/llib-lrt:=
1105 $(ROOT)/usr/lib/llib-lrtld_db.ln:=
1106 $(ROOT)/usr/lib/llib-lrtld_db:=
1107 $(ROOT)/usr/lib/llib-lscf.ln:=
1108 $(ROOT)/usr/lib/llib-lscf:=
1109 $(ROOT)/usr/lib/llib-lsec.ln:=
1110 $(ROOT)/usr/lib/llib-lsec:=

```

```

REALPATH=../lib/llib-lc.ln
REALPATH=../lib/llib-lc
REALPATH=../lib/llib-lcmdutils.ln
REALPATH=../lib/llib-lcmdutils
REALPATH=../lib/llib-lcontract.ln
REALPATH=../lib/llib-lcontract
REALPATH=../lib/llib-lctf.ln
REALPATH=../lib/llib-lctf
REALPATH=../lib/llib-lcurses.ln
REALPATH=../lib/llib-lcurses
REALPATH=../lib/llib-ldevice.ln
REALPATH=../lib/llib-ldevice
REALPATH=../lib/llib-ldevinfo.ln
REALPATH=../lib/llib-ldevinfo
REALPATH=../lib/llib-ldevinfo.ln
REALPATH=../lib/llib-ldevinfo
REALPATH=../lib/llib-ldhcpagent.ln
REALPATH=../lib/llib-ldhcpagent
REALPATH=../lib/llib-ldhcputil.ln
REALPATH=../lib/llib-ldhcputil
REALPATH=../lib/llib-ldl.ln
REALPATH=../lib/llib-ldl
REALPATH=../lib/llib-ldoor.ln
REALPATH=../lib/llib-ldoor
REALPATH=../lib/llib-lefi.ln
REALPATH=../lib/llib-lefi
REALPATH=../lib/llib-lelf.ln
REALPATH=../lib/llib-lelf
REALPATH=../lib/llib-lfdisk.ln
REALPATH=../lib/llib-lfdisk
REALPATH=../lib/llib-lgen.ln
REALPATH=../lib/llib-lgen
REALPATH=../lib/llib-linetutil.ln
REALPATH=../lib/llib-linetutil
REALPATH=../lib/llib-lintl.ln
REALPATH=../lib/llib-lintl
REALPATH=../lib/llib-lkstat.ln
REALPATH=../lib/llib-lkstat
REALPATH=../lib/llib-lm
REALPATH=../lib/llib-lm.ln
REALPATH=../lib/llib-lmd5.ln
REALPATH=../lib/llib-lmd5
REALPATH=../lib/llib-lmeta.ln
REALPATH=../lib/llib-lmeta
REALPATH=../lib/llib-lns1.ln
REALPATH=../lib/llib-lns1
REALPATH=../lib/llib-lnvpair.ln
REALPATH=../lib/llib-lnvpair
REALPATH=../lib/llib-lpam.ln
REALPATH=../lib/llib-lpam
REALPATH=../lib/llib-lrt.ln
REALPATH=../lib/llib-lrt
REALPATH=../lib/llib-lpthread.ln
REALPATH=../lib/llib-lpthread
REALPATH=../lib/llib-lresolv.ln
REALPATH=../lib/llib-lresolv
REALPATH=../lib/llib-lrpcsvc.ln
REALPATH=../lib/llib-lrpcsvc
REALPATH=../lib/llib-lrt.ln
REALPATH=../lib/llib-lrt
REALPATH=../lib/llib-lrtld_db.ln
REALPATH=../lib/llib-lrtld_db
REALPATH=../lib/llib-lscf.ln
REALPATH=../lib/llib-lscf
REALPATH=../lib/llib-lsec.ln
REALPATH=../lib/llib-lsec

```

```

1111 $(ROOT)/usr/lib/llib-lsecdb.ln:=
1112 $(ROOT)/usr/lib/llib-lsecdb:=
1113 $(ROOT)/usr/lib/llib-lsendfile.ln:=
1114 $(ROOT)/usr/lib/llib-lsendfile:=
1115 $(ROOT)/usr/lib/llib-lsocket.ln:=
1116 $(ROOT)/usr/lib/llib-lsocket:=
1117 $(ROOT)/usr/lib/llib-lsysevent.ln:=
1118 $(ROOT)/usr/lib/llib-lsysevent:=
1119 $(ROOT)/usr/lib/llib-ltermcap.ln:=
1120 $(ROOT)/usr/lib/llib-ltermcap:=
1121 $(ROOT)/usr/lib/llib-ltermlib.ln:=
1122 $(ROOT)/usr/lib/llib-ltermlib:=
1123 $(ROOT)/usr/lib/llib-lthread.ln:=
1124 $(ROOT)/usr/lib/llib-lthread:=
1125 $(ROOT)/usr/lib/llib-lthread_db.ln:=
1126 $(ROOT)/usr/lib/llib-lthread_db:=
1127 $(ROOT)/usr/lib/llib-ltsnet.ln:=
1128 $(ROOT)/usr/lib/llib-ltsnet:=
1129 $(ROOT)/usr/lib/llib-ltsol.ln:=
1130 $(ROOT)/usr/lib/llib-ltsol:=
1131 $(ROOT)/usr/lib/llib-lumem.ln:=
1132 $(ROOT)/usr/lib/llib-lumem:=
1133 $(ROOT)/usr/lib/llib-luuid.ln:=
1134 $(ROOT)/usr/lib/llib-luuid:=
1135 $(ROOT)/usr/lib/llib-lxnet.ln:=
1136 $(ROOT)/usr/lib/llib-lxnet:=
1137 $(ROOT)/usr/lib/llib-lzfs.ln:=
1138 $(ROOT)/usr/lib/llib-lzfs:=
1139 $(ROOT)/usr/lib/llib-lzfs_core.ln:=
1140 $(ROOT)/usr/lib/llib-lzfs_core:=
1141 $(ROOT)/usr/lib/nss_compat.so.1:=
1142 $(ROOT)/usr/lib/nss_dns.so.1:=
1143 $(ROOT)/usr/lib/nss_files.so.1:=
1144 $(ROOT)/usr/lib/nss_nis.so.1:=
1145 $(ROOT)/usr/lib/nss_user.so.1:=
1146 $(ROOT)/usr/lib/fm/libfmevent.so.1:=
1147 $(ROOT)/usr/lib/fm/libfmevent.so:=
1148 $(ROOT)/usr/lib/fm/llib-lfmevent.ln:=
1149 $(ROOT)/usr/lib/fm/llib-lfmevent:=

```

```

REALPATH=../lib/llib-lsecdb.ln
REALPATH=../lib/llib-lsecdb
REALPATH=../lib/llib-lsendfile.ln
REALPATH=../lib/llib-lsendfile
REALPATH=../lib/llib-lsocket.ln
REALPATH=../lib/llib-lsocket
REALPATH=../lib/llib-lsysevent.ln
REALPATH=../lib/llib-lsysevent
REALPATH=../lib/llib-ltermcap.ln
REALPATH=../lib/llib-ltermcap
REALPATH=../lib/llib-ltermlib.ln
REALPATH=../lib/llib-ltermlib
REALPATH=../lib/llib-lcurses.ln
REALPATH=../lib/llib-lcurses
REALPATH=../lib/llib-lthread.ln
REALPATH=../lib/llib-lthread
REALPATH=../lib/llib-lthread_db.ln
REALPATH=../lib/llib-lthread_db
REALPATH=../lib/llib-ltsnet.ln
REALPATH=../lib/llib-ltsnet
REALPATH=../lib/llib-ltsol.ln
REALPATH=../lib/llib-ltsol
REALPATH=../lib/llib-lumem.ln
REALPATH=../lib/llib-lumem
REALPATH=../lib/llib-luuid.ln
REALPATH=../lib/llib-luuid
REALPATH=../lib/llib-lxnet.ln
REALPATH=../lib/llib-lxnet
REALPATH=../lib/llib-lzfs.ln
REALPATH=../lib/llib-lzfs
REALPATH=../lib/llib-lzfs_core.ln
REALPATH=../lib/llib-lzfs_core
REALPATH=../lib/nss_compat.so.1
REALPATH=../lib/nss_dns.so.1
REALPATH=../lib/nss_files.so.1
REALPATH=../lib/nss_nis.so.1
REALPATH=../lib/nss_user.so.1
REALPATH=../lib/fm/libfmevent.so.1
REALPATH=../lib/fm/libfmevent.so.1
REALPATH=../lib/fm/llib-lfmevent.l
REALPATH=../lib/fm/llib-lfmevent

```

```

1151 $(ROOT)/lib/$(MACH64)/libposix4.so.1:= \
1152     REALPATH=librt.so.1
1153 $(ROOT)/lib/$(MACH64)/libposix4.so:= \
1154     REALPATH=libposix4.so.1
1155 $(ROOT)/lib/$(MACH64)/llib-lposix4.ln:= \
1156     REALPATH=llib-lrt.ln
1157 $(ROOT)/lib/$(MACH64)/libthread_db.so.1:= \
1158     REALPATH=libc_db.so.1
1159 $(ROOT)/lib/$(MACH64)/libthread_db.so:= \
1160     REALPATH=libc_db.so.1
1161 $(ROOT)/usr/lib/$(MACH64)/ld.so.1:= \
1162     REALPATH=../lib/$(MACH64)/ld.so.1
1163 $(ROOT)/usr/lib/$(MACH64)/libadm.so.1:= \
1164     REALPATH=../lib/$(MACH64)/libadm.so.1
1165 $(ROOT)/usr/lib/$(MACH64)/libadm.so:= \
1166     REALPATH=../lib/$(MACH64)/libadm.so.1
1167 $(ROOT)/usr/lib/$(MACH64)/libaio.so.1:= \
1168     REALPATH=../lib/$(MACH64)/libaio.so.1
1169 $(ROOT)/usr/lib/$(MACH64)/libaio.so:= \
1170     REALPATH=../lib/$(MACH64)/libaio.so.1
1171 $(ROOT)/usr/lib/$(MACH64)/libavl.so.1:= \
1172     REALPATH=../lib/$(MACH64)/libavl.so.1
1173 $(ROOT)/usr/lib/$(MACH64)/libavl.so:= \
1174     REALPATH=../lib/$(MACH64)/libavl.so.1
1175 $(ROOT)/usr/lib/$(MACH64)/libbsm.so.1:= \
1176     REALPATH=../lib/$(MACH64)/libbsm.so.1

```

new/usr/src/Targetdirs

```
1177 $(ROOT)/usr/lib/$(MACH64)/libbsm.so:= \
1178     REALPATH=../../../../lib/$(MACH64)/libbsm.so.1
1179 $(ROOT)/usr/lib/$(MACH64)/libc.so.1:= \
1180     REALPATH=../../../../lib/$(MACH64)/libc.so.1
1181 $(ROOT)/usr/lib/$(MACH64)/libc.so:= \
1182     REALPATH=../../../../lib/$(MACH64)/libc.so.1
1183 $(ROOT)/usr/lib/$(MACH64)/libc_db.so.1:= \
1184     REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1185 $(ROOT)/usr/lib/$(MACH64)/libc_db.so:= \
1186     REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1187 $(ROOT)/usr/lib/$(MACH64)/libcudutils.so.1:= \
1188     REALPATH=../../../../lib/$(MACH64)/libcudutils.so.1
1189 $(ROOT)/usr/lib/$(MACH64)/libcudutils.so:= \
1190     REALPATH=../../../../lib/$(MACH64)/libcudutils.so.1
1191 $(ROOT)/usr/lib/$(MACH64)/libcontract.so.1:= \
1192     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1193 $(ROOT)/usr/lib/$(MACH64)/libcontract.so:= \
1194     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1195 $(ROOT)/usr/lib/$(MACH64)/libctf.so.1:= \
1196     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1197 $(ROOT)/usr/lib/$(MACH64)/libctf.so:= \
1198     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1199 $(ROOT)/usr/lib/$(MACH64)/libcurses.so.1:= \
1200     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1201 $(ROOT)/usr/lib/$(MACH64)/libcurses.so:= \
1202     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1203 $(ROOT)/usr/lib/$(MACH64)/libdevice.so.1:= \
1204     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1205 $(ROOT)/usr/lib/$(MACH64)/libdevice.so:= \
1206     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1207 $(ROOT)/usr/lib/$(MACH64)/libdevvid.so.1:= \
1208     REALPATH=../../../../lib/$(MACH64)/libdevvid.so.1
1209 $(ROOT)/usr/lib/$(MACH64)/libdevvid.so:= \
1210     REALPATH=../../../../lib/$(MACH64)/libdevvid.so.1
1211 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so.1:= \
1212     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1213 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so:= \
1214     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1215 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so.1:= \
1216     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1217 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so:= \
1218     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1219 $(ROOT)/usr/lib/$(MACH64)/libdl.so.1:= \
1220     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1221 $(ROOT)/usr/lib/$(MACH64)/libdl.so:= \
1222     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1223 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so.1:= \
1224     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1225 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so:= \
1226     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1227 $(ROOT)/usr/lib/$(MACH64)/libdoor.so.1:= \
1228     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1229 $(ROOT)/usr/lib/$(MACH64)/libdoor.so:= \
1230     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1231 $(ROOT)/usr/lib/$(MACH64)/libefi.so.1:= \
1232     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1233 $(ROOT)/usr/lib/$(MACH64)/libefi.so:= \
1234     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1235 $(ROOT)/usr/lib/$(MACH64)/libelf.so.1:= \
1236     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1237 $(ROOT)/usr/lib/$(MACH64)/libelf.so:= \
1238     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1239 $(ROOT)/usr/lib/$(MACH64)/libgen.so.1:= \
1240     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
1241 $(ROOT)/usr/lib/$(MACH64)/libgen.so:= \
1242     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
```

19

new/usr/src/Targetdirs

```
1243 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so.1:= \
1244     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1245 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so:= \
1246     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1247 $(ROOT)/usr/lib/$(MACH64)/libintl.so.1:= \
1248     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1249 $(ROOT)/usr/lib/$(MACH64)/libintl.so:= \
1250     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1251 $(ROOT)/usr/lib/$(MACH64)/libkstat.so.1:= \
1252     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1253 $(ROOT)/usr/lib/$(MACH64)/libkstat.so:= \
1254     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1255 $(ROOT)/usr/lib/$(MACH64)/liblddbg.so.4:= \
1256     REALPATH=../../../../lib/$(MACH64)/liblddbg.so.4
1257 $(ROOT)/usr/lib/$(MACH64)/libm.so.1:= \
1258     REALPATH=../../../../lib/$(MACH64)/libm.so.1
1259 $(ROOT)/usr/lib/$(MACH64)/libm.so.2:= \
1260     REALPATH=../../../../lib/$(MACH64)/libm.so.2
1261 $(ROOT)/usr/lib/$(MACH64)/libm.so:= \
1262     REALPATH=../../../../lib/$(MACH64)/libm.so.2
1263 $(ROOT)/usr/lib/$(MACH64)/libmd.so.1:= \
1264     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1265 $(ROOT)/usr/lib/$(MACH64)/libmd.so:= \
1266     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1267 $(ROOT)/usr/lib/$(MACH64)/libmd5.so.1:= \
1268     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1269 $(ROOT)/usr/lib/$(MACH64)/libmd5.so:= \
1270     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1271 $(ROOT)/usr/lib/$(MACH64)/libmp.so.2:= \
1272     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1273 $(ROOT)/usr/lib/$(MACH64)/libmp.so:= \
1274     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1275 $(ROOT)/usr/lib/$(MACH64)/libmvec.so.1:= \
1276     REALPATH=../../../../lib/$(MACH64)/libmvec.so.1
1277 $(ROOT)/usr/lib/$(MACH64)/libmvec.so:= \
1278     REALPATH=../../../../lib/$(MACH64)/libmvec.so.1
1279 $(ROOT)/usr/lib/$(MACH64)/libnsl.so.1:= \
1280     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1281 $(ROOT)/usr/lib/$(MACH64)/libnsl.so:= \
1282     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1283 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so.1:= \
1284     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1285 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so:= \
1286     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1287 $(ROOT)/usr/lib/$(MACH64)/libpam.so.1:= \
1288     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1289 $(ROOT)/usr/lib/$(MACH64)/libpam.so:= \
1290     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1291 $(ROOT)/usr/lib/$(MACH64)/libposix4.so.1:= \
1292     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1293 $(ROOT)/usr/lib/$(MACH64)/libposix4.so:= \
1294     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1295 $(ROOT)/usr/lib/$(MACH64)/libproc.so.1:= \
1296     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1297 $(ROOT)/usr/lib/$(MACH64)/libproc.so:= \
1298     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1299 $(ROOT)/usr/lib/$(MACH64)/libpthread.so.1:= \
1300     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1301 $(ROOT)/usr/lib/$(MACH64)/libpthread.so:= \
1302     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1303 $(ROOT)/usr/lib/$(MACH64)/librcm.so.1:= \
1304     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1305 $(ROOT)/usr/lib/$(MACH64)/librcm.so:= \
1306     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1307 $(ROOT)/usr/lib/$(MACH64)/libresolv.so.2:= \
1308     REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
```

20

```

1309 $(ROOT)/usr/lib/$(MACH64)/libresolv.so:= \
1310 REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
1311 $(ROOT)/usr/lib/$(MACH64)/librestart.so.1:= \
1312 REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1313 $(ROOT)/usr/lib/$(MACH64)/librestart.so:= \
1314 REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1315 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so.1:= \
1316 REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1317 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so:= \
1318 REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1319 $(ROOT)/usr/lib/$(MACH64)/librt.so.1:= \
1320 REALPATH=../../../../lib/$(MACH64)/librt.so.1
1321 $(ROOT)/usr/lib/$(MACH64)/librt.so:= \
1322 REALPATH=../../../../lib/$(MACH64)/librt.so.1
1323 $(ROOT)/usr/lib/$(MACH64)/librtld.so.1:= \
1324 REALPATH=../../../../lib/$(MACH64)/librtld.so.1
1325 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so.1:= \
1326 REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1327 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so:= \
1328 REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1329 $(ROOT)/usr/lib/$(MACH64)/libscf.so.1:= \
1330 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1331 $(ROOT)/usr/lib/$(MACH64)/libscf.so:= \
1332 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1333 $(ROOT)/usr/lib/$(MACH64)/libsec.so.1:= \
1334 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1335 $(ROOT)/usr/lib/$(MACH64)/libsec.so:= \
1336 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1337 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so.1:= \
1338 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1339 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so:= \
1340 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1341 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so.1:= \
1342 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1343 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so:= \
1344 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1345 $(ROOT)/usr/lib/$(MACH64)/libsocket.so.1:= \
1346 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1347 $(ROOT)/usr/lib/$(MACH64)/libsocket.so:= \
1348 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1349 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so.1:= \
1350 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1351 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so:= \
1352 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1353 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so.1:= \
1354 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1355 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so:= \
1356 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1357 $(ROOT)/usr/lib/$(MACH64)/libtermplib.so.1:= \
1358 REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1359 $(ROOT)/usr/lib/$(MACH64)/libtermplib.so:= \
1360 REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1361 $(ROOT)/usr/lib/$(MACH64)/libthread.so.1:= \
1362 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1363 $(ROOT)/usr/lib/$(MACH64)/libthread.so:= \
1364 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1365 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so.1:= \
1366 REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1367 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so:= \
1368 REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1369 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so.1:= \
1370 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1371 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so:= \
1372 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1373 $(ROOT)/usr/lib/$(MACH64)/libtsol.so.2:= \
1374 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2

```

```

1375 $(ROOT)/usr/lib/$(MACH64)/libtsol.so:= \
1376 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2
1377 $(ROOT)/usr/lib/$(MACH64)/libumem.so.1:= \
1378 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1379 $(ROOT)/usr/lib/$(MACH64)/libumem.so:= \
1380 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1381 $(ROOT)/usr/lib/$(MACH64)/libuuid.so.1:= \
1382 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1383 $(ROOT)/usr/lib/$(MACH64)/libuuid.so:= \
1384 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1385 $(ROOT)/usr/lib/$(MACH64)/libuutil.so.1:= \
1386 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1387 $(ROOT)/usr/lib/$(MACH64)/libuutil.so:= \
1388 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1389 $(ROOT)/usr/lib/$(MACH64)/libw.so.1:= \
1390 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1391 $(ROOT)/usr/lib/$(MACH64)/libw.so:= \
1392 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1393 $(ROOT)/usr/lib/$(MACH64)/libxnet.so.1:= \
1394 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1395 $(ROOT)/usr/lib/$(MACH64)/libxnet.so:= \
1396 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1397 $(ROOT)/usr/lib/$(MACH64)/libzfs.so:= \
1398 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1399 $(ROOT)/usr/lib/$(MACH64)/libzfs.so.1:= \
1400 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1401 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so:= \
1402 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1403 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so.1:= \
1404 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1405 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so.1:= \
1406 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1407 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so:= \
1408 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1409 $(ROOT)/usr/lib/$(MACH64)/llib-ladm.ln:= \
1410 REALPATH=../../../../lib/$(MACH64)/llib-ladm.ln
1411 $(ROOT)/usr/lib/$(MACH64)/llib-laio.ln:= \
1412 REALPATH=../../../../lib/$(MACH64)/llib-laio.ln
1413 $(ROOT)/usr/lib/$(MACH64)/llib-lavl.ln:= \
1414 REALPATH=../../../../lib/$(MACH64)/llib-lavl.ln
1415 $(ROOT)/usr/lib/$(MACH64)/llib-lbsm.ln:= \
1416 REALPATH=../../../../lib/$(MACH64)/llib-lbsm.ln
1417 $(ROOT)/usr/lib/$(MACH64)/llib-lc.ln:= \
1418 REALPATH=../../../../lib/$(MACH64)/llib-lc.ln
1419 $(ROOT)/usr/lib/$(MACH64)/llib-lcmdutils.ln:= \
1420 REALPATH=../../../../lib/$(MACH64)/llib-lcmdutils.ln
1421 $(ROOT)/usr/lib/$(MACH64)/llib-lcontract.ln:= \
1422 REALPATH=../../../../lib/$(MACH64)/llib-lcontract.ln
1423 $(ROOT)/usr/lib/$(MACH64)/llib-lctf.ln:= \
1424 REALPATH=../../../../lib/$(MACH64)/llib-lctf.ln
1425 $(ROOT)/usr/lib/$(MACH64)/llib-lcurses.ln:= \
1426 REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
1427 $(ROOT)/usr/lib/$(MACH64)/llib-ldevice.ln:= \
1428 REALPATH=../../../../lib/$(MACH64)/llib-ldevice.ln
1429 $(ROOT)/usr/lib/$(MACH64)/llib-ldevid.ln:= \
1430 REALPATH=../../../../lib/$(MACH64)/llib-ldevid.ln
1431 $(ROOT)/usr/lib/$(MACH64)/llib-ldevinfo.ln:= \
1432 REALPATH=../../../../lib/$(MACH64)/llib-ldevinfo.ln
1433 $(ROOT)/usr/lib/$(MACH64)/llib-ldhcputil.ln:= \
1434 REALPATH=../../../../lib/$(MACH64)/llib-ldhcputil.ln
1435 $(ROOT)/usr/lib/$(MACH64)/llib-ldl.ln:= \
1436 REALPATH=../../../../lib/$(MACH64)/llib-ldl.ln
1437 $(ROOT)/usr/lib/$(MACH64)/llib-ldoor.ln:= \
1438 REALPATH=../../../../lib/$(MACH64)/llib-ldoor.ln
1439 $(ROOT)/usr/lib/$(MACH64)/llib-lefi.ln:= \
1440 REALPATH=../../../../lib/$(MACH64)/llib-lefi.ln

```

```

1441 $(ROOT)/usr/lib/$(MACH64)/llib-lelf.ln:= \
1442     REALPATH=../../../../lib/$(MACH64)/llib-lelf.ln
1443 $(ROOT)/usr/lib/$(MACH64)/llib-lgen.ln:= \
1444     REALPATH=../../../../lib/$(MACH64)/llib-lgen.ln
1445 $(ROOT)/usr/lib/$(MACH64)/llib-linetutil.ln:= \
1446     REALPATH=../../../../lib/$(MACH64)/llib-linetutil.ln
1447 $(ROOT)/usr/lib/$(MACH64)/llib-lintl.ln:= \
1448     REALPATH=../../../../lib/$(MACH64)/llib-lintl.ln
1449 $(ROOT)/usr/lib/$(MACH64)/llib-lkstat.ln:= \
1450     REALPATH=../../../../lib/$(MACH64)/llib-lkstat.ln
1451 $(ROOT)/usr/lib/$(MACH64)/llib-lm.ln:= \
1452     REALPATH=../../../../lib/$(MACH64)/llib-lm.ln
1453 $(ROOT)/usr/lib/$(MACH64)/llib-lmd5.ln:= \
1454     REALPATH=../../../../lib/$(MACH64)/llib-lmd5.ln
1455 $(ROOT)/usr/lib/$(MACH64)/llib-lns1.ln:= \
1456     REALPATH=../../../../lib/$(MACH64)/llib-lns1.ln
1457 $(ROOT)/usr/lib/$(MACH64)/llib-lnvpair.ln:= \
1458     REALPATH=../../../../lib/$(MACH64)/llib-lnvpair.ln
1459 $(ROOT)/usr/lib/$(MACH64)/llib-lpam.ln:= \
1460     REALPATH=../../../../lib/$(MACH64)/llib-lpam.ln
1461 $(ROOT)/usr/lib/$(MACH64)/llib-lposix4.ln:= \
1462     REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1463 $(ROOT)/usr/lib/$(MACH64)/llib-lpthread.ln:= \
1464     REALPATH=../../../../lib/$(MACH64)/llib-lpthread.ln
1465 $(ROOT)/usr/lib/$(MACH64)/llib-lresolv.ln:= \
1466     REALPATH=../../../../lib/$(MACH64)/llib-lresolv.ln
1467 $(ROOT)/usr/lib/$(MACH64)/llib-lrpcsvc.ln:= \
1468     REALPATH=../../../../lib/$(MACH64)/llib-lrpcsvc.ln
1469 $(ROOT)/usr/lib/$(MACH64)/llib-lrt.ln:= \
1470     REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1471 $(ROOT)/usr/lib/$(MACH64)/llib-lrtld_db.ln:= \
1472     REALPATH=../../../../lib/$(MACH64)/llib-lrtld_db.ln
1473 $(ROOT)/usr/lib/$(MACH64)/llib-lscf.ln:= \
1474     REALPATH=../../../../lib/$(MACH64)/llib-lscf.ln
1475 $(ROOT)/usr/lib/$(MACH64)/llib-lsec.ln:= \
1476     REALPATH=../../../../lib/$(MACH64)/llib-lsec.ln
1477 $(ROOT)/usr/lib/$(MACH64)/llib-lsecdb.ln:= \
1478     REALPATH=../../../../lib/$(MACH64)/llib-lsecdb.ln
1479 $(ROOT)/usr/lib/$(MACH64)/llib-lsendfile.ln:= \
1480     REALPATH=../../../../lib/$(MACH64)/llib-lsendfile.ln
1481 $(ROOT)/usr/lib/$(MACH64)/llib-lsocket.ln:= \
1482     REALPATH=../../../../lib/$(MACH64)/llib-lsocket.ln
1483 $(ROOT)/usr/lib/$(MACH64)/llib-lsysevent.ln:= \
1484     REALPATH=../../../../lib/$(MACH64)/llib-lsysevent.ln
1485 $(ROOT)/usr/lib/$(MACH64)/llib-ltermcap.ln:= \
1486     REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
1487 $(ROOT)/usr/lib/$(MACH64)/llib-ltermuib.ln:= \
1488     REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
1489 $(ROOT)/usr/lib/$(MACH64)/llib-lthread.ln:= \
1490     REALPATH=../../../../lib/$(MACH64)/llib-lthread.ln
1491 $(ROOT)/usr/lib/$(MACH64)/llib-lthread_db.ln:= \
1492     REALPATH=../../../../lib/$(MACH64)/llib-lc_db.ln
1493 $(ROOT)/usr/lib/$(MACH64)/llib-ltsnet.ln:= \
1494     REALPATH=../../../../lib/$(MACH64)/llib-ltsnet.ln
1495 $(ROOT)/usr/lib/$(MACH64)/llib-ltsol.ln:= \
1496     REALPATH=../../../../lib/$(MACH64)/llib-ltsol.ln
1497 $(ROOT)/usr/lib/$(MACH64)/llib-lumem.ln:= \
1498     REALPATH=../../../../lib/$(MACH64)/llib-lumem.ln
1499 $(ROOT)/usr/lib/$(MACH64)/llib-luuid.ln:= \
1500     REALPATH=../../../../lib/$(MACH64)/llib-luuid.ln
1501 $(ROOT)/usr/lib/$(MACH64)/llib-lxnet.ln:= \
1502     REALPATH=../../../../lib/$(MACH64)/llib-lxnet.ln
1503 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs.ln:= \
1504     REALPATH=../../../../lib/$(MACH64)/llib-lzfs.ln
1505 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs_core.ln:= \
1506     REALPATH=../../../../lib/$(MACH64)/llib-lzfs_core.ln

```

```

1507 $(ROOT)/usr/lib/$(MACH64)/llib-lfdisk.ln:= \
1508     REALPATH=../../../../lib/$(MACH64)/llib-lfdisk.ln
1509 $(ROOT)/usr/lib/$(MACH64)/nss_compat.so.1:= \
1510     REALPATH=../../../../lib/$(MACH64)/nss_compat.so.1
1511 $(ROOT)/usr/lib/$(MACH64)/nss_dns.so.1:= \
1512     REALPATH=../../../../lib/$(MACH64)/nss_dns.so.1
1513 $(ROOT)/usr/lib/$(MACH64)/nss_files.so.1:= \
1514     REALPATH=../../../../lib/$(MACH64)/nss_files.so.1
1515 $(ROOT)/usr/lib/$(MACH64)/nss_nis.so.1:= \
1516     REALPATH=../../../../lib/$(MACH64)/nss_nis.so.1
1517 $(ROOT)/usr/lib/$(MACH64)/nss_user.so.1:= \
1518     REALPATH=../../../../lib/$(MACH64)/nss_user.so.1
1519 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so.1:= \
1520     REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1521 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so:= \
1522     REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1523 $(ROOT)/usr/lib/fm/$(MACH64)/llib-lfmevent.ln:= \
1524     REALPATH=../../../../lib/fm/$(MACH64)/llib-lfmevent.ln

1526 i386_SYM.USRLIB= \
1527     /usr/lib/libfdisk.so \
1528     /usr/lib/libfdisk.so.1 \
1529     /usr/lib/llib-lfdisk \
1530     /usr/lib/llib-lfdisk.ln

1532 SYM.USRLIB= \
1533     $(MACH)_SYM.USRLIB \
1534     /lib/libposix4.so \
1535     /lib/libposix4.so.1 \
1536     /lib/llib-lposix4 \
1537     /lib/llib-lposix4.ln \
1538     /lib/libthread_db.so \
1539     /lib/libthread_db.so.1 \
1540     /usr/lib/ld.so.1 \
1541     /usr/lib/libadm.so \
1542     /usr/lib/libadm.so.1 \
1543     /usr/lib/libaio.so \
1544     /usr/lib/libaio.so.1 \
1545     /usr/lib/libavl.so \
1546     /usr/lib/libavl.so.1 \
1547     /usr/lib/libbsm.so \
1548     /usr/lib/libbsm.so.1 \
1549     /usr/lib/libc.so \
1550     /usr/lib/libc.so.1 \
1551     /usr/lib/libc_db.so \
1552     /usr/lib/libc_db.so.1 \
1553     /usr/lib/libcmdutils.so \
1554     /usr/lib/libcmdutils.so.1 \
1555     /usr/lib/libcontract.so \
1556     /usr/lib/libcontract.so.1 \
1557     /usr/lib/libctf.so \
1558     /usr/lib/libctf.so.1 \
1559     /usr/lib/libcurses.so \
1560     /usr/lib/libcurses.so.1 \
1561     /usr/lib/libdevice.so \
1562     /usr/lib/libdevice.so.1 \
1563     /usr/lib/libdevuid.so \
1564     /usr/lib/libdevuid.so.1 \
1565     /usr/lib/libdevinfo.so \
1566     /usr/lib/libdevinfo.so.1 \
1567     /usr/lib/libdhcpgent.so \
1568     /usr/lib/libdhcpgent.so.1 \
1569     /usr/lib/libdhcputil.so \
1570     /usr/lib/libdhcputil.so.1 \
1571     /usr/lib/libdl.so \
1572     /usr/lib/libdl.so.1 \

```

new/usr/src/Targetdirs

```
1573 /usr/lib/libdldpi.so \
1574 /usr/lib/libdldpi.so.1 \
1575 /usr/lib/libdoor.so \
1576 /usr/lib/libdoor.so.1 \
1577 /usr/lib/libefi.so \
1578 /usr/lib/libefi.so.1 \
1579 /usr/lib/libelf.so \
1580 /usr/lib/libelf.so.1 \
1581 /usr/lib/libgen.so \
1582 /usr/lib/libgen.so.1 \
1583 /usr/lib/libinetutil.so \
1584 /usr/lib/libinetutil.so.1 \
1585 /usr/lib/libintl.so \
1586 /usr/lib/libintl.so.1 \
1587 /usr/lib/libkstat.so \
1588 /usr/lib/libkstat.so.1 \
1589 /usr/lib/liblddbg.so.4 \
1590 /usr/lib/libm.so.1 \
1591 /usr/lib/libm.so.2 \
1592 /usr/lib/libm.so \
1593 /usr/lib/libmd.so \
1594 /usr/lib/libmd.so.1 \
1595 /usr/lib/libmd5.so \
1596 /usr/lib/libmd5.so.1 \
1597 /usr/lib/libmeta.so \
1598 /usr/lib/libmeta.so.1 \
1599 /usr/lib/libmp.so \
1600 /usr/lib/libmp.so.1 \
1601 /usr/lib/libmp.so.2 \
1602 /usr/lib/libmvec.so.1 \
1603 /usr/lib/libmvec.so \
1604 /usr/lib/libnsl.so \
1605 /usr/lib/libnsl.so.1 \
1606 /usr/lib/libnvpair.so \
1607 /usr/lib/libnvpair.so.1 \
1608 /usr/lib/libpam.so \
1609 /usr/lib/libpam.so.1 \
1610 /usr/lib/libposix4.so \
1611 /usr/lib/libposix4.so.1 \
1612 /usr/lib/libproc.so \
1613 /usr/lib/libproc.so.1 \
1614 /usr/lib/libpthread.so \
1615 /usr/lib/libpthread.so.1 \
1616 /usr/lib/librcm.so \
1617 /usr/lib/librcm.so.1 \
1618 /usr/lib/libresolv.so \
1619 /usr/lib/libresolv.so.1 \
1620 /usr/lib/libresolv.so.2 \
1621 /usr/lib/librestart.so \
1622 /usr/lib/librestart.so.1 \
1623 /usr/lib/librpcsvc.so \
1624 /usr/lib/librpcsvc.so.1 \
1625 /usr/lib/librt.so \
1626 /usr/lib/librt.so.1 \
1627 /usr/lib/librtld.so.1 \
1628 /usr/lib/librtld_db.so \
1629 /usr/lib/librtld_db.so.1 \
1630 /usr/lib/libscf.so \
1631 /usr/lib/libscf.so.1 \
1632 /usr/lib/libsec.so \
1633 /usr/lib/libsec.so.1 \
1634 /usr/lib/libsecdb.so \
1635 /usr/lib/libsecdb.so.1 \
1636 /usr/lib/libsendfile.so \
1637 /usr/lib/libsendfile.so.1 \
1638 /usr/lib/libsocket.so \
```

25

new/usr/src/Targetdirs

```
1639 /usr/lib/libsocket.so.1 \
1640 /usr/lib/libsysevent.so \
1641 /usr/lib/libsysevent.so.1 \
1642 /usr/lib/libtermcap.so \
1643 /usr/lib/libtermcap.so.1 \
1644 /usr/lib/libtermplib.so \
1645 /usr/lib/libtermplib.so.1 \
1646 /usr/lib/libthread.so \
1647 /usr/lib/libthread.so.1 \
1648 /usr/lib/libthread_db.so \
1649 /usr/lib/libthread_db.so.1 \
1650 /usr/lib/libtsnet.so \
1651 /usr/lib/libtsnet.so.1 \
1652 /usr/lib/libtsol.so \
1653 /usr/lib/libtsol.so.2 \
1654 /usr/lib/libumem.so \
1655 /usr/lib/libumem.so.1 \
1656 /usr/lib/libuuid.so \
1657 /usr/lib/libuuid.so.1 \
1658 /usr/lib/libuutil.so \
1659 /usr/lib/libuutil.so.1 \
1660 /usr/lib/libw.so \
1661 /usr/lib/libw.so.1 \
1662 /usr/lib/libxnet.so \
1663 /usr/lib/libxnet.so.1 \
1664 /usr/lib/libzfs.so \
1665 /usr/lib/libzfs.so.1 \
1666 /usr/lib/libzfs_core.so \
1667 /usr/lib/libzfs_core.so.1 \
1668 /usr/lib/lib-ladm \
1669 /usr/lib/lib-ladm.ln \
1670 /usr/lib/lib-laio \
1671 /usr/lib/lib-laio.ln \
1672 /usr/lib/lib-lavl \
1673 /usr/lib/lib-lavl.ln \
1674 /usr/lib/lib-lbsm \
1675 /usr/lib/lib-lbsm.ln \
1676 /usr/lib/lib-lc \
1677 /usr/lib/lib-lc.ln \
1678 /usr/lib/lib-lcmdutils \
1679 /usr/lib/lib-lcmdutils.ln \
1680 /usr/lib/lib-lcontract \
1681 /usr/lib/lib-lcontract.ln \
1682 /usr/lib/lib-lctf \
1683 /usr/lib/lib-lctf.ln \
1684 /usr/lib/lib-lcurses \
1685 /usr/lib/lib-lcurses.ln \
1686 /usr/lib/lib-ldevice \
1687 /usr/lib/lib-ldevice.ln \
1688 /usr/lib/lib-ldevid \
1689 /usr/lib/lib-ldevid.ln \
1690 /usr/lib/lib-ldevinfo \
1691 /usr/lib/lib-ldevinfo.ln \
1692 /usr/lib/lib-ldhcpagent \
1693 /usr/lib/lib-ldhcpagent.ln \
1694 /usr/lib/lib-ldhcputil \
1695 /usr/lib/lib-ldhcputil.ln \
1696 /usr/lib/lib-ldl \
1697 /usr/lib/lib-ldl.ln \
1698 /usr/lib/lib-ldoor \
1699 /usr/lib/lib-ldoor.ln \
1700 /usr/lib/lib-lefi \
1701 /usr/lib/lib-lefi.ln \
1702 /usr/lib/lib-lelf \
1703 /usr/lib/lib-lelf.ln \
1704 /usr/lib/lib-lgen \
```

26

new/usr/src/Targetdirs

```

1705 /usr/lib/libl-gen.ln \
1706 /usr/lib/libl-linetutil \
1707 /usr/lib/libl-linetutil.ln \
1708 /usr/lib/libl-lintl \
1709 /usr/lib/libl-lintl.ln \
1710 /usr/lib/libl-lkstat \
1711 /usr/lib/libl-lkstat.ln \
1712 /usr/lib/libl-lm \
1713 /usr/lib/libl-lm.ln \
1714 /usr/lib/libl-lmd5 \
1715 /usr/lib/libl-lmd5.ln \
1716 /usr/lib/libl-lmeta \
1717 /usr/lib/libl-lmeta.ln \
1718 /usr/lib/libl-lns1 \
1719 /usr/lib/libl-lns1.ln \
1720 /usr/lib/libl-lnvpair \
1721 /usr/lib/libl-lnvpair.ln \
1722 /usr/lib/libl-lpam \
1723 /usr/lib/libl-lpam.ln \
1724 /usr/lib/libl-lposix4 \
1725 /usr/lib/libl-lposix4.ln \
1726 /usr/lib/libl-lpthread \
1727 /usr/lib/libl-lpthread.ln \
1728 /usr/lib/libl-lresolv \
1729 /usr/lib/libl-lresolv.ln \
1730 /usr/lib/libl-lrpcsvc \
1731 /usr/lib/libl-lrpcsvc.ln \
1732 /usr/lib/libl-lrt \
1733 /usr/lib/libl-lrt.ln \
1734 /usr/lib/libl-lrtld_db \
1735 /usr/lib/libl-lrtld_db.ln \
1736 /usr/lib/libl-lscf \
1737 /usr/lib/libl-lscf.ln \
1738 /usr/lib/libl-lsec \
1739 /usr/lib/libl-lsec.ln \
1740 /usr/lib/libl-lsecdb \
1741 /usr/lib/libl-lsecdb.ln \
1742 /usr/lib/libl-lsendfile \
1743 /usr/lib/libl-lsendfile.ln \
1744 /usr/lib/libl-lsocket \
1745 /usr/lib/libl-lsocket.ln \
1746 /usr/lib/libl-lsysevent \
1747 /usr/lib/libl-lsysevent.ln \
1748 /usr/lib/libl-ltermcap \
1749 /usr/lib/libl-ltermcap.ln \
1750 /usr/lib/libl-ltermLib \
1751 /usr/lib/libl-ltermLib.ln \
1752 /usr/lib/libl-lthread \
1753 /usr/lib/libl-lthread.ln \
1754 /usr/lib/libl-lthread_db \
1755 /usr/lib/libl-lthread_db.ln \
1756 /usr/lib/libl-ltsnet \
1757 /usr/lib/libl-ltsnet.ln \
1758 /usr/lib/libl-ltsol \
1759 /usr/lib/libl-ltsol.ln \
1760 /usr/lib/libl-lumem \
1761 /usr/lib/libl-lumem.ln \
1762 /usr/lib/libl-luuid \
1763 /usr/lib/libl-luuid.ln \
1764 /usr/lib/libl-lxnet \
1765 /usr/lib/libl-lxnet.ln \
1766 /usr/lib/libl-lzfs \
1767 /usr/lib/libl-lzfs.ln \
1768 /usr/lib/libl-lzfs_core \
1769 /usr/lib/libl-lzfs_core.ln \
1770 /usr/lib/nss_compat.so.1 \

```

27

new/usr/src/Targetdirs

```

1771 /usr/lib/nss_dns.so.1 \
1772 /usr/lib/nss_files.so.1 \
1773 /usr/lib/nss_nis.so.1 \
1774 /usr/lib/nss_user.so.1 \
1775 /usr/lib/fm/libfmevent.so \
1776 /usr/lib/fm/libfmevent.so.1 \
1777 /usr/lib/fm/libl-lfmevent \
1778 /usr/lib/fm/libl-lfmevent.ln

```

1780 sparcv9_SYM.USRLIB64=

```

1782 amd64_SYM.USRLIB64= \
1783 /usr/lib/amd64/libfdisk.so \
1784 /usr/lib/amd64/libfdisk.so.1 \
1785 /usr/lib/amd64/libl-lfdisk.ln

```

```

1788 SYM.USRLIB64= \
1789 $( $(MACH64)_SYM.USRLIB64) \
1790 /lib/$(MACH64)/libposix4.so \
1791 /lib/$(MACH64)/libposix4.so.1 \
1792 /lib/$(MACH64)/libl-lposix4.ln \
1793 /lib/$(MACH64)/libthread_db.so \
1794 /lib/$(MACH64)/libthread_db.so.1 \
1795 /usr/lib/$(MACH64)/ld.so.1 \
1796 /usr/lib/$(MACH64)/libadm.so \
1797 /usr/lib/$(MACH64)/libadm.so.1 \
1798 /usr/lib/$(MACH64)/libaio.so \
1799 /usr/lib/$(MACH64)/libaio.so.1 \
1800 /usr/lib/$(MACH64)/libavl.so \
1801 /usr/lib/$(MACH64)/libavl.so.1 \
1802 /usr/lib/$(MACH64)/libbsm.so \
1803 /usr/lib/$(MACH64)/libbsm.so.1 \
1804 /usr/lib/$(MACH64)/libc.so \
1805 /usr/lib/$(MACH64)/libc.so.1 \
1806 /usr/lib/$(MACH64)/libc_db.so \
1807 /usr/lib/$(MACH64)/libc_db.so.1 \
1808 /usr/lib/$(MACH64)/libcmdutils.so \
1809 /usr/lib/$(MACH64)/libcmdutils.so.1 \
1810 /usr/lib/$(MACH64)/libcontract.so \
1811 /usr/lib/$(MACH64)/libcontract.so.1 \
1812 /usr/lib/$(MACH64)/libctf.so \
1813 /usr/lib/$(MACH64)/libctf.so.1 \
1814 /usr/lib/$(MACH64)/libcurses.so \
1815 /usr/lib/$(MACH64)/libcurses.so.1 \
1816 /usr/lib/$(MACH64)/libdevice.so \
1817 /usr/lib/$(MACH64)/libdevice.so.1 \
1818 /usr/lib/$(MACH64)/libdevvid.so \
1819 /usr/lib/$(MACH64)/libdevvid.so.1 \
1820 /usr/lib/$(MACH64)/libdevinfo.so \
1821 /usr/lib/$(MACH64)/libdevinfo.so.1 \
1822 /usr/lib/$(MACH64)/libdhcputil.so \
1823 /usr/lib/$(MACH64)/libdhcputil.so.1 \
1824 /usr/lib/$(MACH64)/libdl.so \
1825 /usr/lib/$(MACH64)/libdl.so.1 \
1826 /usr/lib/$(MACH64)/libdlpi.so \
1827 /usr/lib/$(MACH64)/libdlpi.so.1 \
1828 /usr/lib/$(MACH64)/libdoor.so \
1829 /usr/lib/$(MACH64)/libdoor.so.1 \
1830 /usr/lib/$(MACH64)/libefi.so \
1831 /usr/lib/$(MACH64)/libefi.so.1 \
1832 /usr/lib/$(MACH64)/libelf.so \
1833 /usr/lib/$(MACH64)/libelf.so.1 \
1834 /usr/lib/$(MACH64)/libgen.so \
1835 /usr/lib/$(MACH64)/libgen.so.1 \
1836 /usr/lib/$(MACH64)/libinetutil.so \

```

28

new/usr/src/Targetdirs

1837 /usr/lib/\$(MACH64)/libinetutil.so.1 \
1838 /usr/lib/\$(MACH64)/libintl.so \
1839 /usr/lib/\$(MACH64)/libintl.so.1 \
1840 /usr/lib/\$(MACH64)/libkstat.so \
1841 /usr/lib/\$(MACH64)/libkstat.so.1 \
1842 /usr/lib/\$(MACH64)/liblddbg.so.4 \
1843 /usr/lib/\$(MACH64)/libm.so.1 \
1844 /usr/lib/\$(MACH64)/libm.so.2 \
1845 /usr/lib/\$(MACH64)/libm.so \
1846 /usr/lib/\$(MACH64)/libmd.so \
1847 /usr/lib/\$(MACH64)/libmd.so.1 \
1848 /usr/lib/\$(MACH64)/libmd5.so \
1849 /usr/lib/\$(MACH64)/libmd5.so.1 \
1850 /usr/lib/\$(MACH64)/libmp.so \
1851 /usr/lib/\$(MACH64)/libmp.so.2 \
1852 /usr/lib/\$(MACH64)/libmvec.so.1 \
1853 /usr/lib/\$(MACH64)/libmvec.so \
1854 /usr/lib/\$(MACH64)/libnsl.so \
1855 /usr/lib/\$(MACH64)/libnsl.so.1 \
1856 /usr/lib/\$(MACH64)/libnvpair.so \
1857 /usr/lib/\$(MACH64)/libnvpair.so.1 \
1858 /usr/lib/\$(MACH64)/libpam.so \
1859 /usr/lib/\$(MACH64)/libpam.so.1 \
1860 /usr/lib/\$(MACH64)/libposix4.so \
1861 /usr/lib/\$(MACH64)/libposix4.so.1 \
1862 /usr/lib/\$(MACH64)/libproc.so \
1863 /usr/lib/\$(MACH64)/libproc.so.1 \
1864 /usr/lib/\$(MACH64)/libpthread.so \
1865 /usr/lib/\$(MACH64)/libpthread.so.1 \
1866 /usr/lib/\$(MACH64)/librcm.so \
1867 /usr/lib/\$(MACH64)/librcm.so.1 \
1868 /usr/lib/\$(MACH64)/libresolv.so \
1869 /usr/lib/\$(MACH64)/libresolv.so.2 \
1870 /usr/lib/\$(MACH64)/librestart.so \
1871 /usr/lib/\$(MACH64)/librestart.so.1 \
1872 /usr/lib/\$(MACH64)/librpcsvc.so \
1873 /usr/lib/\$(MACH64)/librpcsvc.so.1 \
1874 /usr/lib/\$(MACH64)/librt.so \
1875 /usr/lib/\$(MACH64)/librt.so.1 \
1876 /usr/lib/\$(MACH64)/librtld.so.1 \
1877 /usr/lib/\$(MACH64)/librtld_db.so \
1878 /usr/lib/\$(MACH64)/librtld_db.so.1 \
1879 /usr/lib/\$(MACH64)/libscf.so \
1880 /usr/lib/\$(MACH64)/libscf.so.1 \
1881 /usr/lib/\$(MACH64)/libsec.so \
1882 /usr/lib/\$(MACH64)/libsec.so.1 \
1883 /usr/lib/\$(MACH64)/libsecdb.so \
1884 /usr/lib/\$(MACH64)/libsecdb.so.1 \
1885 /usr/lib/\$(MACH64)/libsendfile.so \
1886 /usr/lib/\$(MACH64)/libsendfile.so.1 \
1887 /usr/lib/\$(MACH64)/libsocket.so \
1888 /usr/lib/\$(MACH64)/libsocket.so.1 \
1889 /usr/lib/\$(MACH64)/libsysevent.so \
1890 /usr/lib/\$(MACH64)/libsysevent.so.1 \
1891 /usr/lib/\$(MACH64)/libtermcap.so \
1892 /usr/lib/\$(MACH64)/libtermcap.so.1 \
1893 /usr/lib/\$(MACH64)/libtermplib.so \
1894 /usr/lib/\$(MACH64)/libtermplib.so.1 \
1895 /usr/lib/\$(MACH64)/libthread.so \
1896 /usr/lib/\$(MACH64)/libthread.so.1 \
1897 /usr/lib/\$(MACH64)/libthread_db.so \
1898 /usr/lib/\$(MACH64)/libthread_db.so.1 \
1899 /usr/lib/\$(MACH64)/libtsnet.so \
1900 /usr/lib/\$(MACH64)/libtsnet.so.1 \
1901 /usr/lib/\$(MACH64)/libtsol.so \
1902 /usr/lib/\$(MACH64)/libtsol.so.2 \

29

new/usr/src/Targetdirs

1903 /usr/lib/\$(MACH64)/libumem.so \
1904 /usr/lib/\$(MACH64)/libumem.so.1 \
1905 /usr/lib/\$(MACH64)/libuuid.so \
1906 /usr/lib/\$(MACH64)/libuuid.so.1 \
1907 /usr/lib/\$(MACH64)/libuutil.so \
1908 /usr/lib/\$(MACH64)/libuutil.so.1 \
1909 /usr/lib/\$(MACH64)/libw.so \
1910 /usr/lib/\$(MACH64)/libw.so.1 \
1911 /usr/lib/\$(MACH64)/libxnet.so \
1912 /usr/lib/\$(MACH64)/libxnet.so.1 \
1913 /usr/lib/\$(MACH64)/libzfs.so \
1914 /usr/lib/\$(MACH64)/libzfs.so.1 \
1915 /usr/lib/\$(MACH64)/libzfs_core.so \
1916 /usr/lib/\$(MACH64)/libzfs_core.so.1 \
1917 /usr/lib/\$(MACH64)/llib-ladm.ln \
1918 /usr/lib/\$(MACH64)/llib-laio.ln \
1919 /usr/lib/\$(MACH64)/llib-lavl.ln \
1920 /usr/lib/\$(MACH64)/llib-lbsm.ln \
1921 /usr/lib/\$(MACH64)/llib-lc.ln \
1922 /usr/lib/\$(MACH64)/llib-lcmdutils.ln \
1923 /usr/lib/\$(MACH64)/llib-lcontract.ln \
1924 /usr/lib/\$(MACH64)/llib-lctf.ln \
1925 /usr/lib/\$(MACH64)/llib-lcurses.ln \
1926 /usr/lib/\$(MACH64)/llib-ldevice.ln \
1927 /usr/lib/\$(MACH64)/llib-ldevinfo.ln \
1928 /usr/lib/\$(MACH64)/llib-ldevinfo.ln \
1929 /usr/lib/\$(MACH64)/llib-ldhcputil.ln \
1930 /usr/lib/\$(MACH64)/llib-ldl.ln \
1931 /usr/lib/\$(MACH64)/llib-ldoor.ln \
1932 /usr/lib/\$(MACH64)/llib-lefi.ln \
1933 /usr/lib/\$(MACH64)/llib-lelf.ln \
1934 /usr/lib/\$(MACH64)/llib-lgen.ln \
1935 /usr/lib/\$(MACH64)/llib-linetutil.ln \
1936 /usr/lib/\$(MACH64)/llib-lintl.ln \
1937 /usr/lib/\$(MACH64)/llib-lkstat.ln \
1938 /usr/lib/\$(MACH64)/llib-lm.ln \
1939 /usr/lib/\$(MACH64)/llib-lmd5.ln \
1940 /usr/lib/\$(MACH64)/llib-lnsl.ln \
1941 /usr/lib/\$(MACH64)/llib-lnvpair.ln \
1942 /usr/lib/\$(MACH64)/llib-lpam.ln \
1943 /usr/lib/\$(MACH64)/llib-lposix4.ln \
1944 /usr/lib/\$(MACH64)/llib-lpthread.ln \
1945 /usr/lib/\$(MACH64)/llib-lresolv.ln \
1946 /usr/lib/\$(MACH64)/llib-lrpcsvc.ln \
1947 /usr/lib/\$(MACH64)/llib-lrt.ln \
1948 /usr/lib/\$(MACH64)/llib-lrtld_db.ln \
1949 /usr/lib/\$(MACH64)/llib-lscf.ln \
1950 /usr/lib/\$(MACH64)/llib-lsec.ln \
1951 /usr/lib/\$(MACH64)/llib-lsecdb.ln \
1952 /usr/lib/\$(MACH64)/llib-lsendfile.ln \
1953 /usr/lib/\$(MACH64)/llib-lsocket.ln \
1954 /usr/lib/\$(MACH64)/llib-lsysevent.ln \
1955 /usr/lib/\$(MACH64)/llib-ltermcap.ln \
1956 /usr/lib/\$(MACH64)/llib-ltermplib.ln \
1957 /usr/lib/\$(MACH64)/llib-lthread.ln \
1958 /usr/lib/\$(MACH64)/llib-lthread_db.ln \
1959 /usr/lib/\$(MACH64)/llib-ltsnet.ln \
1960 /usr/lib/\$(MACH64)/llib-ltsol.ln \
1961 /usr/lib/\$(MACH64)/llib-lumem.ln \
1962 /usr/lib/\$(MACH64)/llib-luuid.ln \
1963 /usr/lib/\$(MACH64)/llib-lxnet.ln \
1964 /usr/lib/\$(MACH64)/llib-lzfs.ln \
1965 /usr/lib/\$(MACH64)/llib-lzfs_core.ln \
1966 /usr/lib/\$(MACH64)/nss_compat.so.1 \
1967 /usr/lib/\$(MACH64)/nss_dns.so.1 \
1968 /usr/lib/\$(MACH64)/nss_files.so.1 \

30

new/usr/src/Targetdirs

31

```
1969      /usr/lib/$(MACH64)/nss_nis.so.1 \
1970      /usr/lib/$(MACH64)/nss_user.so.1 \
1971      /usr/lib/fm/$(MACH64)/libfmevent.so \
1972      /usr/lib/fm/$(MACH64)/libfmevent.so.1 \
1973      /usr/lib/fm/$(MACH64)/llib-lfmevent.ln

1975 #
1976 # usr/src/Makefile uses INS.dir for any member of ROOTDIRS, the fact
1977 # these are symlinks to files has no bearing on this.
1978 #
1979 $(FILELINKS:%=$(ROOT)%):= \
1980     INS.dir= -$(RM) $@; $(SYMLINK) $(REALPATH) $@
```

new/usr/src/cmd/Makefile.check

1

4064 Tue Nov 4 14:39:55 2014

new/usr/src/cmd/Makefile.check

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21
22 # Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24
25 include ../Makefile.master
26
27 #
28 # Commands providing manifests must offer a check target. A recursive check
29 # target across all commands directories is not currently provided.
30 #
31 MANIFEST_TOPDIRS=
32     acctadm
33     auditd
34     bnu
35     consadm
36     coreadm
37     cron
38     cvcd
39     dispadmin
40     drd
41     dumpadm
42     fcinfo
43     fcoesvc
44     fm
45     ibd_upgrade
46     intrd
47     iscsid
48     iscsitsvc
49     kbd
50     keyerv
51     ldapcachemgr
52     ldmad
53     lms
54     dlmgmt
55     ndmpd
56     nscd
57     oplhpd
58     pools
```

new/usr/src/cmd/Makefile.check

2

```
59     power
60     rexd
61     rmvolmgr
62     rpcbind
63     rpcsvc
64     sa
65     saf
66     sckmd
67     sf880drd
68     smserverd
69     stmproxy
70     stmfsvc
71     stmsboot
72     syseventd
73     syslogd
74     utmpd
75     vntsd
76     ypcmd
77     zoneadm
78     zoneadmd
79
80 MANIFEST_SUBDIRS=
81     boot/scripts
82     cmd-crypto/scripts
83     cmd-inet/usr.lib/ilbd
84     cmd-inet/usr.lib/in.chargend
85     cmd-inet/usr.lib/in.daytimed
86     cmd-inet/usr.lib/in.dhcppd
87     cmd-inet/usr.lib/in.discardd
88     cmd-inet/usr.lib/in.echod
89     cmd-inet/usr.lib/in.ndpd
90     cmd-inet/usr.lib/in.ripngd
91     cmd-inet/usr.lib/inetd
92     cmd-inet/usr.lib/mdnsd
93     cmd-inet/usr.lib/slpd
94     cmd-inet/usr.lib/vrrpd
95     cmd-inet/usr.lib/wpad
96     cmd-inet/usr.sbin
97     cmd-inet/usr.sbin/in.rdisc
98     cmd-inet/usr.sbin/in.routed
99     cmd-inet/usr.sbin/in.talkd
100    cmd-inet/usr.sbin/ipsecutils
101    cmd-inet/usr.sbin/kssl/ksslcfg
102    cmd-inet/usr.sbin/routeadm
103    dcs/sparc/sun4u
104    dfs.cmds/sharemgr
105    fs.d/autofs
106    fs.d/nfs/svc
107    fs.d/smbclnt/svc
108    gss/gssd
109    hal/addons/network-devices
110    hal/hald/solaris
111    halt/smf.$(MACH)
112    hostid/smf
113    idmap/idmapd
114    ipf/svc
115    isns/isnsd
116    krb5/kadmin/server
117    krb5/krb5kdc
118    krb5/kwarn
119    krb5/slave
120    lp/cmd/lpsched
121    lvm/rpc.mdcommd
122    lvm/rpc.metad
123    lvm/rpc.metamedd
```

new/usr/src/cmd/Makefile.check

3

```
124      lvm/rpc.metamhd      \
125      lvm/md_monitord     \
126      lvm/util            \
127      picl/picld          \
128      pools/poold        \
129      print/bsd-sysv-commands \
130      print/ppdmgr        \
131      rcap/rcapd          \
132      rpcsvc/rpc.bootparamd \
133      sendmail/lib        \
134      smbfs/smbd          \
135      ssh/etc             \
136      svc/milestone       \
137      tsol/labeld         \
138      tsol/tmct1          \
139      tsol/tnd            \
140      tsol/tsol-zones     \
141      vscan/vscand        \
142      xvm/ipagent         \
143      ypcmd/yppasswd      \
144      ypcmd/ypupdated     \
145      zonestat/zonestatd  \

147 MISC_SUBDIRS= \
148     dtrace/test/tst \
149     sgs

151 .KEEP_STATE:

153 # Manifests cannot be checked in parallel, because we are using the global
154 # repository that is in $(SRC)/cmd/svc/seed/global.db. This is a
155 # repository that is built from the manifests in this workspace, whereas
156 # the build machine's repository may be out of sync with these manifests.
157 # Because we are using a private repository, svccfg-native must start up a
158 # private copy of configd-native. We cannot have multiple copies of
159 # configd-native trying to access global.db simultaneously.

161 .NO_PARALLEL:

163 check: svccfg_check $(MANIFEST_TOPDIRS) $(MANIFEST_SUBDIRS) $(MISC_SUBDIRS)

165 svccfg_check:
166     @$(ECHO) "building requirements for svccfg check ..."; \
167     (cd $(SRC)/cmd/svc/seed && pwd && $(MAKE) $(MFLAGS) global.db)

169 $(MANIFEST_TOPDIRS) $(MANIFEST_SUBDIRS) $(MISC_SUBDIRS): FRC
170     @cd $$; pwd; $(MAKE) check

172 FRC:
```

new/usr/src/cmd/cmd-inet/Makefile

1

1603 Tue Nov 4 14:39:55 2014
new/usr/src/cmd/cmd-inet/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the license file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24 #

26 include      ../Makefile.cmd

28 SUBDIRS=      etc lib sbin usr.bin usr.sbin usr.lib usr.sadm
29 MSGSUBDIRS=   usr.bin usr.sbin usr.lib
30 POFILES=      usr.bin/usr.bin.po usr.sbin/usr.sbin.po
28 MSGSUBDIRS=   usr.bin usr.sbin usr.lib usr.sadm
29 POFILES=      usr.bin/usr.bin.po usr.sbin/usr.sbin.po usr.sadm/usr.sadm.po
31 POFILE=       cmd-inet.po

33 all:=         TARGET= all
34 install:=     TARGET= install
35 clean:=       TARGET= clean
36 clobber:=     TARGET= clobber
37 lint:=        TARGET= lint
38 _msg:=        TARGET= _msg

40 .KEEP_STATE:

42 .PARALLEL:    $(SUBDIRS)

44 all clean install lint: $(SUBDIRS)

46 clobber:      $(SUBDIRS) local_clobber

48 local_clobber:
49      $(RM) $(CLOBBERFILES)

51 _msg: $(MSGSUBDIRS)
52      $(RM) $(POFILE)
53      $(CAT) $(POFILES) > $(POFILE)
54      $(RM) $(MSGDOMAIN)/$(POFILE)
55      $(CP) $(POFILE) $(MSGDOMAIN)
```

new/usr/src/cmd/cmd-inet/Makefile

2

```
57 $(SUBDIRS): FRC
58      @cd $@; pwd; $(MAKE) $(TARGET)

60 FRC:
```

new/usr/src/cmd/cmd-inet/usr.lib/Makefile

1

1675 Tue Nov 4 14:39:55 2014
new/usr/src/cmd/cmd-inet/usr.lib/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 SUBDIRS=      bridged ilbd in.chargend in.daytimed \
28               in.discardd in.echod in.mpathd in.ndpd \
29 SUBDIRS=      bridged dhcp dsvclockd ilbd in.chargend in.daytimed \
27               in.discardd in.echod in.dhcpd in.mpathd in.ndpd \
29               in.ripngd in.timed inetd mdnsd ncaconfd pppoe \
30               slpd vrrpd wanboot wpad
31 #
32 MSGSUBDIRS=   ilbd inetd ncaconfd vrrpd wanboot
31 MSGSUBDIRS=   dsvclockd ilbd in.dhcpd inetd ncaconfd vrrpd wanboot
32 #
33 #
34 include ../../Makefile.cmd
35 include ./Makefile.lib
36 #
37 POFILES=      inetd/inetd.po ncaconfd/ncaconfd.po vrrpd/vrrpd.po \
36 POFILES=      dsvclockd/dsvclockd.po in.dhcpd/in.dhcpd.po \
37               inetd/inetd.po ncaconfd/ncaconfd.po vrrpd/vrrpd.po \
38               wanboot/wanboot.po
39 POFILE=       usr.lib.po
40 #
41 all:=          TARGET= all
42 install:=      TARGET= install
43 clean:=        TARGET= clean
44 clobber:=      TARGET= clobber
45 lint:=         TARGET= lint
46 _msg:=         TARGET= _msg
47 #
48 .KEEP_STATE:
49 #
50 all clean clobber lint: $(SUBDIRS)
51 #
52 install: $(SUBDIRS)
53     -$(RM) $(ROOTLIBINET)/in.iked
```

new/usr/src/cmd/cmd-inet/usr.lib/Makefile

2

54 -\$(LN) \$(ISAEXEC) \$(ROOTLIBINET)/in.iked

57 _msg: \$(MSGSUBDIRS)

```
59 #
60 # The reason this rule checks for the existence of the
61 # Makefile is that some of the directories do not exist
62 # in our exportable source builds or in OpenSolaris.
63 #
64 $(SUBDIRS): FRC
65     @cd $@; pwd; $(MAKE) $(MFLAGS) $(TARGET)
66     @if [ -f $@/Makefile ]; then \
67         cd $@; pwd; $(MAKE) $(TARGET); \
68     else \
69         fi true; \
```

62 FRC:

new/usr/src/cmd/cmd-inet/usr.sadm/Makefile

1

1367 Tue Nov 4 14:39:57 2014

new/usr/src/cmd/cmd-inet/usr.sadm/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 1999-2003 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
26 # ident "%Z%M% %I% %E% SMI"
27 #
28 # cmd/cmd-inet/usr.sadm/Makefile
```

```
30 SUBDIRS1=      dhcpmgr
30 SUBDIRS2=      scripts

32 include ../../Makefile.cmd
34 #
35 # Message catalog
36 #
37 POFILES= dhcpmgr/lib/dhcpmgr.po
38 POFILE= usr.sadm.po
```

```
34 all:=          TARGET= all
35 install:=      TARGET= install
36 clean:=        TARGET= clean
37 clobber:=      TARGET= clobber
38 lint:=         TARGET= lint
45 _msg:=        TARGET= _msg
```

```
40 .KEEP_STATE:

42 .PARALLEL: $(SUBDIRS1) $(SUBDIRS2)

44 all clean clobber lint: $(SUBDIRS1)

46 install: $(SUBDIRS1) $(SUBDIRS2)
```

```
55 #
56 # message catalog
57 #
```

new/usr/src/cmd/cmd-inet/usr.sadm/Makefile

2

```
58 _msg: $(SUBDIRS1) .WAIT $(POFILE)
```

```
60 $(POFILE): $(POFILES)
```

```
61      $(RM) $@
```

```
62      cat $(POFILES) > $@
```

```
48 $(SUBDIRS1) $(SUBDIRS2): FRC
```

```
49      @cd $@; pwd; $(MAKE) $(TARGET)
```

```
51 FRC:
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

1

8608 Tue Nov 4 14:40:10 2014
new/usr/src/cmd/cmd-inet/usr.sbin/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <dammcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 SYNCPROG=      syncinit syncloop syncstat
28 DHCPPROG=      dhcpconfig dhtadm pntadm
29
30 PROG=          6to4relay arp if_mpadm \
31               in.comsat in.fingerd in.rarpd in.rexecd in.rlogind \
32               in.rshd in.rwhod in.telnetd in.tftpd ipaddrsel \
33               ndd $(SYNCPROG) wanbootutil
34               ndd $(SYNCPROG) $(DHCPPROG) wanbootutil
35
36 MANIFEST=      rarp.xml telnet.xml comsat.xml finger.xml \
37               login.xml shell.xml rexec.xml socket-filter-kssl.xml
38 SVCMETHOD=     svc-sockfilter
39
40 ROOTFS_PROG=    hostconfig route soconfig
41 SBINLINKS=      hostconfig route
42
43 RPCSVCPROG=     hostconfig
44 AUDITPROG=      in.rexecd in.rlogind in.rshd in.telnetd
45 PAMPROG=         in.rexecd in.rlogind in.rshd in.telnetd
46 SOCKETPROG=     6to4relay arp hostconfig if_mpadm in.comsat \
47               in.fingerd in.rarpd in.rexecd in.rlogind in.rshd \
48               in.rwhod in.telnetd in.tftpd ipaddrsel route
49 NSLPROG=         6to4relay arp hostconfig in.comsat in.rarpd \
50               in.rexecd in.rlogind in.rshd in.rwhod in.telnetd \
51               in.tftpd ipaddrsel route
52 CMDPROG=         in.telnetd
53 K5PROGS=         in.telnetd in.rlogind in.rshd
54 TSNETPROG=       route
55 DLADMPROG=       6to4relay
56 DEFAULTFILES=   telnetd.df1
57
58 PROGSRC=        $(PROG:%=%.c)
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

2

```
57 TFTPDOBS=      in.tftpd.o tftpsubs.o
58 OTHERSRC=       ../usr.bin/tftp/tftpsubs.c
59 K5RLOGINOBS=    in.rlogind.o
60 K5RSHDOBS=      in.rshd.o
61 K5TELNETOBS=    in.telnetd.o
62 SRCS=           $(PROGSRC) $(OTHERSRC)
63
64 SUBDIRS=         bootconfchk ifconfig ilbadm in.rdisc in.routed \
65               in.talkd inetadm inetconv ipadm impstat ipqosconf ipsecutils \
66               kssl/kssldm kssl/ksslcfg nwamadm nwamcfg ping routadm \
67               snoop spptun traceroute wifonfig
68
69 MSGSUBDIRS=      bootconfchk ifconfig ilbadm in.routed in.talkd \
70               inetadm inetconv ipadm impstat ipqosconf ipsecutils \
71               kssl/ksslcfg nwamadm nwamcfg routadm spptun snoop wifonfig
72
73 # As programs get lint-clean, add them here and to the 'lint' target.
74 # Eventually this hack should go away, and all in PROG should be
75 # lint-clean.
76 LINTCLEAN=       6to4relay arp in.rlogind in.rshd in.telnetd in.tftpd \
77               ipaddrsel route \
78               in.rarpd if_mpadm $(SYNCPROG)
79 # Likewise, as subdirs get lint-clean, add them here. Once
80 # they're all clean, replace the dependency of the lint target
81 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
82 # for the lint rule.
83 LINTSUBDIRS=     bootconfchk ilbadm in.rdisc in.routed in.talkd inetadm \
84               inetconv ipqosconf ipsecutils kssl/kssldm \
85               kssl/ksslcfg nwamadm nwamcfg ping routadm spptun traceroute \
86               wifonfig
87 # And as programs are verified not to attempt to write into constants,
88 # -xstrconst should be used to ensure they stay that way.
89 CONSTCLEAN=
90
91 include ../Makefile.cmd
92 ROOTMANIFESTDIR= $(ROOTSVCNETWORK)
93 $(ROOTMANIFEST) := FILEMODE= 444
94 include ../Makefile.cmd-inet
95
96 ROOTSBINPROG = $(ROOTFS_PROG:%=$(ROOTSBIN)/%)
97 ROOTUSRSBINLINKS = $(SBINLINKS:%=$(ROOTUSRSBIN)/%)
98
99 COMMONOBS=      addr_match.o kcmd.o store_forw_creds.o
100 COMMONSRCS=     $(COMMONOBS:%.o=$(CMDINETCOMMONDIR)/%.c)
101 SRCS+=          $(COMMONSRCS)
102
103 CERRWARN += -_gcc=-Wno-implicit-function-declaration
104 CERRWARN += -_gcc=-Wno-uninitialized
105 CERRWARN += -_gcc=-Wno-unused-variable
106 CERRWARN += -_gcc=-Wno-unused-function
107 CERRWARN += -_gcc=-Wno-parentheses
108 CERRWARN += -_gcc=-Wno-char-subscripts
109 CERRWARN += -_gcc=-Wno-extra
110 CERRWARN += -_gcc=-Wno-address
111
112 #
113 # Message catalog
114 #
115 POFILES=        6to4relay.po if_mpadm.po in.comsat.po ipaddrsel.po route.po \
116               soconfig.po
117 POFILE=         usr.sbin.po
118
119 all:=           TARGET= all
120 install:=       TARGET= install
121 clean:=         TARGET= clean
122 clobber:=       TARGET= clobber
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

3

```

123 lint:=          TARGET= lint
124 _msg:=          TARGET= _msg

126 CLOBBERFILES += $(ROOTFS_PROG) $(PROG)
127 CLEANFILES += $(COMMONOBSJS) $(K5RLOGINOBSJS) $(K5RSHDOBSJS) $(TFTPD0BSJS) \
128               $(K5TELNETOBSJS)

130 CPPFLAGS +=      -DSYSV -DBSD_COMP -I$(CMDINETCOMMONDIR) -I

132 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
133 K5LIBS=

135 # Eventually just plain CFLAGS should be += -v, but not until all in
136 # PROGS are lint clean.
137 $(LINTCLEAN)      :=      CFLAGS += $(CCVERBOSE)
138 $(CONSTCLEAN)     :=      CFLAGS += $(XSTRCONST)

140 $(SYNCPROG)       :=      LDLIBS += -ldlpi
141 $(SOCKETPROG)     :=      LDLIBS += -lsocket
142 $(NSLPROG)        :=      LDLIBS += -lnsl
143 $(AUDITPROG)      :=      LDLIBS += -lbsm
144 $(PAMPROG)        :=      LDLIBS += -lpam
145 $(RPCSVCPROG)     :=      LDLIBS += -lrpcsvc
146 $(K5PROGS)        :=      LDFLAGS += $(KRUNPATH) \
147                          -L$(ROOT)$(KLIBDIR_D0) -L$(ROOT)$(KLIBDIR_GL)
148 $(K5PROGS)        :=      K5LIBS= -lmecch_krb5
149 $(K5PROGS)        :=      CPPFLAGS += -I$(SRC)/head \
150                          -I$(SRC)/uts/common/ \
151                          -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
152                          -I$(SRC)/lib/gss_mechs/mech_krb5/include \
153                          -I$(SRC)/lib/pam_modules/krb5
154 LDLIBS +=         $(K5LIBS)
155 $(TSNETPROG)      :=      LDLIBS += -ltsnet
156 $(DLADMPROG)      :=      LDLIBS += -ldladm

158 in.rarpd          :=      LDLIBS += -linetutil -ldlpi
159 if_mpadm          :=      LDLIBS += -linetutil -lipmp
160 if_mpadm.po       :=      XGETFLAGS += -a
161 route             :=      CPPFLAGS += -DNDEBUG
162 ndd               :=      LDLIBS += -ldladm -lipadm
163 in.comsat         :=      LDFLAGS += $(MAPFILE.NGB:%=-M%)

165 .KEEP_STATE:

167 .PARALLEL:

169 all: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) THIRDPARTYLICENSE.arp

171 #
172 # message catalog
173 #
174 _msg: $(MSGSUBDIRS) $(POFILE)

176 syncutil: $(SYNCPROG)

178 $(POFILE): $(POFILES)
179     $(RM) $@
180     cat $(POFILES) > $@

182 %.o: $(CMDINETCOMMONDIR)/%.c
183     $(COMPILE.c) -o $@ $<

185 in.telnetd: $(K5TELNETOBSJS)
186     $(LINK.c) $(K5TELNETOBSJS) -o $@ $(LDLIBS)
187     $(POST_PROCESS)

```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

4

```

189 in.rlogind: $(K5RLOGINOBSJS) $(COMMONOBSJS)
190     $(LINK.c) $(K5RLOGINOBSJS) $(COMMONOBSJS) -o $@ $(LDLIBS)
191     $(POST_PROCESS)

193 in.rshd: $(K5RSHDOBSJS) $(COMMONOBSJS)
194     $(LINK.c) $(K5RSHDOBSJS) $(COMMONOBSJS) -o $@ $(LDLIBS)
195     $(POST_PROCESS)

197 in.tftpd: $(TFTPD0BSJS)
198     $(LINK.c) $(TFTPD0BSJS) -o $@ $(LDLIBS)
199     $(POST_PROCESS)

201 tftpsubs.o: $(OTHERSRC)
202     $(COMPILE.c) $(OTHERSRC) -o $@
203     $(POST_PROCESS_0)

205 $(ROOTUSRSBINLINKS):
206     -$(RM) $@; $(SYMLINK) ../../sbin/$(@F) $@

208 install: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) .WAIT $(ROOTUSRSBINPROG) \
209          $(ROOTSBINPROG) $(ROOTUSRSBINLINKS) $(ROOTETCDEFAULTFILES) \
210          $(ROOTMANIFEST) $(ROOTSVCMETHOD) THIRDPARTYLICENSE.arp

212 THIRDPARTYLICENSE.arp: arp.c
213     $(SED) -n '/University of California/,/SUCH DAMAGE/p' arp.c > $@

215 CLOBBERFILES += THIRDPARTYLICENSE.arp

217 #
218 # The reason this rule checks for the existence of the
219 # Makefile is that some of the directories do not exist
220 # in our exportable source builds.
221 #
222 $(SUBDIRS): FRC
223     @if [ -f $@/Makefile ]; then \
224         cd $@; pwd; $(MAKE) $(TARGET); \
225     else \
226         true; \
227     fi

229 FRC:

231 check: $(CHKMANIFEST)

233 clean: $(SUBDIRS) clean_local
234 clean_local:
235     $(RM) $(CLEANFILES)

237 clobber: $(SUBDIRS) clobber_local
238 clobber_local: clean_local
239     $(RM) $(CLOBBERFILES)

241 lint: $(LINTSUBDIRS)
242     $(LINT.c) 6to4relay.c $(LDLIBS) -lsocket -ldladm
243     $(LINT.c) arp.c $(LDLIBS) -lsocket -lnsl
244     @# $(LINT.c) in.rexecd.c $(LDLIBS) -lbsm -lpam
245     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
246             -I$(SRC)/head -I$(SRC)/uts/common/ \
247             -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
248             -I$(SRC)/lib/gss_mechs/mech_krb5/include \
249             -I$(SRC)/lib/pam_modules/krb5 \
250     in.rlogind.c $(COMMONSRCS) $(LDLIBS) -lbsm -lpam -lsocket -lnsl
251     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
252             -I$(SRC)/head -I$(SRC)/uts/common/ \
253             -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
254             -I$(SRC)/lib/gss_mechs/mech_krb5/include \

```

```
255         -I$(SRC)/lib/pam_modules/krb5 \
256         in.rshd.c $(COMMONSRCS) $(LDLIBS) -lbsd -lpam -lsocket -lnsl
257 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 \
258         -erroff=E_GLOBAL_COULD_BE_STATIC2 \
259         -I$(SRC)/head -I$(SRC)/uts/common/ \
260         -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
261         -I$(SRC)/lib/gss_mechs/mech_krb5/include \
262         -I$(SRC)/lib/pam_modules/krb5 \
263         in.telnetd.c $(LDLIBS) -lbsd -lpam -lsocket -lnsl
264 $(LINT.c) if_mpadm.c $(LDLIBS) -lsocket -lnsl -lmp -linetutil
265 $(LINT.c) ipaddrsel.c $(LDLIBS) -lsocket -lnsl
266 $(LINT.c) route.c $(LDLIBS) -lsocket -lnsl -ltsnet
267 $(LINT.c) syncinit.c $(LDLIBS) -ldlpi
268 $(LINT.c) syncloop.c $(LDLIBS) -ldlpi
269 $(LINT.c) syncstat.c $(LDLIBS) -ldlpi
270 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 in.rarpd.c $(LDLIBS) \
271         -lsocket -lnsl
272 $(LINT.c) in.tftpd.c ../usr.bin/tftp/tftpsubs.c $(LDLIBS) \
273         -lsocket -lnsl
```

new/usr/src/cmd/initpkg/init.d/Makefile

1

2156 Tue Nov 4 14:40:10 2014
new/usr/src/cmd/initpkg/init.d/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26
27 include      ../../Makefile.cmd
28
29 sparc_PROG=
30 i386_PROG=
31
32 PROG=        \
33             README \
34             cachefs.daemon \
35             devlinks \
36             dhcp \
37             drvconfig \
38             ldap.client \
39             nfs.server \
40             nsd \
41             sendmail \
42             slpd \
43             syssetup \
44             uucp \
45             $(MACH)_PROG)
46
47 OTHERPROG=    README.rcS README.rc2 README.rc3
48
49 ROOTETCINITD= $(ROOTETC)/init.d
50 ROOTETCRCSD=  $(ROOTETC)/rcS.d
51 ROOTETCRC0D=  $(ROOTETC)/rc0.d
52 ROOTETCRC1D=  $(ROOTETC)/rc1.d
53 ROOTETCRC2D=  $(ROOTETC)/rc2.d
54 ROOTETCRC3D=  $(ROOTETC)/rc3.d
55
56 DIRS=        $(ROOTETCINITD) \
57             $(ROOTETCRCSD) \
```

new/usr/src/cmd/initpkg/init.d/Makefile

2

```
58     $(ROOTETCRC0D) \
59     $(ROOTETCRC1D) \
60     $(ROOTETCRC2D) \
61     $(ROOTETCRC3D)
```

```
63 ROOTETCINITDPROG=      $(PROG:%=$(ROOTETCINITD)/%)
```

```
65 DIRM0DE = 0755
66 FILEMODE = 0744
67 $(ROOTETCINITD)/README :=      FILEMODE = 0644
68 $(ROOTETCRCSD)/README :=      FILEMODE = 0644
69 $(ROOTETCRC2D)/README :=      FILEMODE = 0644
70 $(ROOTETCRC3D)/README :=      FILEMODE = 0644
```

```
72 .KEEP_STATE:
```

```
74 all:          $(PROG)
```

```
76 # Don't re-install directories already installed by Targetdirs
```

```
77 #$(DIRS):
78 #      $(INS.dir)
```

```
80 $(ROOTETCINITD)/%:      %
81     $(INS.file)
```

```
83 $(ROOTETCRCSD)/%:      %.rcS
84     $(INS.rename)
```

```
86 $(ROOTETCRC2D)/%:      %.rc2
87     $(INS.rename)
```

```
89 $(ROOTETCRC3D)/%:      %.rc3
90     $(INS.rename)
```

```
92 install:      all $(ROOTETCINITDPROG) \
93             $(ROOTETCRCSD)/README \
94             $(ROOTETCRC2D)/README \
95             $(ROOTETCRC3D)/README
```

```
97 lint:
```

```
99 clean:
```

```
101 clobber:
```

new/usr/src/lib/Makefile

1

13563 Tue Nov 4 14:40:11 2014

new/usr/src/lib/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
26 # Copyright (c) 2013 Gary Mills
27 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
28 #
29 include ../Makefile.master
30 #
31 # Note that libcurses installs commands along with its library.
32 # This is a minor bug which probably should be fixed.
33 # Note also that a few extra libraries are kept in cmd source.
34 #
35 # Certain libraries are linked with, hence depend on, other libraries.
36 #
37 # Although we have historically used .WAIT to express dependencies, it
38 # reduces the amount of parallelism and thus lengthens the time it
39 # takes to build the libraries. Thus, we now require that any new
40 # libraries explicitly call out their dependencies. Eventually, all
41 # the library dependencies will be called out explicitly. See
42 # "Library interdependencies" near the end of this file.
43 #
44 # Aside from explicit dependencies (and legacy .WAITs), all libraries
45 # are built in parallel.
46 #
47 .PARALLEL:
48 #
49 SUBDIRS= \
50     common .WAIT \
51     ../cmd/sgs/libconv .WAIT \
52     ../cmd/sgs/libdl
53 #
54 SUBDIRS += \
55     libc .WAIT \
56     ../cmd/sgs/libelf .WAIT \
57     c_synonyms \
58     libmd
```

new/usr/src/lib/Makefile

2

```
59     libmd5 \
60     librm \
61     libmp .WAIT \
62     libnsl \
63     libsecdb .WAIT \
64     librpcsvc \
65     libsocket .WAIT \
66     libsctp \
67     libsip \
68     libcommputil \
69     libresolv \
70     libresolv2 .WAIT \
71     libw .WAIT \
72     libintl .WAIT \
73     ../cmd/sgs/librtld_db \
74     libaio \
75     libast \
76     libdll \
77     libcmd \
78     libshell \
79     libsum \
80     librt \
81     libadm \
82     libctf \
83     libdtrace \
84     libdtrace_jni \
85     libcurses \
86     libtermcap \
87     libgen \
88     libgss \
89     libpam \
90     libuuid \
91     libthread \
92     libpthread .WAIT \
93     libslp \
94     libbsdmalloc \
95     libdoor \
96     libdevinfo \
97     libldadm \
98     libdlpi \
99     libeti \
100     libcrypt \
101     libdns_sd \
102     libefi \
103     libfstyp \
104     libwanboot \
105     libwanbootutil \
106     libcryptoutil \
107     libinetutil \
108     libipadm \
109     libipd \
110     libipmp \
111     libiscsit \
112     libkmf \
113     libkstat \
114     libkvm \
115     liblm \
116     libmalloc \
117     libmapmalloc \
118     libmtmalloc \
119     libnls \
120     libnwam \
121     libsmbios \
122     libtecla \
123     libumem \
124     libnvpair .WAIT \
```

new/usr/src/lib/Makefile

```

125 libexacct \
126 libsa1 \
127 libldap5 \
128 libslldap .WAIT \
129 libbsm \
130 libsys \
131 libsysevent \
132 libnisdb \
133 libpool \
134 libpp \
135 libproc \
136 libproject \
137 libsendfile \
138 nametoaddr \
139 ncad_addr \
140 hbaapi \
141 smhba \
142 sun_fc \
143 sun_sas \
144 gss_mechs/mech_krb5 .WAIT \
145 libkrb5 .WAIT \
146 krb5 .WAIT \
147 libsmvfs \
148 libfcoe \
149 libsrpt \
150 libstmf \
151 libstmfproxy \
152 libnsctl \
153 libunistat \
154 libdscfg \
155 librdc \
156 libinstzones \
157 libpkg \
158 libpcidb \
159 libm1 \
160 libm \
161 libmvec \

```



```

164 SUBDIRS += \
165 passwdutil \
166 pam_modules \
167 crypt_modules \
168 libadt_jni \
169 abi \
170 auditd_plugins \
171 libvolmgt \
172 libdevice \
173 libdevic \
174 libdhcpcsvc \
175 libdb \
176 libndmp \
177 libsec \
178 libtnfprobe \
179 libtnf \
180 libtnfctl \
181 libdhcpcagent \
182 libdhcpcdu \
183 libdhcputil \
184 libxnet \
185 libipsecutil \
186 nsswitch \
187 print \
188 libuutil \
189 libscf \
190 libinetsvc \

```

3

new/usr/src/lib/Makefile

```

189 librestart \
190 libsched \
191 libelfsign \
192 pkcs11 .WAIT \
193 libpctx .WAIT \
194 libcpc \
195 getlogin \
196 watchmalloc \
197 extendedFILE \
198 madv \
199 mpss \
200 libdisasm \
201 libwrap \
202 libxcurses \
203 libxcurses2 \
204 libbrand .WAIT \
205 libzonecfg \
206 libzoneinfo \
207 libzonestat \
208 libtsnet \
209 libtsol \
210 gss_mechs/mech_spnego \
211 gss_mechs/mech_dummy \
212 gss_mechs/mech_dh \
213 rpcsec_gss \
214 libraidcfg .WAIT \
215 librcm .WAIT \
216 libcfgadm .WAIT \
217 libpicl .WAIT \
218 libpicltree .WAIT \
219 raidcfg_plugins \
220 cfgadm_plugins \
221 libmail \
222 lvm \
223 libsmmedia \
224 libipp \
225 libdiskmgt \
226 liblgrp \
227 libfsmgt \
228 fm \
229 libavl \
230 libcmdutils \
231 libcontract \
232 ../cmd/sendmail/libmilter \
233 sasl_plugins \
234 udapl \
235 libzpool \
236 libzfs_core \
237 libzfs \
238 libbe \
239 pylibbe \
240 libzfs_jni \
241 pyzfs \
242 pysolaris \
243 libmapid \
244 brand \
245 policykit \
246 hal \
247 libshare \
248 libsqlite \
249 libidmap \
250 libadutils \
251 libipmi \
252 libexacct/demo \
253 libvrrpadm \
254 libvscan \

```

4

new/usr/src/lib/Makefile

```

255     libgrubmgmt  \
256     smbssrv      \
257     libilb        \
258     scsi          \
259     libima        \
260     libsun_ima    \
261     mpapi         \
262     librstp       \
263     librepase     \
264     libhotplug    \
265     libfruutils   .WAIT  \
266     libfru        \
267     ${$(MACH)_SUBDIRS}

269 i386_SUBDIRS= \
270     libfdisk      \
271     libsaveargs

273 sparc_SUBDIRS= .WAIT \
274     efcode        \
275     libds         \
276     libdscp       \
277     libprtdiag    .WAIT  \
278     libprtdiag_psr \
279     libpri        \
280     librsd        \
281     storage       \
282     libpcp        \
283     libtsalarm    \
284     libv12n

286 FM_sparc_DEPLIBS= libpri

288 fm: \
289     libexacct     \
290     libipmi       \
291     libzfs        \
292     scsi          \
293     ${FM_${$(MACH)_DEPLIBS}}

295 #
296 # Create a special version of $(SUBDIRS) with no .WAIT's, for use with the
297 # clean and clobber targets (for more information, see those targets, below).
298 #
299 NOWAIT_SUBDIRS= $(SUBDIRS:.WAIT=)

301 DCSUBDIRS = \
302     lvm

304 MSGSUBDIRS= \
305     abi \
306     auditd_plugins \
307     brand \
308     cfgadm_plugins \
309     gss_mechs/mech_dh \
310     gss_mechs/mech_krb5 \
311     krb5 \
312     libast \
313     libbsm \
314     libbc \
315     libbcfgadm \
316     libcmd \
317     libcontract \
318     libcurses \
319     libdhcpsvc \
320     libdhcputil \

```

5

new/usr/src/lib/Makefile

```

320     libipsecutil \
321     libdiskmgmt  \
322     libdladm     \
323     libdll       \
324     libgrubmgmt  \
325     libgss       \
326     libidmap     \
327     libipmp      \
328     libilb       \
329     libinetutil  \
330     libinstzones \
331     libipadm     \
332     libnsd       \
333     libnwam      \
334     libpam       \
335     libpicl      \
336     libpool      \
337     libpkg       \
338     libpp        \
339     libscf       \
340     libsas1      \
341     libldap5     \
342     libsecdb     \
343     libshare     \
344     libshell     \
345     libslldap    \
346     libslp       \
347     libsmbf      \
348     libsmmedia   \
349     libsum       \
350     libtsol      \
351     libuutil     \
352     libvrrpadm   \
353     libvscan     \
354     libwanboot   \
355     libwanbootutil \
356     libzfs       \
357     libzonecfg   \
358     lvm          \
359     madv         \
360     mpss         \
361     pam_modules  \
362     pyzfs        \
363     pysolaris    \
364     rpcsec_gss   \
365     librepase    \
366     MSGSUBDIRS += \
367     ${$(MACH)_MSGSUBDIRS}

369 sparc_MSGSUBDIRS= \
370     libprtdiag \
371     libprtdiag_psr

373 i386_MSGSUBDIRS= libfdisk

375 HDRSUBDIRS= \
376     auditd_plugins \
377     libast \
378     libbrand \
379     libbsm \
380     libbc \
381     libcmd \
382     libcmdutils \
383     libcommputil \
384     libcontract \
385     libpcp \

```

6

new/usr/src/lib/Makefile

7

```

386 libctf \
387 libcurses \
388 libtermcap \
389 libcryptoutil \
390 libdevice \
391 libdevvid \
392 libdevinfo \
393 libdiskmgt \
394 libdladm \
395 libdll \
396 libdlpi \
397 libdhcagent \
400 libdhcpsvc \
398 libdhcputil \
399 libdisasm \
400 libdns_sd \
401 libdscfg \
402 libdtrace \
403 libdtrace_jni \
404 libelfsign \
405 libeti \
406 libfru \
407 libfstyp \
408 libgen \
409 libipadm \
410 libipd \
411 libipsecutil \
412 libinetsvc \
413 libinetutil \
414 libinstzones \
415 libipmi \
416 libipmp \
417 libipp \
418 libiscsit \
419 libkstat \
420 libkvm \
421 libmail \
422 libmd \
423 libmtmalloc \
424 libndmp \
425 libnvpair \
426 libnsctl \
427 libnsl \
428 libnwam \
429 libpam \
430 libpcidb \
431 libpctx \
432 libpicl \
433 libpicltree \
434 libpool \
435 libpp \
436 libproc \
437 libraidcfg \
438 librcm \
439 librdc \
440 libscf \
441 libsip \
442 libsmbios \
443 librestart \
444 librpcsvc \
445 librsn \
446 librstp \
447 libsas1 \
448 libsec \
449 libshell \
450 libslp \

```

new/usr/src/lib/Makefile

8

```

451 libsmmedia \
452 libsocket \
453 libsqlite \
454 libfcoe \
455 libsrpt \
456 libstmf \
457 libstmfproxy \
458 libsum \
459 libsysevent \
460 libtecla \
461 libtnf \
462 libtnfctl \
463 libtnfprobe \
464 libtsnet \
465 libtsol \
466 libvrrpadm \
467 libvolmgt \
468 libumem \
469 libunistat \
470 libuutil \
471 libwanboot \
472 libwanbootutil \
473 libwrap \
474 libxcurses2 \
475 libzfs \
476 libzfs_core \
477 libzfs_jni \
478 libzoneinfo \
479 libzonestat \
480 hal \
481 policykit \
482 lvm \
483 pkcs11 \
484 passwdutil \
485 ../cmd/sendmail/libmilter \
486 fm \
487 udapl \
488 libmapid \
489 libkrb5 \
490 libsmvfs \
491 libshare \
492 libidmap \
493 libvscan \
494 libgrubmgt \
495 smbsrv \
496 libilb \
497 scsi \
498 hbaapi \
499 smhba \
500 libima \
501 libsun_ima \
502 mpapi \
503 libreparse \
504 ${$(MACH)_HDRSUBDIRS}

506 i386_HDRSUBDIRS= \
507 libfdisk \
508 libsaveargs

510 sparc_HDRSUBDIRS= \
511 libds \
512 libdscp \
513 libpri \
514 libv12n \
515 storage

```

```

517 all := TARGET= all
518 check := TARGET= check
519 clean := TARGET= clean
520 clobber := TARGET= clobber
521 install := TARGET= install
522 install_h := TARGET= install_h
523 lint := TARGET= lint
524 _dc := TARGET= _dc
525 _msg := TARGET= _msg

527 .KEEP_STATE:

529 #
530 # For the all and install targets, we clearly must respect library
531 # dependencies so that the libraries link correctly. However, for
532 # the remaining targets (check, clean, clobber, install_h, lint, _dc
533 # and _msg), libraries do not have any dependencies on one another
534 # and thus respecting dependencies just slows down the build.
535 # As such, for these rules, we use pattern replacement to explicitly
536 # avoid triggering the dependency information. Note that for clean,
537 # clobber and lint, we must use $(NOWAIT_SUBDIRS) rather than
538 # $(SUBDIRS), to prevent '.WAIT' from expanding to '.WAIT-noddepend'.
539 #

541 all: $(SUBDIRS)

543 install: $(SUBDIRS) .WAIT install_extra

545 # extra libraries kept in other source areas
546 install_extra:
547     @cd ../cmd/sgs; pwd; $(MAKE) install_lib
548     @pwd

550 clean clobber lint: $(NOWAIT_SUBDIRS:%=-nodepend)

552 install_h check: $(HDRSUBDIRS:%=-nodepend)

554 _msg: $(MSGSUBDIRS:%=-nodepend) .WAIT _dc

556 _dc: $(DCSUBDIRS:%=-nodepend)

558 #
559 # Library interdependencies are called out explicitly here
560 #
561 auditd_plugins: libbsm libnsl libsecdb
562 gss_mechs/mech_krb5: libgss libnsl libsocket libresolv pkcs11
563 libadt_jni: libbsm
564 libast: libsocket libm
565 libadutils: libldap5 libresolv libsocket libnsl
566 nsswitch: libadutils libidmap
567 libbe: libzfs
568 libbsm: libtsol
569 libcmd: libsum libast libsocket libnsl
570 libcmdutils: libavl
571 libcontract: libnvpair
572 libdevinfo: libdevinfo
573 libdevinfo: libnvpair libsec
574 libdhcpcagent: libsocket libdhcputil libuuid libdlpi libcontract
575 libdhcpsvc: libinetutil
576 libdhcputil: libnsl libgen libinetutil libdlpi
577 libdladm: libdevinfo libinetutil libsocket libscf librcm libnvpair \
578     libxacct libnsl libkstat libcurses
579 libdll: libast
580 libdlpi: libinetutil libdladm
581 libds: libsysevent
582 libdscfg: libnsctl libunistat libsocket libnsl

```

```

582 libdtrace: libproc libgen libctf
583 libdtrace_jni: libuutil libdtrace
584 libefi: libuutil
585 libfstyp: libnvpair
586 libelfsign: libcryptoutil libkmf
587 libidmap: libadutils libldap5 libavl libslidap libuutil
588 libipadm: libnsl libinetutil libsocket libdlpi libnvpair libdhcpcagent \
589     libdladm libsecdb
590 libiscsit: libc libnvpair libstmf libuutil libnsl
591 libkmf: libcryptoutil pkcs11
592 libm: libc
593 libm1: libc libm
594 libmvec: libc libm
595 libnsl: libmd5
596 libmapid: libresolv
597 librdc: libsocket libnsl libnsctl libunistat libdscfg
598 libuutil: libdlpi
599 libinetutil: libsocket
600 libipsecutil: libtecla libsocket
601 libinstzones: libzonecfg libcontract
602 libpkg: libwanboot libscf libadm
603 libnwam: libscf
604 libsecdb: libnsl
605 libsas1: libgss libsocket pkcs11 libmd
606 sasl_plugins: pkcs11 libgss libsocket libsas1
607 libscitp: libsocket
608 libshell: libast libcmd libdll libsocket libsecdb libm
609 libsip: libmd5
610 libsbmfs: libcmdutils libsocket libnsl libkrb5
611 libsocket: libnsl
612 libstmfproxy: libstmf libsocket libnsl libpthread
613 libsum: libast
614 libsysevent: libsecdb
615 libldap5: libsas1 libsocket libnsl libmd
616 libslidap: libldap5 libtsol libnsl libc libscf libresolv
617 libpool: libnvpair libxacct
618 libpp: libast
619 libzonecfg: libc libsocket libnsl libuutil libnvpair libsysevent libsec \
620     libbrand libpool libscf
621 libproc: ../cmd/sgs/librtld_db ../cmd/sgs/libelf libctf libsaveargs
622 libproject: libpool libproc libsecdb
623 libtermcap: libcurses
624 libtsnet: libnsl libtsol libsecdb
625 libwrap: libnsl libsocket
626 libwanboot: libnvpair libresolv libnsl libsocket libdevinfo libinetutil \
627     libdhcputil
628 libwanbootutil: libnsl
629 pam_modules: libproject passwdutil smbsrv
630 libscf: libuutil libmd libgen libsbmfs libnsl
631 libnetsvc: libscf
632 librestart: libuutil libscf
633 libsaveargs: libdisasm
634 ../cmd/sgs/libdl: ../cmd/sgs/libconv
635 ../cmd/sgs/libelf: ../cmd/sgs/libconv
636 pkcs11: libcryptoutil
637 print: libldap5
638 udapl/udapl_tavor: udapl/libdat
639 libzfs: libdevinfo libgen libnvpair libuutil \
640     libadm libavl libefi libidmap libmd libzfs_core libm
641 libzfs_core: libnvpair
642 libzfs_jni: libdiskmgt libnvpair libzfs
643 libzpool: libavl libumem libnvpair libcmdutils
644 libsec: libavl libidmap
645 brand: libc libsocket
646 libshare: libscf libzfs libuutil libfsmgt libsecdb libumem libsbmfs
647 libxacct/demo: libxacct libproject libsocket libnsl

```

new/usr/src/lib/Makefile

11

```
648 libtsalarm:      libpcp
649 smbssrv:          libsocket libnsl libmd libxnet libpthread librt \
650                   libshare libidmap pkcs11 libsqlite libcryptoutil \
651                   librepase libcmdutils
652 libv12n:           libds libuuid
653 libvrrpadm:        libsocket libdladm libscf
654 libvscan:          libscf
655 libfru:            libfruutils
656 scsi:              libnvpair libfru
657 mpapi:             libpthread libdevinfo libsysevent libnvpair
658 sun_fc:            libdevinfo libsysevent libnvpair
659 libsun_ima:         libdevinfo libsysevent libnsl
660 sun_sas:           libdevinfo libsysevent libnvpair libkstat libdevid
661 libgrubmgmt:        libdevinfo libzfs libfstyp
662 pylibbe:           libbe libzfs
663 pyzfs:             libnvpair libzfs
664 pysolaris:         libsec libidmap
665 libreparse:        libnvpair
666 libhotplug:        libnvpair
667 cfgadm_plugins:    libhotplug
668 libilb:            libsocket
669 libipmi:           libm
670 libprtdiag:         libm
671 libsqlite:         libm
672 libstmf:           libm
673 libvscan:          libm
```

```
676 $(INTEL_BUILD)libdiskmgmt:libfdisk
```

```
678 #
679 # The reason this rule checks for the existence of the
680 # Makefile is that some of the directories do not exist
681 # in certain situations (e.g., exportable source builds,
682 # OpenSolaris).
683 #
684 $(SUBDIRS): FRC
685     @if [ -f $@/Makefile ]; then \
686         cd $@; pwd; $(MAKE) $(TARGET); \
687     else \
688         true; \
689     fi
691 $(SUBDIRS:%=-nodepend):
692     @if [ -f $@:%=-nodepend=)/Makefile ]; then \
693         cd $@:%=-nodepend=); pwd; $(MAKE) $(TARGET); \
694     else \
695         true; \
696     fi
```

```
698 FRC:
```

new/usr/src/lib/libdhcputil/common/dhcp_symbol.h

1

```
*****
4011 Tue Nov  4 14:40:14 2014
new/usr/src/lib/libdhcputil/common/dhcp_symbol.h
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>
*****
1 /*
2  * CDDL HEADER START
3  *
4  * The contents of this file are subject to the terms of the
5  * Common Development and Distribution License (the "License").
6  * You may not use this file except in compliance with the License.
7  *
8  * You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9  * or http://www.opensolaris.org/os/licensing.
10 * See the License for the specific language governing permissions
11 * and limitations under the License.
12 *
13 * When distributing Covered Code, include this CDDL HEADER in each
14 * file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 * If applicable, add the following below this CDDL HEADER, with the
16 * fields enclosed by brackets "[]" replaced with your own identifying
17 * information: Portions Copyright [yyyy] [name of copyright owner]
18 *
19 * CDDL HEADER END
20 */
21 /*
22  * Copyright 2014 Garrett D'Amore <garrett@damore.org>
23  *
24  * Copyright 2007 Sun Microsystems, Inc. All rights reserved.
25  * Use is subject to license terms.
26  */

28 #ifndef _DHCP_SYMBOL_H
29 #define _DHCP_SYMBOL_H

31 #pragma ident    "%Z%M% %I%    %E% SMI"

32 /*
33  * This file, along with <dhcp_symbol_common.h>, contains the DHCP symbol
34  * constants and the definitions for the external interfaces to the parsing
35  * logic (contained in dhcp_symbol.c) for symbol definitions. These
36  * definitions can and should be used by all consumers of DHCP symbols.
37  */

38 #include <sys/types.h>
39 #include <dhcp_svc_private.h>
40 #include <dhcp_symbol_common.h>

41 #ifdef __cplusplus
42 extern "C" {
43 #endif

44 /*
45  * Vendor class length (and implicitly, the number of classes)
46  */
47 #define DSYM_CLASS_SIZE      128          /* Single class max */
48 #define DSYM_CLASS_SIZE      DSVC_MAX_MACSYM_LEN /* Single class max */
49 #define DSYM_MAX_CLASS_SIZE  (DSYM_CLASS_SIZE * 10) /* At least 10 */

51 /*
52  * Maximum symbol length
53  * Maximum symbol length is defined by the libdhcpsvc.
54  */
```

new/usr/src/lib/libdhcputil/common/dhcp_symbol.h

2

```
54 #define DSYM_MAX_SYM_LEN      128
55 #define DSYM_MAX_SYM_LEN      DSVC_MAX_MACSYM_LEN

56 /*
57  * symbol parsing error codes
58  */
59 typedef enum {
60     DSYM_SUCCESS,
61     DSYM_SYNTAX_ERROR,
62     DSYM_NULL_FIELD,
63     DSYM_TOO_MANY_FIELDS,
64     DSYM_CODE_OUT_OF_RANGE,
65     DSYM_VALUE_OUT_OF_RANGE,
66     DSYM_INVALID_CAT,
67     DSYM_INVALID_TYPE,
68     DSYM_EXCEEDS_CLASS_SIZE,
69     DSYM_EXCEEDS_MAX_CLASS_SIZE,
70     DSYM_NO_MEMORY,
71     DSYM_INVALID_FIELD_NUM
72 } dsym_errcode_t;
    _____
    unchanged portion omitted
```

new/usr/src/man/man1m/Makefile

1

14461 Tue Nov 4 14:40:14 2014

new/usr/src/man/man1m/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 #
```

```
18 include      $(SRC)//Makefile.master
```

```
20 MANSECT=     1m
```

```
22 _MANFILES=   6to4relay.1m      \
23               Intro.1m         \
24               Uutry.1m         \
25               accept.1m        \
26               acct.1m          \
27               acctadm.1m       \
28               acctcms.1m       \
29               acctcon.1m       \
30               acctmerg.1m      \
31               acctprc.1m       \
32               acctsh.1m        \
33               adbgen.1m        \
34               add_allocatable.1m \
35               add_drv.1m       \
36               addbadsec.1m     \
37               arcstat.1m       \
38               arp.1m           \
39               atohexlabel.1m   \
40               audit.1m         \
41               audit_warn.1m    \
42               auditconfig.1m   \
43               auditd.1m        \
44               auditrecord.1m   \
45               auditreduce.1m   \
46               auditstat.1m     \
47               automount.1m     \
48               automountd.1m    \
49               autopush.1m      \
50               bart.1m          \
51               beadm.1m         \
52               boot.1m          \
53               bootadm.1m       \
54               bootconfchk.1m   \
55               busstat.1m       \
56               cachebsd.1m      \
57               cachebsdlog.1m   \
58               cachebspack.1m   \
```

new/usr/src/man/man1m/Makefile

2

```
59               cachebsdstat.1m \
60               cachebsdswsize.1m \
61               captainfo.1m     \
62               catman.1m        \
63               cfgadm.1m        \
64               cfgadm_ac.1m     \
65               cfgadm_cardbus.1m \
66               cfgadm_fp.1m     \
67               cfgadm_ib.1m     \
68               cfgadm_pci.1m    \
69               cfgadm_sata.1m   \
70               cfgadm_sbd.1m    \
71               cfgadm_scsi.1m   \
72               cfgadm_sysctrl.1m \
73               cfgadm_usb.1m    \
74               cfsadmin.1m      \
75               chat.1m          \
76               check-hostname.1m \
77               check-permissions.1m \
78               chroot.1m        \
79               clear_locks.1m   \
80               clinfo.1m        \
81               clri.1m          \
82               consadm.1m       \
83               conv_lp.1m       \
84               conv_lpd.1m      \
85               coreadm.1m       \
86               cpustat.1m       \
87               cron.1m          \
88               cryptoadm.1m     \
89               datadm.1m        \
90               dd.1m            \
91               devattr.1m       \
92               devfree.1m       \
93               devfsadm.1m      \
94               device_remap.1m   \
95               devinfo.1m       \
96               devlinks.1m      \
97               devnm.1m         \
98               devprop.1m       \
99               devreserv.1m     \
100              df.1m            \
101              df_ufs.1m         \
102              dfmounts.1m       \
103              dfmounts_nfs.1m   \
104              dfshares.1m       \
105              dfshares_nfs.1m   \
106              dhcpagent.1m      \
107              dhcpconfig.1m     \
108              dhcpgmgr.1m       \
109              dhtadm.1m         \
110              disks.1m          \
111              diskscan.1m       \
112              dispadmin.1m      \
113              dladm.1m          \
114              dlmgmt.1m         \
115              dmesg.1m          \
116              dminfo.1m         \
117              dns-sd.1m         \
118              domainname.1m     \
119              drvconfig.1m       \
120              dsbimap.1m        \
121              dscfg.1m          \
122              dscfgadm.1m       \
123              dscfglockd.1m     \
124              dsstat.1m         \
```

```

125      dsvclockd.1m      \
126      dtrace.1m         \
127      dumpadm.1m        \
128      editmap.1m        \
129      edquota.1m        \
130      eeeprom.1m        \
131      embedded_su.1m    \
132      etrn.1m           \
133      fcinfo.1m         \
134      fdetach.1m        \
135      fdisk.1m          \
136      ff.1m             \
137      ff_ufs.1m         \
138      fiocompress.1m    \
139      flowadm.1m        \
140      fmadm.1m          \
141      fmd.1m            \
142      fmdump.1m         \
143      fmstat.1m         \
144      fmthard.1m        \
145      format.1m         \
146      fruadm.1m         \
147      fsck.1m           \
148      fsck_cacheufs.1m  \
149      fsck_pcfs.1m      \
150      fsck_udfs.1m      \
151      fsck_ufs.1m       \
152      fsdb.1m           \
153      fsdb_udfs.1m      \
154      fsdb_ufs.1m       \
155      fsirand.1m        \
156      fssnap.1m         \
157      fssnap_ufs.1m     \
158      fsstat.1m         \
159      fstyp.1m          \
160      fuser.1m          \
161      fwflash.1m        \
162      fwtmp.1m          \
163      getdev.1m         \
164      getdevpolicy.1m   \
165      getdgrp.1m        \
166      getent.1m         \
167      getty.1m          \
168      getvol.1m         \
169      groupadd.1m       \
170      groupdel.1m       \
171      groupmod.1m       \
172      growfs.1m         \
173      gsscred.1m        \
174      gssd.1m           \
175      hal-device.1m     \
176      hal-fdi-validate.1m \
177      hal-find.1m       \
178      hal-get-property.1m \
179      hald.1m           \
180      halt.1m           \
181      hextoalabel.1m    \
182      hostconfig.1m     \
183      ickey.1m          \
184      id.1m             \
185      idmap.1m          \
186      idmapd.1m         \
187      idsconfig.1m      \
188      if_mpadm.1m       \
189      ifconfig.1m       \
190      ifparse.1m        \

```

```

187      iiadm.1m          \
188      iicpbmp.1m        \
189      iicpsd.1m         \
190      ikeadm.1m         \
191      ikecert.1m        \
192      in.chargend.1m     \
193      in.comsat.1m      \
194      in.daytimed.1m    \
195      in.dhcpd.1m       \
196      in.discadd.1m     \
197      in.echod.1m       \
198      in.fingerd.1m     \
199      in.iked.1m        \
200      in.lpd.1m         \
201      in.mpathd.1m      \
202      in.ndpd.1m        \
203      in.rarpd.1m       \
204      in.rdisc.1m       \
205      in.rexecd.1m      \
206      in.ripngd.1m      \
207      in.rlogind.1m     \
208      in.routed.1m      \
209      in.rshd.1m        \
210      in.rwhod.1m       \
211      in.talkd.1m       \
212      in.telnetd.1m     \
213      in.tftpd.1m       \
214      in.timed.1m       \
215      in.uucpd.1m       \
216      inetadm.1m        \
217      inetconv.1m       \
218      inetd.1m          \
219      infocmp.1m        \
220      init.1m           \
221      inityp2l.1m       \
222      install.1m        \
223      installf.1m       \
224      installgrub.1m    \
225      intrd.1m          \
226      intrstat.1m       \
227      iostat.1m         \
228      ipaddrsel.1m      \
229      ipadm.1m          \
230      ipdadm.1m         \
231      ipf.1m            \
232      ipfs.1m           \
233      ipfstat.1m        \
234      ipmon.1m          \
235      ipmpstat.1m       \
236      ipnat.1m          \
237      ippool.1m         \
238      ipqosconf.1m      \
239      ipsecalg.1m       \
240      ipsecconf.1m      \
241      ipseckey.1m       \
242      iscsiadm.1m       \
243      isns.1m           \
244      isnsadm.1m        \
245      itadm.1m          \
246      k5srvutil.1m      \
247      kadb.1m           \
248      kadmin.1m         \
249      kadmin.1m         \
250      kclient.1m        \
251      kdb5_ldap_util.1m \
252      kdb5_util.1m      \

```

new/usr/src/man/man1m/Makefile

```
252 kdcmgr.1m      \
253 kernel.1m      \
254 keyserv.1m     \
255 killall.1m     \
256 kprop.1m       \
257 kpropd.1m      \
258 kproplog.1m    \
259 krb5kdc.1m     \
260 ksslcfg.1m     \
261 kstat.1m       \
262 ktkk_warnd.1m  \
263 labelit.1m     \
264 labelit_hsfs.1m \
265 labelit_udfs.1m \
266 labelit_ufs.1m \
267 latencytop.1m  \
268 ldap_cachemgr.1m \
269 ldapaddent.1m  \
270 ldapclient.1m  \
271 link.1m        \
272 listdgrp.1m    \
273 listen.1m      \
274 locator.1m     \
275 lockfs.1m      \
276 lockstat.1m    \
277 lofiadm.1m     \
278 logadm.1m      \
279 logins.1m      \
280 lpadmin.1m     \
281 lpfilter.1m    \
282 lpforms.1m     \
283 lpget.1m       \
284 lpmove.1m      \
285 lpsched.1m     \
286 lpset.1m       \
287 lpshut.1m      \
288 lpsystem.1m    \
289 lpusers.1m     \
290 luxadm.1m      \
291 mail.local.1m  \
292 mailwrapper.1m \
293 makedbm.1m     \
294 makemap.1m     \
295 mdmonitor.1m   \
296 medstat.1m     \
297 metaclear.1m   \
298 metadb.1m      \
299 metadevadm.1m  \
300 metahs.1m      \
301 metaimport.1m  \
302 metainit.1m    \
303 metaoffline.1m \
304 metaparam.1m   \
305 metarecover.1m \
306 metarename.1m  \
307 metareplace.1m \
308 metaroot.1m    \
309 metaset.1m     \
310 metassist.1m   \
311 metastat.1m    \
312 metasync.1m    \
313 metattach.1m   \
314 mkdevalloc.1m  \
315 mkdevmaps.1m   \
316 mkfifo.1m      \
317 mkfile.1m      \
```

5

new/usr/src/man/man1m/Makefile

```
318 mkfs.1m        \
319 mkfs_pcfs.1m   \
320 mkfs_udfs.1m   \
321 mkfs_ufs.1m    \
322 mknod.1m       \
323 mkpwdict.1m    \
324 modinfo.1m     \
325 modload.1m     \
326 modunload.1m   \
327 mount.1m       \
328 mount_cacheefs.1m \
329 mount_hsfs.1m  \
330 mount_nfs.1m   \
331 mount_pcfs.1m  \
332 mount_smbfs.1m \
333 mount_tmpfs.1m \
334 mount_udfs.1m  \
335 mount_ufs.1m   \
336 mountall.1m    \
337 mountd.1m      \
338 mpathadm.1m    \
339 mpstat.1m      \
340 msgid.1m       \
341 mvdir.1m       \
342 ncaconfd.1m    \
343 ncheck.1m      \
344 ncheck_ufs.1m  \
345 ndd.1m         \
346 ndmpadm.1m     \
347 ndmpd.1m       \
348 ndmpstat.1m    \
349 netstat.1m     \
350 netstrategy.1m \
351 newaliases.1m  \
352 newfs.1m       \
353 newkey.1m      \
354 nfs4cbd.1m     \
355 nfsd.1m        \
356 nfslogd.1m     \
357 nfsmapid.1m    \
358 nfsstat.1m     \
359 nlsadmin.1m    \
360 nscadm.1m      \
361 nscd.1m        \
362 nwamd.1m       \
363 passmgmt.1m    \
364 pbind.1m       \
365 picld.1m       \
366 ping.1m        \
367 pkgadd.1m      \
368 pkgadm.1m      \
369 pkgask.1m      \
370 pkgchk.1m      \
371 pkgrm.1m       \
372 plockstat.1m   \
373 pmadm.1m       \
374 pmconfig.1m    \
380 pntadm.1m      \
375 polkit-is-privileged.1m \
376 pooladm.1m     \
377 poolbind.1m    \
378 poolcfg.1m     \
379 pool.1m        \
380 poolstat.1m    \
381 ports.1m       \
382 powerd.1m      \
```

6

new/usr/src/man/man1m/Makefile

7

```

383      powertop.1m      \
384      ppdmgr.1m       \
385      pppd.1m         \
386      pppdump.1m      \
387      pppoec.1m       \
388      pppoed.1m       \
389      pppstats.1m     \
390      praudit.1m      \
391      print-service.1m \
392      printmgr.1m     \
393      projadd.1m      \
394      projdel.1m      \
395      projmod.1m      \
396      prstat.1m       \
397      prtconf.1m      \
398      prtdiag.1m      \
399      prtfru.1m       \
400      prtpicl.1m      \
401      prvtoc.1m       \
402      psradm.1m       \
403      psrinfo.1m      \
404      psrset.1m       \
405      putdev.1m       \
406      putdgrp.1m      \
407      pwck.1m         \
408      pwconv.1m       \
409      quot.1m         \
410      quota.1m        \
411      quotacheck.1m   \
412      quotaon.1m      \
413      raidctl.1m      \
414      ramdiskadm.1m   \
415      rcapadm.1m      \
416      rcapd.1m        \
417      rctladm.1m      \
418      rdate.1m        \
419      reboot.1m       \
420      rem_drv.1m       \
421      remove_allocatable.1m \
422      removef.1m      \
423      repquota.1m     \
424      rmmount.1m      \
425      rmt.1m          \
426      rmvolmgr.1m     \
427      roleadd.1m      \
428      roledel.1m      \
429      rolemod.1m      \
430      root_archive.1m \
431      route.1m        \
432      routeadm.1m     \
433      rpc.bootparamd.1m \
434      rpc.mdcommd.1m   \
435      rpc.metad.1m     \
436      rpc.metamedd.1m  \
437      rpc.metamhd.1m   \
438      rpc.rexd.1m      \
439      rpc.rstatd.1m    \
440      rpc.rusersd.1m   \
441      rpc.rwalld.1m    \
442      rpc.smsrverd.1m  \
443      rpc.sprayd.1m    \
444      rpc.yppasswdd.1m \
445      rpc.yppupdated.1m \
446      rpcbind.1m       \
447      rpcinfo.1m       \
448      rquotad.1m       \

```

new/usr/src/man/man1m/Makefile

8

```

449      rsh.1m          \
450      rtc.1m          \
451      rtquery.1m      \
452      runacct.1m      \
453      rwall.1m        \
454      sac.1m          \
455      sacadm.1m       \
456      saf.1m          \
457      sar.1m          \
458      sasinfo.1m      \
459      savecore.1m     \
460      sbdadm.1m       \
461      scadm.1m        \
462      scmadm.1m       \
463      sdpadm.1m       \
464      sendmail.1m     \
465      setuname.1m     \
466      sftp-server.1m  \
467      share.1m        \
468      share_nfs.1m    \
469      shareall.1m     \
470      sharectl.1m     \
471      sharemgr.1m     \
472      showmount.1m    \
473      shutdown.1m     \
474      slpd.1m         \
475      smbadm.1m       \
476      smbd.1m         \
477      smbiod.1m       \
478      smbios.1m       \
479      smbstat.1m      \
480      smrsh.1m        \
481      smtnrddb.1m     \
482      smtnrhttp.1m    \
483      smtnzonecfg.1m  \
484      sndradm.1m      \
485      sndrd.1m        \
486      sndrsyncd.1m    \
487      snoop.1m        \
488      soconfig.1m     \
489      sppptun.1m      \
490      spray.1m         \
491      ssh-keysign.1m  \
492      sshd.1m         \
493      statd.1m        \
494      stmfadm.1m      \
495      stmsboot.1m     \
496      strace.1m       \
497      strclean.1m     \
498      strerr.1m       \
499      sttydefs.1m     \
500      su.1m           \
501      sulogin.1m      \
502      svadm.1m        \
503      svc.configd.1m  \
504      svc.ipfd.1m     \
505      svc.startd.1m   \
506      svcadm.1m       \
507      svccfg.1m       \
508      swap.1m         \
509      sync.1m         \
510      syncinit.1m     \
511      syncloop.1m     \
512      syncstat.1m     \
513      sysdef.1m       \
514      syseventadm.1m  \

```

new/usr/src/man/man1m/Makefile

9

```

515 syseventconfd.1m  \
516 syseventd.1m      \
517 syslogd.1m        \
518 tapes.1m          \
519 tcpd.1m            \
520 tcpdchk.1m         \
521 tcpdmatch.1m       \
522 th_define.1m       \
523 th_manage.1m       \
524 tic.1m             \
525 tnchbdb.1m         \
526 tnctl.1m           \
527 tnd.1m             \
528 tninfo.1m          \
529 tpmadm.1m          \
530 traceroute.1m      \
531 trapstat.1m        \
532 ttyadm.1m          \
533 ttymon.1m          \
534 tunefts.1m         \
535 txzonemgr.1m       \
536 tzselect.1m        \
537 uadmin.1m          \
538 ucodeadm.1m        \
539 ufsdump.1m         \
540 ufsrestore.1m      \
541 unshare.1m         \
542 unshare_nfs.1m     \
543 update_drv.1m      \
544 updatehome.1m      \
545 useradd.1m         \
546 userdel.1m         \
547 usermod.1m         \
548 utmpd.1m           \
549 uucheck.1m         \
550 uucico.1m          \
551 uucleanup.1m       \
552 uusched.1m         \
553 uuxqt.1m           \
554 vmstat.1m          \
555 volcopy.1m         \
556 volcopy_ufs.1m     \
557 vscanadm.1m        \
558 vscand.1m          \
559 wall.1m            \
560 wanboot_keygen.1m   \
561 wanboot_keymgmt.1m \
562 wanboot_pi2split.1m \
563 wanbootutil.1m     \
564 whodo.1m           \
565 wificonfig.1m      \
566 wpad.1m            \
567 wracct.1m          \
568 wusbadm.1m         \
569 ypbind.1m          \
570 ypinit.1m          \
571 ypmake.1m          \
572 ypmmap2src.1m      \
573 yppoll.1m          \
574 yppush.1m          \
575 ypserv.1m          \
576 ypset.1m           \
577 ypstart.1m         \
578 ypxfr.1m           \
579 zdb.1m             \
580 zdump.1m           \

```

new/usr/src/man/man1m/Makefile

10

```

581 zfs.1m             \
582 zic.1m             \
583 zoneadm.1m         \
584 zoneadmd.1m        \
585 zonecfg.1m         \
586 zpool.1m           \
587 zstreamdump.1m     \
589 i386_MANFILES=    \
590                    lms.1m \
592 sparc_MANFILES=   \
593                    cvcd.1m \
594                    dcs.1m  \
595                    drd.1m  \
596                    efdaemon.1m \
597                    ldmd.1m \
598                    monitor.1m \
599                    obpsym.1m \
600                    oplhpd.1m \
601                    prtdscp.1m \
602                    sckmd.1m  \
603                    sf880drd.1m \
604                    vntsd.1m \
605 MANLINKS=         \
606                    acctcon1.1m \
607                    acctcon2.1m \
608                    acctdisk.1m \
609                    acctdusg.1m \
610                    accton.1m   \
611                    acctprc1.1m \
612                    acctprc2.1m \
613                    acctwtmp.1m \
614                    bootparamd.1m \
615                    chargefee.1m \
616                    ckpacct.1m \
617                    closewtmp.1m \
618                    comsat.1m   \
619                    dcopy.1m   \
620                    devfsadmd.1m \
621                    dodisk.1m  \
622                    fcadm.1m   \
623                    fingerd.1m \
624                    grpck.1m   \
625                    hal-find-by-capability.1m \
626                    hal-find-by-property.1m \
627                    hal-set-property.1m \
628                    intro.1m   \
629                    kadmin.local.1m \
630                    lastlogin.1m \
631                    metadetach.1m \
632                    metaonline.1m \
633                    monacct.1m \
634                    nulladm.1m \
635                    poweroff.1m \
636                    prctmp.1m  \
637                    prdaily.1m \
638                    prtacct.1m \
639                    quotaoff.1m \
640                    rarpd.1m   \
641                    rdisc.1m  \
642                    reject.1m \
643                    restricted_shell.1m \
644                    rexd.1m   \
645                    rexecd.1m \
646                    rlogind.1m \
647                    routed.1m \

```

new/usr/src/man/man1m/Makefile

11

```

647      rshd.1m          \
648      rstatd.1m        \
649      rusersd.1m       \
650      rwall.1m         \
651      rwhod.1m         \
652      sa1.1m           \
653      sa2.1m           \
654      sadc.1m          \
655      shutacct.1m      \
656      sprayd.1m        \
657      startup.1m       \
658      talkd.1m         \
659      telinit.1m       \
660      telnetd.1m       \
661      tftpd.1m         \
662      turnacct.1m      \
663      umount.1m        \
664      umount_smbfs.1m  \
665      umountall.1m     \
666      unlink.1m        \
667      unshareall.1m    \
668      utmp2wtmp.1m     \
669      uucpd.1m         \
670      uucpr.1m         \
671      wtmpfix.1m       \
672      yppasswdd.1m     \
673      ypstop.1m        \
674      ypupdated.1m     \
675      ypxfr_1perday.1m \
676      ypxfr_1perhour.1m \
677      ypxfr_2perday.1m \
678      ypxfrd.1m        \

680 MANFILES=      ${_MANFILES} ${$(MACH)_MANFILES}

682 intro.1m        := LINKSRC = Intro.1m

684 uucpr.1m         := LINKSRC = Uucpr.1m

686 reject.1m       := LINKSRC = accept.1m

688 acctdisk.1m      := LINKSRC = acct.1m
689 acctdusg.1m      := LINKSRC = acct.1m
690 accton.1m         := LINKSRC = acct.1m
691 acctwtmp.1m      := LINKSRC = acct.1m
692 closewtmp.1m     := LINKSRC = acct.1m
693 utmp2wtmp.1m     := LINKSRC = acct.1m

695 acctcon1.1m      := LINKSRC = acctcon.1m
696 acctcon2.1m      := LINKSRC = acctcon.1m

698 acctprc1.1m      := LINKSRC = acctprc.1m
699 acctprc2.1m      := LINKSRC = acctprc.1m

701 chargefee.1m     := LINKSRC = acctsh.1m
702 ckpacct.1m       := LINKSRC = acctsh.1m
703 dodisk.1m        := LINKSRC = acctsh.1m
704 lastlogin.1m     := LINKSRC = acctsh.1m
705 monacct.1m       := LINKSRC = acctsh.1m
706 nulladm.1m       := LINKSRC = acctsh.1m
707 prctmp.1m        := LINKSRC = acctsh.1m
708 prdaily.1m       := LINKSRC = acctsh.1m
709 prtacct.1m       := LINKSRC = acctsh.1m
710 shutacct.1m      := LINKSRC = acctsh.1m
711 startup.1m       := LINKSRC = acctsh.1m
712 turnacct.1m      := LINKSRC = acctsh.1m

```

new/usr/src/man/man1m/Makefile

12

```

714 dcopy.1m         := LINKSRC = clri.1m

716 devfsadmd.1m     := LINKSRC = devfsadm.1m

718 fcadm.1m         := LINKSRC = fcinfo.1m

720 wtmpfix.1m       := LINKSRC = fwtmp.1m

722 hal-find-by-capability.1m := LINKSRC = hal-find.1m
723 hal-find-by-property.1m  := LINKSRC = hal-find.1m

725 hal-set-property.1m    := LINKSRC = hal-get-property.1m

727 poweroff.1m          := LINKSRC = halt.1m

729 comsat.1m            := LINKSRC = in.comsat.1m
730 fingerd.1m           := LINKSRC = in.fingerd.1m
731 rarpd.1m              := LINKSRC = in.rarpd.1m
732 rdisc.1m              := LINKSRC = in.rdisc.1m
733 rexecd.1m             := LINKSRC = in.rexecd.1m
734 rlogind.1m            := LINKSRC = in.rlogind.1m
735 routed.1m             := LINKSRC = in.routed.1m
736 rshd.1m               := LINKSRC = in.rshd.1m
737 rwhod.1m              := LINKSRC = in.rwhod.1m
738 talkd.1m              := LINKSRC = in.talkd.1m
739 telnetd.1m            := LINKSRC = in.telnetd.1m
740 tftpd.1m              := LINKSRC = in.tftpd.1m
741 uucpd.1m              := LINKSRC = in.uucpd.1m

743 telinit.1m         := LINKSRC = init.1m

745 kadmin.local.1m    := LINKSRC = kadmin.1m

747 unlink.1m          := LINKSRC = link.1m

749 metaonline.1m      := LINKSRC = metaoffline.1m

751 metadetach.1m     := LINKSRC = metattach.1m

753 umount.1m          := LINKSRC = mount.1m

755 umount_smbfs.1m    := LINKSRC = mount_smbfs.1m

757 umountall.1m       := LINKSRC = mountall.1m

759 grpck.1m           := LINKSRC = pwck.1m

761 quotaoff.1m        := LINKSRC = quotaon.1m

763 bootparamd.1m      := LINKSRC = rpc.bootparamd.1m
764 rexd.1m             := LINKSRC = rpc.rexd.1m
765 rstatd.1m           := LINKSRC = rpc.rstatd.1m
766 rusersd.1m          := LINKSRC = rpc.rusersd.1m
767 rwall.1m            := LINKSRC = rpc.rwall.1m
768 sprayd.1m           := LINKSRC = rpc.sprayd.1m
769 yppasswdd.1m        := LINKSRC = rpc.yppasswdd.1m
770 ypupdated.1m        := LINKSRC = rpc.yupdated.1m

772 restricted_shell.1m := LINKSRC = rsh.1m

774 sa1.1m              := LINKSRC = sar.1m
775 sa2.1m              := LINKSRC = sar.1m
776 sadc.1m              := LINKSRC = sar.1m

778 unshareall.1m       := LINKSRC = shareall.1m

```

new/usr/src/man/man1m/Makefile

13

```
780 ypxfrd.1m           := LINKSRC = ypserv.1m
782 ypstop.1m           := LINKSRC = ypstart.1m
784 ypxfr_1perday.1m     := LINKSRC = ypxfr.1m
785 ypxfr_1perhour.1m    := LINKSRC = ypxfr.1m
786 ypxfr_2perday.1m     := LINKSRC = ypxfr.1m

789 .KEEP_STATE:

791 include              $(SRC)/man/Makefile.man
793 install:              $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/man/man4/Makefile

1

5531 Tue Nov 4 14:40:14 2014

new/usr/src/man/man4/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 #
```

```
17 include $(SRC)/Makefile.master
```

```
19 MANSECT= 4
```

```
21 _MANFILES= Intro.4 \
22 NISLDAPmapping.4 \
23 a.out.4 \
24 admin.4 \
25 alias.4 \
26 aliases.4 \
27 au.4 \
28 audit.log.4 \
29 audit_class.4 \
30 audit_control.4 \
31 audit_event.4 \
32 audit_user.4 \
33 auth_attr.4 \
34 autofs.4 \
35 bart_manifest.4 \
36 bart_rules.4 \
37 bootparams.4 \
38 cardbus.4 \
39 compver.4 \
40 contents.4 \
41 contract.4 \
42 copyright.4 \
43 core.4 \
44 crypt.conf.4 \
45 crypto_certs.4 \
46 ctf.4 \
47 d_passwd.4 \
48 dacf.conf.4 \
49 dat.conf.4 \
50 default_fs.4 \
51 defaultdomain.4 \
52 defaultrouter.4 \
53 depend.4 \
54 device_allocate.4 \
55 device_contract.4 \
56 device_maps.4 \
57 devices.4 \
58 dfstab.4 \
```

new/usr/src/man/man4/Makefile

2

```
59 dhcp_inittab.4 \
60 dhcp_network.4 \
61 dhcpcsvc.conf.4 \
62 dhcptab.4 \
63 dialups.4 \
64 dir_ufs.4 \
65 driver.conf.4 \
66 ds.log.4 \
67 ethers.4 \
68 exec_attr.4 \
69 fdi.4 \
70 format.dat.4 \
71 fspec.4 \
72 fstypes.4 \
73 ftp.4 \
74 ftpusers.4 \
75 fx_dptbl.4 \
76 gateways.4 \
77 group.4 \
78 gsscred.conf.4 \
79 hba.conf.4 \
80 holidays.4 \
81 hosts.4 \
82 hosts.equiv.4 \
83 hosts_access.4 \
84 hosts_options.4 \
85 ib.4 \
86 ike.config.4 \
87 ike.preshared.4 \
88 inet_type.4 \
89 inetd.conf.4 \
90 init.4 \
91 init.d.4 \
92 inittab.4 \
93 ipaddrsel.conf.4 \
94 ipnodes.4 \
95 issue.4 \
96 kadm5.acl.4 \
97 kdc.conf.4 \
98 keytables.4 \
99 krb5.conf.4 \
100 ldapfilter.conf.4 \
101 ldapsearchprefs.conf.4 \
102 ldaptemplates.conf.4 \
103 logadm.conf.4 \
104 logindevperm.4 \
105 loginlog.4 \
106 magic.4 \
107 mailer.conf.4 \
108 md.tab.4 \
109 mddb.cf.4 \
110 mech.4 \
111 meddb.4 \
112 mnttab.4 \
113 mod_ipp.4 \
114 mpapi.conf.4 \
115 nca.if.4 \
116 ncad_addr.4 \
117 ncakmod.conf.4 \
118 ncalogd.conf.4 \
119 ncapiport.conf.4 \
120 ndmp.4 \
121 ndpd.conf.4 \
netconfig.4 \
netgroup.4 \
netid.4 \
```

new/usr/src/man/man4/Makefile

3

```

122 netmasks.4 \
123 netrc.4 \
124 networks.4 \
125 nfs.4 \
126 nfslog.conf.4 \
127 nfssec.conf.4 \
128 nodename.4 \
129 nologin.4 \
130 note.4 \
131 notrouter.4 \
132 nscd.conf.4 \
133 nsmbrc.4 \
134 nss.4 \
135 nsswitch.conf.4 \
136 packingrules.4 \
137 pam.conf.4 \
138 passwd.4 \
139 path_to_inst.4 \
140 pci.4 \
141 phones.4 \
142 pkginfo.4 \
143 pkgmap.4 \
144 policy.conf.4 \
145 power.conf.4 \
146 printers.4 \
147 printers.conf.4 \
148 priv_names.4 \
149 proc.4 \
150 process.4 \
151 prof_attr.4 \
152 profile.4 \
153 project.4 \
154 protocols.4 \
155 prototype.4 \
156 pseudo.4 \
157 publickey.4 \
158 queuedefs.4 \
159 rcmscript.4 \
160 rdc.cf.4 \
161 remote.4 \
162 resolv.conf.4 \
163 rmtab.4 \
164 rpc.4 \
165 rt_dptbl.4 \
166 sasl_appname.conf.4 \
167 scsi.4 \
168 securenets.4 \
169 sel_config.4 \
170 sendmail.4 \
171 service_bundle.4 \
172 service_provider.conf.4 \
173 services.4 \
174 shadow.4 \
175 sharetab.4 \
176 shells.4 \
177 slp.conf.4 \
178 slpd.reg.4 \
179 smb.4 \
180 smbautohome.4 \
181 smhba.conf.4 \
182 sndr.4 \
183 sock2path.d.4 \
184 space.4 \
185 ssh_config.4 \
186 sshd_config.4 \
187 sulog.4 \

```

new/usr/src/man/man4/Makefile

4

```

188 syslog.conf.4 \
189 system.4 \
190 term.4 \
191 terminfo.4 \
192 timezone.4 \
193 tn timer_kernel_probes.4 \
194 ts_dptbl.4 \
195 ttydefs.4 \
196 ttysrch.4 \
197 ufsdump.4 \
198 updaters.4 \
199 user_attr.4 \
200 utmp.4 \
201 utmpx.4 \
202 vfstab.4 \
203 volume-config.4 \
204 volume-request.4 \
205 wanboot.conf.4 \
206 warn.conf.4 \
207 ypfiles.4 \
208 yppasswdd.4 \
209 ypserv.4 \
210 zoneinfo.4 \
212 sparc_MANFILES= sbus.4
214 i386_MANFILES= sysbus.4
216 _MANLINKS= addresses.4 \
217 devid_cache.4 \
218 devname_cache.4 \
219 dir.4 \
220 dumpdates.4 \
221 fbtabs.4 \
222 forward.4 \
223 fs.4 \
224 hosts.allow.4 \
225 hosts.deny.4 \
226 intro.4 \
227 md.cf.4 \
228 mdi_ib_cache.4 \
229 mdi_scsi_vhci_cache.4 \
230 pci_unitaddr_persistent.4 \
231 pcie.4 \
232 qop.4 \
233 rhosts.4 \
234 sendmail.cf.4 \
235 snapshot_cache.4 \
236 submit.cf.4 \
237 volume-defaults.4 \
238 wtmp.4 \
239 wtmpx.4
241 i386_MANLINKS= isa.4
243 MANFILES= $(_MANFILES) $($MACH)_MANFILES)
244 MANLINKS= $(_MANLINKS) $($MACH)_MANLINKS)
246 intro.4 := LINKSRC = Intro.4
248 addresses.4 := LINKSRC = aliases.4
249 forward.4 := LINKSRC = aliases.4
251 fs.4 := LINKSRC = default_fs.4
253 devid_cache.4 := LINKSRC = devices.4

```

new/usr/src/man/man4/Makefile

5

```
254 devname_cache.4      := LINKSRC = devices.4
255 mdi_ib_cache.4       := LINKSRC = devices.4
256 mdi_scsi_vhci_cache.4 := LINKSRC = devices.4
257 pci_unitaddr_persistent.4 := LINKSRC = devices.4
258 snapshot_cache.4     := LINKSRC = devices.4

260 dir.4                 := LINKSRC = dir_ufs.4

262 rhosts.4              := LINKSRC = hosts.equiv.4

264 hosts.allow.4         := LINKSRC = hosts_access.4
265 hosts.deny.4          := LINKSRC = hosts_access.4

267 fbtabs.4              := LINKSRC = logindevperm.4

269 md.cf.4               := LINKSRC = md.tab.4

271 qop.4                 := LINKSRC = mech.4

273 pcie.4                := LINKSRC = pci.4

275 sendmail.cf.4         := LINKSRC = sendmail.4
276 submit.cf.4           := LINKSRC = sendmail.4

278 isa.4                 := LINKSRC = sysbus.4

280 dumpdates.4           := LINKSRC = ufsdump.4

282 wtmp.4                 := LINKSRC = utmp.4

284 wtmpx.4                := LINKSRC = utmpx.4

286 volume-defaults.4     := LINKSRC = volume-request.4

288 .KEEP_STATE:

290 include                $(SRC)/man/Makefile.man

292 install:                $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/man/man5/Makefile

1

4026 Tue Nov 4 14:40:15 2014

new/usr/src/man/man5/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012 by Delphix. All rights reserved.
15 # Copyright 2014 Nexenta Systems, Inc.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #
```

19 include \$(SRC)/Makefile.master

21 MANSECT= 5

```
23 MANFILES= Intro.5 \
24 acl.5 \
25 ad.5 \
26 ascii.5 \
27 attributes.5 \
28 audit_binfile.5 \
29 audit_remote.5 \
30 audit_syslog.5 \
31 brands.5 \
32 cancellation.5 \
33 charmap.5 \
34 condition.5 \
35 crypt_bsdbf.5 \
36 crypt_bsmdmd.5 \
37 crypt_sha256.5 \
38 crypt_sha512.5 \
39 crypt_sunmd.5 \
40 crypt_unix.5 \
41 device_clean.5 \
42 dhcp.5 \
43 dhcp_modules.5 \
43 environ.5 \
44 eqn.5 \
45 eqnchar.5 \
46 extendedFILE.5 \
47 filesystem.5 \
48 fnmatch.5 \
49 formats.5 \
50 fsattr.5 \
51 grub.5 \
52 gss_auth_rules.5 \
53 hal.5 \
54 iconv.5 \
55 iconv_unicode.5 \
56 ieee802.3.5 \
57 ieee802.11.5 \
```

new/usr/src/man/man5/Makefile

2

```
58 ipfilter.5 \
59 isalist.5 \
60 kerberos.5 \
61 krb5_auth_rules.5 \
62 krb5envvar.5 \
63 largefile.5 \
64 lf64.5 \
65 lfcompile.5 \
66 lfcompile64.5 \
67 locale.5 \
68 man.5 \
69 mandoc_char.5 \
70 mandoc_roff.5 \
71 mdoc.5 \
72 me.5 \
73 mech_spnego.5 \
74 mm.5 \
75 ms.5 \
76 mutex.5 \
77 nfssec.5 \
78 pam_allow.5 \
79 pam_authok_check.5 \
80 pam_authok_get.5 \
81 pam_authok_store.5 \
82 pam_deny.5 \
83 pam_dhkeys.5 \
84 pam_dial_auth.5 \
85 pam_krb5.5 \
86 pam_krb5_migrate.5 \
87 pam_ldap.5 \
88 pam_list.5 \
89 pam_passwd_auth.5 \
90 pam_rhosts_auth.5 \
91 pam_roles.5 \
92 pam_sample.5 \
93 pam_smb_passwd.5 \
94 pam_smbfs_login.5 \
95 pam_timestamp.5 \
96 pam_tsol_account.5 \
97 pam_unix_account.5 \
98 pam_unix_auth.5 \
99 pam_unix_cred.5 \
100 pam_unix_session.5 \
101 pkcs11_kernel.5 \
102 pkcs11_softtoken.5 \
103 pkcs11_tpm.5 \
104 privileges.5 \
105 prof.5 \
106 rbac.5 \
107 regex.5 \
108 regexp.5 \
109 resource_controls.5 \
110 smf.5 \
111 smf_bootstrap.5 \
112 smf_method.5 \
113 smf_restarter.5 \
114 smf_security.5 \
115 smf_template.5 \
116 standards.5 \
117 sticky.5 \
118 tbl.5 \
119 tecla.5 \
120 term.5 \
121 threads.5 \
122 trusted_extensions.5 \
123 vgrindefs.5 \
```

new/usr/src/man/man5/Makefile

3

```
124 zones.5 \
125 zpool-features.5

127 MANLINKS= ANSI.5 \
128 C++.5 \
129 C.5 \
130 CSI.5 \
131 ISO.5 \
132 MT-Level.5 \
133 POSIX.1.5 \
134 POSIX.2.5 \
135 POSIX.5 \
136 RBAC.5 \
137 SUS.5 \
138 SUSv2.5 \
139 SUSv3.5 \
140 SVID.5 \
141 SVID3.5 \
142 XNS.5 \
143 XNS4.5 \
144 XNS5.5 \
145 XPG.5 \
146 XPG3.5 \
147 XPG4.5 \
148 XPG4v2.5 \
149 advance.5 \
150 architecture.5 \
151 availability.5 \
152 compile.5 \
153 intro.5 \
154 pthreads.5 \
155 stability.5 \
156 standard.5 \
157 step.5 \
158 teclarc.5

160 intro.5 := LINKSRC = Intro.5

162 CSI.5 := LINKSRC = attributes.5
163 MT-Level.5 := LINKSRC = attributes.5
164 architecture.5 := LINKSRC = attributes.5
165 availability.5 := LINKSRC = attributes.5
166 stability.5 := LINKSRC = attributes.5
167 standard.5 := LINKSRC = attributes.5

169 RBAC.5 := LINKSRC = rbac.5

171 advance.5 := LINKSRC = regexp.5
172 compile.5 := LINKSRC = regexp.5
173 step.5 := LINKSRC = regexp.5

175 ANSI.5 := LINKSRC = standards.5
176 C++.5 := LINKSRC = standards.5
177 C.5 := LINKSRC = standards.5
178 ISO.5 := LINKSRC = standards.5
179 POSIX.1.5 := LINKSRC = standards.5
180 POSIX.2.5 := LINKSRC = standards.5
181 POSIX.5 := LINKSRC = standards.5
182 SUS.5 := LINKSRC = standards.5
183 SUSv2.5 := LINKSRC = standards.5
184 SUSv3.5 := LINKSRC = standards.5
185 SVID.5 := LINKSRC = standards.5
186 SVID3.5 := LINKSRC = standards.5
187 XNS.5 := LINKSRC = standards.5
188 XNS4.5 := LINKSRC = standards.5
189 XNS5.5 := LINKSRC = standards.5
```

new/usr/src/man/man5/Makefile

4

```
190 XPG.5 := LINKSRC = standards.5
191 XPG3.5 := LINKSRC = standards.5
192 XPG4.5 := LINKSRC = standards.5
193 XPG4v2.5 := LINKSRC = standards.5

195 teclarc.5 := LINKSRC = tecla.5

197 pthreads.5 := LINKSRC = threads.5

199 .KEEP_STATE:

201 include $(SRC)/man/Makefile.man

203 install: $(ROOTMANFILES) $(ROOTMANLINKS)
```

3620 Tue Nov 4 14:40:15 2014

new/usr/src/man/man5/dhcp.5

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

Approved by: Dan McDonald <danmcd@omniti.com>

```

1  \" te
2  \. Copyright 2014 Garrett D'Amore <garrett@damore.org>
3  \. Copyright (c) 2001, Sun Microsystems, Inc. All Rights Reserved.
4  \. The contents of this file are subject to the terms of the Common Development
5  \. You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
6  \. When distributing Covered Code, include this CDDL HEADER in each file and in
7  .TH DHCP 5 "Aug 15, 2014"
8  .TH DHCP 5 "Jan 5, 2007"
9  .SH NAME
10 dhcp \- Dynamic Host Configuration Protocol
11 .SH DESCRIPTION
12 .sp
13 .LP
14 Dynamic Host Configuration Protocol (\fBDHCP\fR) enables host systems in a
15 \fBFTP/IP\fR network to be configured automatically for the network as they
16 boot. \fBDHCP\fR uses a client/server mechanism: servers store configuration
17 information for clients, and provide that information upon a client's request.
18 The information can include the client's \fBIP\fR address and information about
19 network services available to the client.
20 .sp
21 .LP
22 This manual page provides a brief summary of the \fBDHCP\fR
23 This manual page provides a brief summary of the Solaris \fBDHCP\fR
24 implementation.
25 .SS "DHCP Client"
26 .SS "Solaris DHCP Client"
27 .sp
28 .LP
29 The DHCP client is implemented as background daemon,
30 The Solaris DHCP client is implemented as background daemon,
31 \fBdhcpcd\fR(1M).
32 .sp
33 .LP
34 For IPv4, this daemon is started automatically during bootup if there exists at
35 least one \fBdhcpcd\fR file in \fB/etc\fR. Only interfaces with a
36 corresponding \fB/etc/dhcp\fR file are
37 automatically configured during boot.
38 .sp
39 .LP
40 For IPv6, this daemon is started automatically when commanded by \fBndpd\fR
41 (based on IPv6 Routing Advertisement messages). No
42 \fB/etc/dhcp\fR file is necessary, but such a file can be used
43 to specify an interface as "primary," provided that IPv4 DHCP is also in use.
44 .sp
45 .LP
46 Network parameters needed for system configuration during bootup are extracted
47 from the information received by the daemon through the use of the
48 \fBdhcpcd\fR(1M) command. The daemon's default behavior can be altered by
49 changing the tunables in the \fB/etc/default/dhcpcd\fR file. The daemon is
50 controlled by the \fBifconfig\fR(1M) utility. Check the status of the daemon
51 using the \fBnetstat\fR(1M) and \fBifconfig\fR(1M) commands.
52 .SS "Solaris DHCP Server"
53 .sp
54 .LP
55 The Solaris \fBDHCP\fR server is implemented as a background daemon,
56 \fBndpd\fR(1M). This daemon can deliver network configuration information
57 to either \fBBOOTP\fR or \fBDHCP\fR clients. The Solaris \fBDHCP\fR service can
58 be managed using the \fBdhcpcmgr\fR(1M) \fBGUI\fR or the command line utilities

```

```

54 \fBdhcpcconfig\fR(1M), \fBdhtadm\fR(1M), and \fBpntadm\fR(1M).
55 .SS "DHCP Configuration Tables"
56 .sp
57 .LP
58 The Solaris \fBDHCP\fR server stores client configuration information in the
59 following two types of tables:
60 .sp
61 .ne 2
62 .na
63 \fB\fBdhcptab\fR tables\fR
64 .ad
65 .RS 23n
66 Contain macros and options (also known as symbols), used to construct a package
67 of configuration information to send to each \fBDHCP\fR client. There exists
68 only one \fBdhcptab\fR for the \fBDHCP\fR service. The \fBdhcptab\fR(4) can be
69 viewed and modified using the \fBdhtadm\fR(1M) command or \fBdhcpcmgr\fR(1M)
70 graphical utility. See \fBdhcptab\fR(4) for more information about the syntax
71 of \fBdhcptab\fR records. See \fBdhcp_inittab\fR(4) for more information about
72 the \fBDHCP\fR options and symbols.
73 .RE
74 .sp
75 .ne 2
76 .na
77 \fB\fBDHCP\fR network tables\fR
78 .ad
79 .RS 23n
80 \fBDHCP\fR network tables, which contain mappings of client \fBID\fRs to
81 \fBIP\fR addresses and parameters associated with those addresses. Network
82 tables are named with the \fBIP\fR address of the network, and can be created,
83 viewed, and modified using the \fBpntadm\fR command or \fBdhcpcmgr\fR graphical
84 utility. See \fBdhcp_network\fR(4) for more information about network tables.
85 .RE
86 .SH SEE ALSO
87 .sp
88 .LP
89 \fBdhcpcinfo\fR(1), \fBdhcpcagent\fR(1M),
90 \fBifconfig\fR(1M),
91 \fBndpd\fR(1M), \fBnetstat\fR(1M),
92 \fBsyslog\fR(3C),
93 \fBdhcpcinfo\fR(1), \fBdhcpcagent\fR(1M), \fBdhcpcconfig\fR(1M),
94 \fBdhcpcmgr\fR(1M), \fBdhtadm\fR(1M), \fBifconfig\fR(1M), \fBndpd\fR(1M),
95 \fBndpd\fR(1M), \fBnetstat\fR(1M), \fBpntadm\fR(1M), \fBsyslog\fR(3C),
96 \fBdhcp_network\fR(4), \fBdhcptab\fR(4), \fBdhcpsvc.conf\fR(4),
97 \fBdhcp_inittab\fR(4), \fBndpd.conf\fR(4), \fBdhcp_modules\fR(5)
98 .sp
99 .LP
100 \fBISolaris DHCP Service Developer's Guide\fR
101 .sp
102 .LP
103 Alexander, S., and R. Droms. \fBIRFC 2132, DHCP Options and BOOTP Vendor
104 Extensions\fR. Silicon Graphics, Inc. Bucknell University. March 1997.
105 .sp
106 .LP
107 Droms, R. \fBIRFC 1534, Interoperation Between DHCP and BOOTP\fR. Bucknell
108 University. October 1993.
109 .sp
110 .LP
111 Droms, R. \fBIRFC 2131, Dynamic Host Configuration Protocol\fR. Bucknell
112 University. March 1997.
113 .sp
114 .LP
115 Wimer, W. \fBIRFC 1542, Clarifications and Extensions for the Bootstrap
116 Protocol\fR. Carnegie Mellon University. October 1993.

```

```
62 .LP
63 Lemon, T. and B. Sommerfeld. \fIRFC 4361, Node-specific Client Identifiers for
64 Dynamic Host Configuration Protocol Version Four (DHCPv4)\fR. Nominum and Sun
65 Microsystems. February 2006.
120 .sp
66 .LP
67 Droms, R. \fIRFC 3315, Dynamic Host Configuration Protocol for IPv6
68 (DHCPv6)\fR. Cisco Systems. July 2003.
```

new/usr/src/pkg/manifests/SUNWcs.mf

1

89732 Tue Nov 4 14:40:15 2014
new/usr/src/pkg/manifests/SUNWcs.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <dammcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright (c) 2013 Gary Mills
26 #
27
28 <include SUNWcs.man1.inc>
29 <include SUNWcs.man1m.inc>
30 <include SUNWcs.man4.inc>
31 <include SUNWcs.man5.inc>
32 <include SUNWcs.man7d.inc>
33 <include SUNWcs.man7fs.inc>
34 set name=pkg.fmri value=pkg:/SUNWcs@$(PKGVERS)
35 set name=pkg.description \
36     value="core software for a specific instruction-set architecture"
37 set name=pkg.summary value="Core Solaris"
38 set name=info.classification value=org.opensolaris.category.2008:System/Core
39 set name=variant.arch value=$(ARCH)
40 dir path=dev group=sys
41 dir path=etc group=sys
42 dir path=etc/cron.d group=sys
43 dir path=etc/crypto group=sys
44 dir path=etc/crypto/certs group=sys
45 dir path=etc/crypto/crls group=sys
46 dir path=etc/default group=sys
47 dir path=etc/dev group=sys
48 dir path=etc/devices group=sys
49 dir path=etc/dfs group=sys
50 dir path=etc/dhcp group=sys
51 dir path=etc/fs group=sys
52 dir path=etc/fs/dev group=sys
53 dir path=etc/fs/hsfs group=sys
54 dir path=etc/fs/ufs group=sys
55 dir path=etc/ftpd group=sys
56 dir path=etc/inet group=sys
57 dir path=etc/init.d group=sys
58 dir path=etc/lib group=sys
```

new/usr/src/pkg/manifests/SUNWcs.mf

2

```
59 dir path=etc/logadm.d group=sys
60 dir path=etc/mail group=mail
61 dir path=etc/net group=sys
62 dir path=etc/net/ticlts group=sys
63 dir path=etc/net/ticots group=sys
64 dir path=etc/net/ticotsord group=sys
65 dir path=etc/opt group=sys
66 dir path=etc/rc0.d group=sys
67 dir path=etc/rc1.d group=sys
68 dir path=etc/rc2.d group=sys
69 dir path=etc/rc3.d group=sys
70 dir path=etc/rcS.d group=sys
71 dir path=etc/rpcsec group=sys
72 dir path=etc/saf
73 dir path=etc/saf/zsmon group=sys
74 dir path=etc/sasl group=sys
75 dir path=etc/security group=sys
76 dir path=etc/security/audit group=sys
77 dir path=etc/security/audit/localhost group=sys
78 dir path=etc/security/auth_attr.d group=sys
79 dir path=etc/security/dev group=sys
80 dir path=etc/security/exec_attr.d group=sys
81 dir path=etc/security/lib group=sys
82 dir path=etc/security/prof_attr.d group=sys
83 dir path=etc/skel group=sys
84 dir path=etc/svc group=sys
85 dir path=etc/svc/profile group=sys
86 dir path=etc/svc/profile/site group=sys
87 dir path=etc/svc/volatile group=sys
88 dir path=etc/sysevent group=sys
89 dir path=etc/sysevent/config group=sys
90 dir path=etc/tm group=sys
91 dir path=etc/user_attr.d group=sys
92 dir path=export group=sys
93 dir path=home group=root mode=0555
94 dir path=lib
95 dir path=lib/crypto
96 dir path=lib/inet
97 dir path=lib/svc
98 dir path=lib/svc/bin
99 dir path=lib/svc/capture
100 dir path=lib/svc/manifest group=sys
101 dir path=lib/svc/manifest/application group=sys
102 dir path=lib/svc/manifest/application/management group=sys
103 dir path=lib/svc/manifest/application/security group=sys
104 dir path=lib/svc/manifest/device group=sys
105 dir path=lib/svc/manifest/milestone group=sys
106 dir path=lib/svc/manifest/network group=sys
107 dir path=lib/svc/manifest/network/dns group=sys
108 dir path=lib/svc/manifest/network/ipsec group=sys
109 dir path=lib/svc/manifest/network/ldap group=sys
110 dir path=lib/svc/manifest/network/routing group=sys
111 dir path=lib/svc/manifest/network/rpc group=sys
112 dir path=lib/svc/manifest/network/shares group=sys
113 dir path=lib/svc/manifest/network/ssl group=sys
114 dir path=lib/svc/manifest/platform group=sys
115 $(sparc_ONLY)dir path=lib/svc/manifest/platform/sun4u group=sys
116 dir path=lib/svc/manifest/site group=sys
117 dir path=lib/svc/manifest/system group=sys
118 dir path=lib/svc/manifest/system/device group=sys
119 dir path=lib/svc/manifest/system/filesystem group=sys
120 dir path=lib/svc/manifest/system/security group=sys
121 dir path=lib/svc/manifest/system/svc group=sys
122 dir path=lib/svc/method
123 dir path=lib/svc/monitor
124 dir path=lib/svc/seed
```

new/usr/src/pkg/manifests/SUNWcs.mf

3

```
125 dir path=lib/svc/share
126 dir path=mnt group=sys
127 dir path=opt group=sys
128 dir path=proc group=root mode=0555
129 dir path=root group=root mode=0700
130 dir path=sbin group=sys
131 dir path=system group=root
132 dir path=system/contract group=root mode=0555
133 dir path=system/object group=root mode=0555
134 dir path=tmp group=sys mode=1777
135 dir path=usr group=sys
136 dir path=usr/bin
137 dir path=usr/bin/$(ARCH32)
138 dir path=usr/bin/$(ARCH64)
139 dir path=usr/ccs
140 dir path=usr/ccs/bin
141 dir path=usr/demo
142 dir path=usr/games
143 dir path=usr/has
144 dir path=usr/has/bin
145 dir path=usr/has/lib
146 dir path=usr/has/man
147 dir path=usr/has/man/man1has
148 dir path=usr/kernel group=sys
149 dir path=usr/kernel/drv group=sys
150 dir path=usr/kernel/drv/$(ARCH64) group=sys
151 dir path=usr/kernel/exec group=sys
152 dir path=usr/kernel/exec/$(ARCH64) group=sys
153 dir path=usr/kernel/fs group=sys
154 dir path=usr/kernel/fs/$(ARCH64) group=sys
155 dir path=usr/kernel/pcbe group=sys
156 dir path=usr/kernel/pcbe/$(ARCH64) group=sys
157 dir path=usr/kernel/sched group=sys
158 dir path=usr/kernel/sched/$(ARCH64) group=sys
159 dir path=usr/kernel/strmod group=sys
160 dir path=usr/kernel/strmod/$(ARCH64) group=sys
161 dir path=usr/kernel/sys group=sys
162 dir path=usr/kernel/sys/$(ARCH64) group=sys
163 dir path=usr/kvm
164 dir path=usr/lib
165 dir path=usr/lib/$(ARCH64)
166 dir path=usr/lib/audit
167 dir path=usr/lib/class
168 dir path=usr/lib/class/FX
169 dir path=usr/lib/class/IA
170 dir path=usr/lib/class/RT
171 dir path=usr/lib/class/SDC
172 dir path=usr/lib/class/TS
173 dir path=usr/lib/crypto
174 dir path=usr/lib/devfsadm group=sys
175 dir path=usr/lib/devfsadm/linkmod group=sys
176 dir path=usr/lib/fs group=sys
177 dir path=usr/lib/fs/autofs group=sys
178 dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
179 dir path=usr/lib/fs/cacheefs group=sys
180 dir path=usr/lib/fs/ctfs group=sys
181 dir path=usr/lib/fs/dev group=sys
182 dir path=usr/lib/fs/fd group=sys
183 dir path=usr/lib/fs/hsfs group=sys
184 dir path=usr/lib/fs/lofs group=sys
185 dir path=usr/lib/fs/mntfs group=sys
186 dir path=usr/lib/fs/nfs group=sys
187 dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
188 dir path=usr/lib/fs/objfs group=sys
189 dir path=usr/lib/fs/proc group=sys
190 dir path=usr/lib/fs/sharefs group=sys
```

new/usr/src/pkg/manifests/SUNWcs.mf

4

```
191 dir path=usr/lib/fs/tmpfs group=sys
192 dir path=usr/lib/fs/ufs group=sys
193 dir path=usr/lib/help
194 dir path=usr/lib/help/auths
195 dir path=usr/lib/help/auths/locale
196 dir path=usr/lib/help/auths/locale/C
197 dir path=usr/lib/help/profiles
198 dir path=usr/lib/help/profiles/locale
199 dir path=usr/lib/help/profiles/locale/C
200 dir path=usr/lib/iconv
201 dir path=usr/lib/inet
202 dir path=usr/lib/inet/$(ARCH32)
203 dir path=usr/lib/inet/$(ARCH64)
204 dir path=usr/lib/inet/dhcp
205 dir path=usr/lib/inet/dhcp/nsu
206 dir path=usr/lib/inet/dhcp/svc
204 dir path=usr/lib/locale
205 dir path=usr/lib/locale/C
206 dir path=usr/lib/locale/C/LC_COLLATE
207 dir path=usr/lib/locale/C/LC_CTYPE
208 dir path=usr/lib/locale/C/LC_MESSAGES
209 dir path=usr/lib/locale/C/LC_MONETARY
210 dir path=usr/lib/locale/C/LC_NUMERIC
211 dir path=usr/lib/locale/C/LC_TIME
212 dir path=usr/lib/netsvc group=sys
213 dir path=usr/lib/pci
214 dir path=usr/lib/rcm
215 dir path=usr/lib/rcm/modules
216 dir path=usr/lib/rcm/scripts
217 dir path=usr/lib/reparse
218 dir path=usr/lib/saf
219 dir path=usr/lib/secure
220 dir path=usr/lib/secure/$(ARCH64)
221 dir path=usr/lib/security
222 dir path=usr/lib/sysevent
223 dir path=usr/lib/sysevent/modules
224 dir path=usr/net group=sys
225 dir path=usr/net/nls group=sys
226 dir path=usr/net/servers group=sys
227 dir path=usr/old
228 dir path=usr/platform group=sys
229 dir path=usr/sadm
230 dir path=usr/sadm/bin
231 dir path=usr/sadm/install
232 dir path=usr/sadm/install/scripts
233 dir path=usr/sbin
234 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
235 dir path=usr/sbin/$(ARCH64)
236 dir path=usr/share
237 dir path=usr/share/doc group=other
238 dir path=usr/share/doc/ksh
239 dir path=usr/share/doc/ksh/images
240 dir path=usr/share/doc/ksh/images/callouts
241 dir path=usr/share/lib
242 dir path=usr/share/lib/mailx
243 dir path=usr/share/lib/pub
244 dir path=usr/share/lib/tabset
245 dir path=usr/share/lib/xml group=sys
246 dir path=usr/share/lib/xml/dtd group=sys
247 dir path=usr/share/lib/xml/style group=sys
248 dir path=usr/share/man
249 dir path=usr/share/man/man1
250 dir path=usr/share/man/man1m
251 dir path=usr/share/man/man4
252 dir path=usr/share/man/man5
253 dir path=usr/share/man/man7d
```

new/usr/src/pkg/manifests/SUNWcs.mf

5

```
254 dir path=usr/share/man/man7fs
255 dir path=usr/share/src group=sys
256 dir path=var group=sys
257 dir path=var/adm group=sys mode=0775
258 dir path=var/adm/exacct group=adm owner=adm
259 dir path=var/adm/log group=adm owner=adm
260 dir path=var/adm/streams group=sys
261 dir path=var/audit group=sys
262 dir path=var/cores group=sys
263 dir path=var/cron group=sys
264 dir path=var/games
265 dir path=var/ldmap group=daemon owner=daemon
266 dir path=var/inet group=sys
267 dir path=var/ld
268 dir path=var/ld/$(ARCH64)
269 dir path=var/log group=sys
270 dir path=var/logadm
271 dir path=var/mail group=mail mode=1777
272 dir path=var/mail/:saved group=mail mode=0775
273 dir path=var/news
274 dir path=var/opt group=sys
275 dir path=var/preserve mode=1777
276 dir path=var/run group=sys
277 dir path=var/sadm group=sys
278 dir path=var/sadm/system group=sys
279 dir path=var/sadm/system/admin group=sys
280 dir path=var/saf
281 dir path=var/saf/zsmon group=sys
282 dir path=var/spool
283 dir path=var/spool/cron group=sys
284 dir path=var/spool/cron/atjobs group=sys
285 dir path=var/spool/cron/crontabs group=sys
286 dir path=var/spool/locks group=uucp owner=uucp
287 dir path=var/svc group=sys
288 dir path=var/svc/log group=sys
289 dir path=var/svc/manifest group=sys
290 dir path=var/svc/manifest/application group=sys
291 dir path=var/svc/manifest/application/management group=sys
292 dir path=var/svc/manifest/application/print group=sys
293 dir path=var/svc/manifest/application/security group=sys
294 dir path=var/svc/manifest/device group=sys
295 dir path=var/svc/manifest/milestone group=sys
296 dir path=var/svc/manifest/network group=sys
297 dir path=var/svc/manifest/network/dns group=sys
298 dir path=var/svc/manifest/network/ipsec group=sys
299 dir path=var/svc/manifest/network/ldap group=sys
300 dir path=var/svc/manifest/network/nfs group=sys
301 dir path=var/svc/manifest/network/nis group=sys
302 dir path=var/svc/manifest/network/routing group=sys
303 dir path=var/svc/manifest/network/rpc group=sys
304 dir path=var/svc/manifest/network/security group=sys
305 dir path=var/svc/manifest/network/shares group=sys
306 dir path=var/svc/manifest/network/ssl group=sys
307 dir path=var/svc/manifest/platform group=sys
308 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4u group=sys
309 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4v group=sys
310 dir path=var/svc/manifest/site group=sys
311 dir path=var/svc/manifest/system group=sys
312 dir path=var/svc/manifest/system/device group=sys
313 dir path=var/svc/manifest/system/filesystem group=sys
314 dir path=var/svc/manifest/system/security group=sys
315 dir path=var/svc/manifest/system/svc group=sys
316 dir path=var/svc/profile group=sys
317 dir path=var/tmp group=sys mode=1777
318 driver name=dump perms="dump 0660 root sys"
319 driver name=fssnap \
```

new/usr/src/pkg/manifests/SUNWcs.mf

6

```
320 policy="ctl read_priv_set=sys_config write_priv_set=sys_config" \
321 perms="* 0640 root sys" perms="ctl 0666 root sys"
322 driver name=kstat perms="* 0666 root sys"
323 driver name=ksyms perms="* 0666 root sys"
324 driver name=logindmux
325 driver name=ptm clone_perms="ptmx 0666 root sys"
326 driver name=pts perms="* 0644 root sys" perms="0 0620 root tty" \
327 perms="1 0620 root tty" perms="2 0620 root tty" perms="3 0620 root tty"
328 file path=etc/.login group=sys preserve=renamew
329 file path=etc/cron.d/.proto group=sys mode=0744
330 file path=etc/cron.d/at.deny group=sys preserve=true
331 file path=etc/cron.d/cron.deny group=sys preserve=true
332 file path=etc/cron.d/queuedefs group=sys
333 file path=etc/crypto/kmf.conf group=sys preserve=true
334 file path=etc/crypto/pkcs11.conf group=sys preserve=true
335 file path=etc/datensk group=sys mode=0444
336 file path=etc/default/cron group=sys preserve=true
337 file path=etc/default/devfsadm group=sys preserve=true
338 file path=etc/default/fs group=sys preserve=true
339 file path=etc/default/init group=sys preserve=true
340 file path=etc/default/keyserv group=sys preserve=true
341 file path=etc/default/login group=sys preserve=true
342 file path=etc/default/nss group=sys preserve=true
343 file path=etc/default/passwd group=sys preserve=true
344 file path=etc/default/su group=sys preserve=true
345 file path=etc/default/syslogd group=sys preserve=true
346 file path=etc/default/tar group=sys preserve=true
347 file path=etc/default/useradd group=sys preserve=true
348 file path=etc/default/utmpd group=sys preserve=true
349 file path=etc/dev/reserved_devnames group=sys preserve=true
350 file path=etc/device.tab group=root mode=0444 preserve=true
351 file path=etc/dfs/dfstab group=sys preserve=true
352 file path=etc/dfs/fstypes group=root preserve=true
353 file path=etc/dfs/sharetab group=root mode=0444 preserve=true
354 file path=etc/dgrouptab group=sys mode=0444 preserve=true
355 file path=etc/dhcp/inittab group=sys preserve=true
356 file path=etc/dhcp/inittab6 group=sys preserve=true
357 file path=etc/dumpdates group=sys mode=0664 preserve=true
358 file path=etc/format.dat group=sys preserve=true
359 file path=etc/fs/dev/mount mode=0555
360 file path=etc/fs/hsfs/mount mode=0555
361 file path=etc/fs/ufs/mount mode=0555
362 file path=etc/ftpd/ftpusers group=sys preserve=true
363 file path=etc/group group=sys preserve=true
364 file path=etc/inet/hosts group=sys preserve=true
365 file path=etc/inet/inetd.conf group=sys preserve=true
366 file path=etc/inet/ipaddrsel.conf group=sys preserve=true
367 file path=etc/inet/netmasks group=sys preserve=true
368 file path=etc/inet/networks group=sys preserve=true
369 file path=etc/inet/protocols group=sys preserve=true
370 file path=etc/inet/services group=sys preserve=true
371 file path=etc/inet/wanboot.conf.sample group=sys mode=0444
372 file path=etc/init.d/PRESERVE group=sys mode=0744 preserve=true
373 file path=etc/init.d/README group=sys preserve=true
374 file path=etc/init.d/cacheefs.daemon group=sys mode=0744 preserve=true
375 file path=etc/init.d/ldap.client group=sys mode=0744
376 file path=etc/init.d/nscd group=sys mode=0744
377 file path=etc/init.d/syssetup group=sys mode=0744 preserve=true
378 file path=etc/init.d/ufs_quota group=sys mode=0744 preserve=true
379 file path=etc/inittab group=sys preserve=true
380 file path=etc/ioctl.syscon group=sys preserve=true
381 file path=etc/ksh.kshrc group=sys preserve=renamew
382 file path=etc/logadm.conf group=sys preserve=true timestamp=19700101T000000Z
383 file path=etc/logindevperm group=sys preserve=true
384 file path=etc/magic mode=0444
385 file path=etc/mail/mail.rc preserve=true
```

```
386 file path=etc/mailcap preserve=true
387 file path=etc/mime.types preserve=true
388 file path=etc/mnttab group=root mode=0444 preserve=true
389 file path=etc/motd group=sys preserve=true
390 file path=etc/net/ticlts/hosts group=sys
391 file path=etc/net/ticlts/services group=sys preserve=true
392 file path=etc/net/ticots/hosts group=sys
393 file path=etc/net/ticots/services group=sys preserve=true
394 file path=etc/net/ticotsord/hosts group=sys
395 file path=etc/net/ticotsord/services group=sys preserve=true
396 file path=etc/netconfig group=sys preserve=true
397 file path=etc/nscd.conf group=sys preserve=true
398 file path=etc/nsswitch.ad group=sys
399 file path=etc/nsswitch.conf group=sys preserve=true
400 file path=etc/nsswitch.dns group=sys
401 file path=etc/nsswitch.files group=sys
402 file path=etc/nsswitch.ldap group=sys
403 file path=etc/pam.conf group=sys preserve=true
404 file path=etc/passwd group=sys preserve=true
405 file path=etc/profile group=sys preserve=true
406 file path=etc/project group=sys preserve=true
407 file path=etc/rc2.d/README group=sys
408 file path=etc/rc3.d/README group=sys
409 file path=etc/rcS.d/README group=sys
410 file path=etc/remote preserve=true
411 file path=etc/rpc group=sys preserve=true
412 file path=etc/saf/_sactab group=sys preserve=true
413 file path=etc/saf/_sysconfig group=sys preserve=true
414 file path=etc/saf/zsmon/_pmtab group=sys preserve=true
415 file path=etc/security/audit_class group=sys preserve=renamew
416 file path=etc/security/audit_event group=sys preserve=renamew
417 file path=etc/security/audit_warn group=sys mode=0740 preserve=renamew
418 file path=etc/security/auth_attr group=sys preserve=true \
419 timestamp=19700101T000000Z
420 file path=etc/security/auth_attr.d/SUNWcs group=sys
421 file path=etc/security/crypt.conf group=sys preserve=renamew
422 file path=etc/security/dev/audio mode=0400
423 file path=etc/security/dev/fd0 mode=0400
424 file path=etc/security/dev/sr0 mode=0400
425 file path=etc/security/dev/st0 mode=0400
426 file path=etc/security/dev/st1 mode=0400
427 file path=etc/security/exec_attr group=sys preserve=true \
428 timestamp=19700101T000000Z
429 file path=etc/security/exec_attr.d/SUNWcs group=sys
430 file path=etc/security/kmfpolicy.xml
431 file path=etc/security/lib/audio_clean group=sys mode=0555
432 file path=etc/security/lib/fd_clean group=sys mode=0555
433 file path=etc/security/lib/sr_clean group=sys mode=0555
434 file path=etc/security/lib/st_clean group=sys mode=0555
435 file path=etc/security/policy.conf group=sys preserve=true
436 file path=etc/security/priv_names group=sys preserve=renamew
437 file path=etc/security/prof_attr group=sys preserve=true \
438 timestamp=19700101T000000Z
439 file path=etc/security/prof_attr.d/SUNWcs group=sys
440 file path=etc/shadow group=sys mode=0400 preserve=true
441 file path=etc/skel/.profile group=other preserve=true
442 file path=etc/skel/local.cshrc group=sys preserve=true
443 file path=etc/skel/local.login group=sys preserve=true
444 file path=etc/skel/local.profile group=sys preserve=true
445 file path=etc/svc/profile/generic_limited_net.xml group=sys mode=0444
446 file path=etc/svc/profile/generic_open.xml group=sys mode=0444
447 file path=etc/svc/profile/inetd_generic.xml group=sys mode=0444
448 file path=etc/svc/profile/inetd_upgrade.xml group=sys mode=0444
449 file path=etc/svc/profile/ns_dns.xml group=sys mode=0444
450 file path=etc/svc/profile/ns_files.xml group=sys mode=0444
451 file path=etc/svc/profile/ns_ldap.xml group=sys mode=0444
```

```
452 file path=etc/svc/profile/ns_nis.xml group=sys mode=0444
453 file path=etc/svc/profile/ns_none.xml group=sys mode=0444
454 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml \
455 group=sys mode=0444
456 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml \
457 group=sys mode=0444
458 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-880.xml \
459 group=sys mode=0444
460 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire.xml group=sys \
461 mode=0444
462 $(sparc_ONLY)file \
463 path=etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml group=sys \
464 mode=0444
465 $(sparc_ONLY)file \
466 path=etc/svc/profile/platform_SUNW,UltraSPARC-IIi-Netractor.xml group=sys \
467 mode=0444
468 file path=etc/svc/profile/platform_none.xml group=sys mode=0444
469 $(sparc_ONLY)file path=etc/svc/profile/platform_sun4v.xml group=sys mode=0444
470 file path=etc/sysevent/config/README group=sys mode=0444
471 file path=etc/sysevent/config/SUNW,EC_dr,ESC_dr_req,sysevent.conf group=sys
472 file path=etc/syslog.conf group=sys preserve=true
473 file path=etc/ttydefs group=sys preserve=true
474 file path=etc/ttysrch group=sys preserve=true
475 file path=etc/user_attr group=sys preserve=true timestamp=19700101T000000Z
476 file path=etc/user_attr.d/SUNWcs group=sys
477 file path=etc/vfstab group=sys preserve=true
478 file path=lib/inet/in.mpathd mode=0555
479 file path=lib/inet/ipmgmt mode=0555
480 file path=lib/inet/netcfgd mode=0555
481 file path=lib/inet/nwamd mode=0555
482 file path=lib/svc/bin/lsvcrun group=sys mode=0555
483 file path=lib/svc/bin/mfstscan group=sys mode=0555
484 file path=lib/svc/bin/restore_repository group=sys mode=0555
485 file path=lib/svc/bin/sqlite group=sys mode=0555
486 file path=lib/svc/bin/svc.configd group=sys mode=0555
487 file path=lib/svc/bin/svc.ipfd group=sys mode=0555
488 file path=lib/svc/bin/svc.startd group=sys mode=0555
489 file path=lib/svc/manifest/milestone/multi-user-server.xml group=sys mode=0444
490 file path=lib/svc/manifest/milestone/multi-user.xml group=sys mode=0444
491 file path=lib/svc/manifest/milestone/name-services.xml group=sys mode=0444
492 file path=lib/svc/manifest/milestone/network.xml group=sys mode=0444
493 file path=lib/svc/manifest/milestone/single-user.xml group=sys mode=0444
494 file path=lib/svc/manifest/milestone/sysconfig.xml group=sys mode=0444
495 file path=lib/svc/manifest/network/dlmgmt.xml group=sys mode=0444
496 file path=lib/svc/manifest/network/dns/client.xml group=sys mode=0444
497 file path=lib/svc/manifest/network/dns/install.xml group=sys mode=0444
498 file path=lib/svc/manifest/network/forwarding.xml group=sys mode=0444
499 file path=lib/svc/manifest/network/inetd-upgrade.xml group=sys mode=0444
500 file path=lib/svc/manifest/network/inetd.xml group=sys mode=0444
501 file path=lib/svc/manifest/network/ipsec/ike.xml group=sys mode=0444
502 file path=lib/svc/manifest/network/ipsec/ipsecalgs.xml group=sys mode=0444
503 file path=lib/svc/manifest/network/ipsec/manual-key.xml group=sys mode=0444
504 file path=lib/svc/manifest/network/ipsec/policy.xml group=sys mode=0444
505 file path=lib/svc/manifest/network/ldap/client.xml group=sys mode=0444
506 file path=lib/svc/manifest/network/network-initial.xml group=sys mode=0444
507 file path=lib/svc/manifest/network/network-install.xml group=sys mode=0444
508 file path=lib/svc/manifest/network/network-ipmgmt.xml group=sys mode=0444
509 file path=lib/svc/manifest/network/network-ipqos.xml group=sys mode=0444
510 file path=lib/svc/manifest/network/network-iptun.xml group=sys mode=0444
511 file path=lib/svc/manifest/network/network-location.xml group=sys mode=0444
512 file path=lib/svc/manifest/network/network-loopback.xml group=sys mode=0444
513 file path=lib/svc/manifest/network/network-netcfg.xml group=sys mode=0444
514 file path=lib/svc/manifest/network/network-netmask.xml group=sys mode=0444
515 file path=lib/svc/manifest/network/network-physical.xml group=sys mode=0444
516 file path=lib/svc/manifest/network/network-routing-setup.xml group=sys \
517 mode=0444
```

```
518 file path=lib/svc/manifest/network/network-service.xml group=sys mode=0444
519 file path=lib/svc/manifest/network/routing/legacy-routing.xml group=sys \
520 mode=0444
521 file path=lib/svc/manifest/network/rpc/bind.xml group=sys mode=0444
522 file path=lib/svc/manifest/network/rpc/keyserv.xml group=sys mode=0444
523 file path=lib/svc/manifest/network/shares/group.xml group=sys mode=0444
524 file path=lib/svc/manifest/network/shares/reparsed.xml group=sys mode=0444
525 file path=lib/svc/manifest/network/socket-filter-kssl.xml group=sys mode=0444
526 file path=lib/svc/manifest/network/ssl/kssl-proxy.xml group=sys mode=0444
527 file path=lib/svc/manifest/system/auditd.xml group=sys mode=0444
528 file path=lib/svc/manifest/system/auditset.xml group=sys mode=0444
529 file path=lib/svc/manifest/system/boot-archive-update.xml group=sys mode=0444
530 file path=lib/svc/manifest/system/boot-archive.xml group=sys mode=0444
531 file path=lib/svc/manifest/system/boot-config.xml group=sys mode=0444
532 file path=lib/svc/manifest/system/consadm.xml group=sys mode=0444
533 file path=lib/svc/manifest/system/console-login.xml group=sys mode=0444
534 file path=lib/svc/manifest/system/coreadm.xml group=sys mode=0444
535 file path=lib/svc/manifest/system/cron.xml group=sys mode=0444
536 file path=lib/svc/manifest/system/cryptosvc.xml group=sys mode=0444
537 file path=lib/svc/manifest/system/device/allocate.xml group=sys mode=0444
538 file path=lib/svc/manifest/system/device/devices-audio.xml group=sys mode=0444
539 file path=lib/svc/manifest/system/device/devices-local.xml group=sys mode=0444
540 file path=lib/svc/manifest/system/device/mpxio-upgrade.xml group=sys mode=0444
541 file path=lib/svc/manifest/system/early-manifest-import.xml group=sys \
542 mode=0444
543 file path=lib/svc/manifest/system/extended-accounting.xml group=sys mode=0444
544 file path=lib/svc/manifest/system/filesystem/local-fs.xml group=sys mode=0444
545 file path=lib/svc/manifest/system/filesystem/minimal-fs.xml group=sys \
546 mode=0444
547 file path=lib/svc/manifest/system/filesystem/root-fs.xml group=sys mode=0444
548 file path=lib/svc/manifest/system/filesystem/usr-fs.xml group=sys mode=0444
549 $(i386_ONLY)file path=lib/svc/manifest/system/hostid.xml group=sys mode=0444
550 file path=lib/svc/manifest/system/hotplug.xml group=sys mode=0444
551 file path=lib/svc/manifest/system/identity.xml group=sys mode=0444
552 file path=lib/svc/manifest/system/idmap.xml group=sys mode=0444
553 file path=lib/svc/manifest/system/keymap.xml group=sys mode=0444
554 file path=lib/svc/manifest/system/logadm-upgrade.xml group=sys mode=0444
555 file path=lib/svc/manifest/system/manifest-import.xml group=sys mode=0444
556 file path=lib/svc/manifest/system/name-service-cache.xml group=sys mode=0444
557 file path=lib/svc/manifest/system/pfexecd.xml group=sys mode=0444
558 file path=lib/svc/manifest/system/rbac.xml group=sys mode=0444
559 file path=lib/svc/manifest/system/rmtmpfiles.xml group=sys mode=0444
560 file path=lib/svc/manifest/system/sac.xml group=sys mode=0444
561 file path=lib/svc/manifest/system/svc/global.xml group=sys mode=0444
562 file path=lib/svc/manifest/system/svc/restarter.xml group=sys mode=0444
563 file path=lib/svc/manifest/system/system-log.xml group=sys mode=0444
564 file path=lib/svc/manifest/system/utmp.xml group=sys mode=0444
565 file path=lib/svc/manifest/system/vtdaemon.xml group=sys mode=0444
566 file path=lib/svc/method/boot-archive mode=0555
567 file path=lib/svc/method/boot-archive-update mode=0555
568 file path=lib/svc/method/console-login mode=0555
569 file path=lib/svc/method/devices-audio mode=0555
570 file path=lib/svc/method/devices-local mode=0555
571 file path=lib/svc/method/dns-install mode=0555
572 file path=lib/svc/method/fs-local mode=0555
573 file path=lib/svc/method/fs-minimal mode=0555
574 file path=lib/svc/method/fs-root mode=0555
575 file path=lib/svc/method/fs-usr mode=0555
576 file path=lib/svc/method/identity-domain mode=0555
577 file path=lib/svc/method/identity-node mode=0555
578 file path=lib/svc/method/inetd-upgrade mode=0555
579 file path=lib/svc/method/keymap mode=0555
580 file path=lib/svc/method/ldap-client mode=0555
581 file path=lib/svc/method/logadm-upgrade mode=0555
582 file path=lib/svc/method/manifest-import mode=0555
583 file path=lib/svc/method/mpxio-upgrade mode=0555
```

```
584 file path=lib/svc/method/net-init mode=0555
585 file path=lib/svc/method/net-install mode=0555
586 file path=lib/svc/method/net-ipmgt mode=0555
587 file path=lib/svc/method/net-ipqos mode=0555
588 file path=lib/svc/method/net-iptun mode=0555
589 file path=lib/svc/method/net-loc mode=0555
590 file path=lib/svc/method/net-loopback mode=0555
591 file path=lib/svc/method/net-netmask mode=0555
592 file path=lib/svc/method/net-nwam mode=0555
593 file path=lib/svc/method/net-physical mode=0555
594 file path=lib/svc/method/net-routing-setup mode=0555
595 file path=lib/svc/method/net-svc mode=0555
596 file path=lib/svc/method/rmtmpfiles mode=0555
597 file path=lib/svc/method/rpc-bind mode=0555
598 file path=lib/svc/method/svc-allocate mode=0555
599 file path=lib/svc/method/svc-auditd mode=0555
600 file path=lib/svc/method/svc-auditset mode=0555
601 file path=lib/svc/method/svc-boot-config mode=0555
602 file path=lib/svc/method/svc-consadm mode=0555
603 file path=lib/svc/method/svc-cron mode=0555
604 file path=lib/svc/method/svc-dlmgtmtd mode=0555
605 file path=lib/svc/method/svc-forwarding mode=0555
606 $(i386_ONLY)file path=lib/svc/method/svc-hostid mode=0555
607 file path=lib/svc/method/svc-hotplug mode=0555
608 file path=lib/svc/method/svc-legacy-routing mode=0555
609 file path=lib/svc/method/svc-nsd mode=0555
610 file path=lib/svc/method/svc-rbac mode=0555
611 file path=lib/svc/method/svc-sockfilter mode=0555
612 file path=lib/svc/method/svc-utmpd mode=0555
613 file path=lib/svc/method/system-log mode=0555
614 file path=lib/svc/method/vtdaemon mode=0555
615 file path=lib/svc/method/yp mode=0555
616 # global.db is not needed in non-global zones, and it's pretty large.
617 file path=lib/svc/seed/global.db group=sys mode=0444 \
618 variant.opensolaris.zone=global
619 # symmetrically, nonglobal.db is not needed in global zones.
620 file path=lib/svc/seed/nonglobal.db group=sys mode=0444 \
621 variant.opensolaris.zone=nonglobal
622 file path=lib/svc/share/README mode=0444
623 file path=lib/svc/share/fs_include.sh mode=0444
624 file path=lib/svc/share/ipf_include.sh mode=0444
625 file path=lib/svc/share/mfsthistory mode=0444
626 file path=lib/svc/share/net_include.sh mode=0444
627 file path=lib/svc/share/routing_include.sh mode=0444
628 file path=lib/svc/share/smf_include.sh mode=0444
629 file path=root/.bashrc group=root preserve=true
630 file path=root/.profile group=root preserve=true
631 file path=sbin/autopush mode=0555
632 $(i386_ONLY)file path=sbin/biosdev mode=0555
633 file path=sbin/bootadm mode=0555
634 file path=sbin/cryptoadm mode=0555
635 file path=sbin/devprop mode=0555
636 file path=sbin/dhcpagent mode=0555
637 file path=sbin/dhcpinfo mode=0555
638 file path=sbin/dlmgtmtd mode=0555
639 file path=sbin/fdisk mode=0555
640 file path=sbin/fiocompress mode=0555
641 file path=sbin/hostconfig mode=0555
642 file path=sbin/ifconfig mode=0555
643 file path=sbin/ifparse mode=0555
644 file path=sbin/init group=sys mode=0555
645 $(i386_ONLY)file path=sbin/installgrub group=sys mode=0555
646 file path=sbin/impstat mode=0555
647 file path=sbin/mount mode=0555
648 file path=sbin/mountall group=sys mode=0555
649 file path=sbin/netstrategy mode=0555
```

```
650 file path=sbin/rc0 group=sys mode=0744
651 file path=sbin/rc1 group=sys mode=0744
652 file path=sbin/rc2 group=sys mode=0744
653 file path=sbin/rc3 group=sys mode=0744
654 file path=sbin/rcS group=sys mode=0744
655 file path=sbin/route mode=0555
656 file path=sbin/routeadm mode=0555
657 file path=sbin/soconfig mode=0555
658 file path=sbin/su.static group=sys mode=0555
659 file path=sbin/sulogin mode=0555
660 file path=sbin/swapadd group=sys mode=0744
661 file path=sbin/sync mode=0555
662 file path=sbin/tzreload mode=0555
663 file path=sbin/uadmin group=sys mode=0555
664 file path=sbin/umount mode=0555
665 file path=sbin/umountall group=sys mode=0555
666 file path=sbin/uname mode=0555
667 file path=sbin/wusbadm mode=0555
668 file path=sbin/zonename mode=0555
669 $(i386_ONLY)file path=usr/bin/$(ARCH32)/amt mode=0555
670 file path=usr/bin/$(ARCH32)/decrypt mode=0555
671 file path=usr/bin/$(ARCH32)/digest mode=0555
672 file path=usr/bin/$(ARCH32)/ksh93 mode=0555
673 $(i386_ONLY)file path=usr/bin/$(ARCH32)/newtask group=sys mode=4555
674 $(i386_ONLY)file path=usr/bin/$(ARCH32)/nohup mode=0555
675 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prctl mode=0555
676 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prstat mode=0555
677 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ps mode=0555
678 file path=usr/bin/$(ARCH32)/savecore mode=0555
679 $(i386_ONLY)file path=usr/bin/$(ARCH32)/setuname mode=0555
680 $(i386_ONLY)file path=usr/bin/$(ARCH32)/uptime mode=4555
681 file path=usr/bin/$(ARCH64)/amt mode=0555
682 file path=usr/bin/$(ARCH64)/crle mode=0555
683 file path=usr/bin/$(ARCH64)/decrypt mode=0555
684 file path=usr/bin/$(ARCH64)/digest mode=0555
685 file path=usr/bin/$(ARCH64)/ksh93 mode=0555
686 file path=usr/bin/$(ARCH64)/ls mode=0555
687 file path=usr/bin/$(ARCH64)/moe mode=0555
688 file path=usr/bin/$(ARCH64)/newtask group=sys mode=4555
689 file path=usr/bin/$(ARCH64)/nohup mode=0555
690 file path=usr/bin/$(ARCH64)/prctl mode=0555
691 file path=usr/bin/$(ARCH64)/prstat mode=0555
692 file path=usr/bin/$(ARCH64)/ps mode=0555
693 file path=usr/bin/$(ARCH64)/savecore mode=0555
694 file path=usr/bin/$(ARCH64)/setuname mode=0555
695 file path=usr/bin/$(ARCH64)/uptime mode=4555
696 $(i386_ONLY)file path=usr/bin/addbadsec mode=0555
697 file path=usr/bin/alias mode=0555
698 file path=usr/bin/amt mode=0555
699 file path=usr/bin/arch mode=0555
700 file path=usr/bin/at group=sys mode=4755
701 file path=usr/bin/atq group=sys mode=4755
702 file path=usr/bin/atrm group=sys mode=4755
703 file path=usr/bin/auths mode=0555
704 file path=usr/bin/basename mode=0555
705 file path=usr/bin/busstat mode=0555
706 file path=usr/bin/captoinfo mode=0555
707 file path=usr/bin/cat mode=0555
708 file path=usr/bin/chgrp mode=0555
709 file path=usr/bin/chmod mode=0555
710 file path=usr/bin/chown mode=0555
711 file path=usr/bin/ckdate mode=0555
712 file path=usr/bin/ckgid mode=0555
713 file path=usr/bin/ckint mode=0555
714 file path=usr/bin/ckitem mode=0555
715 file path=usr/bin/ckkeywd mode=0555
```

```
716 file path=usr/bin/ckpath mode=0555
717 file path=usr/bin/ckrange mode=0555
718 file path=usr/bin/ckstr mode=0555
719 file path=usr/bin/cktime mode=0555
720 file path=usr/bin/ckuid mode=0555
721 file path=usr/bin/ckyorn mode=0555
722 file path=usr/bin/clear mode=0555
723 file path=usr/bin/coreadm mode=0555
724 file path=usr/bin/cp mode=0555
725 file path=usr/bin/cpio mode=0555
726 file path=usr/bin/crle mode=0555
727 file path=usr/bin/crontab mode=4555
728 file path=usr/bin/crypt mode=0555
729 file path=usr/bin/csh mode=0555
730 file path=usr/bin/ctrunc mode=0555
731 file path=usr/bin/ctstat mode=0555
732 file path=usr/bin/ctwatch mode=0555
733 file path=usr/bin/date mode=0555
734 file path=usr/bin/dd mode=0555
735 file path=usr/bin/devattr mode=0555
736 file path=usr/bin/devfree mode=0555
737 file path=usr/bin/devreserv mode=0555
738 file path=usr/bin/dirname mode=0555
739 $(i386_ONLY)file path=usr/bin/diskscan mode=0555
740 file path=usr/bin/domainname mode=0555
741 file path=usr/bin/du mode=0555
742 file path=usr/bin/dumpcs mode=0555
743 file path=usr/bin/dumpkeys mode=0555
744 file path=usr/bin/echo mode=0555
745 file path=usr/bin/ed mode=0555
746 file path=usr/bin/egrep mode=0555
747 file path=usr/bin/eject mode=0555
748 file path=usr/bin/env mode=0555
749 file path=usr/bin/expr mode=0555
750 file path=usr/bin/false mode=0555
751 file path=usr/bin/fdetach mode=0555
752 file path=usr/bin/fdformat mode=4555
753 file path=usr/bin/fgrep mode=0555
754 file path=usr/bin/file mode=0555
755 file path=usr/bin/find mode=0555
756 file path=usr/bin/fmt mode=0555
757 file path=usr/bin/fmtmsg mode=0555
758 file path=usr/bin/fold mode=0555
759 file path=usr/bin/fsstat mode=0555
760 file path=usr/bin/geniconvtbl mode=0555
761 file path=usr/bin/getconf mode=0555
762 file path=usr/bin/getdev mode=0555
763 file path=usr/bin/getdgrp mode=0555
764 file path=usr/bin/getent mode=0555
765 file path=usr/bin/getfacl mode=0555
766 file path=usr/bin/getopt mode=0555
767 file path=usr/bin/gettext mode=0555
768 file path=usr/bin/getvol mode=0555
769 file path=usr/bin/grep mode=0555
770 file path=usr/bin/groups mode=0555
771 file path=usr/bin/head mode=0555
772 file path=usr/bin/hostid mode=0555
773 file path=usr/bin/hostname mode=0555
774 file path=usr/bin/i286 mode=0555
775 file path=usr/bin/iconv mode=0555
776 file path=usr/bin/id mode=0555
777 file path=usr/bin/infocmp mode=0555
778 file path=usr/bin/iostat mode=0555
779 file path=usr/bin/isainfo mode=0555
780 file path=usr/bin/isalist mode=0555
781 file path=usr/bin/kbd mode=0555
```

```
782 file path=usr/bin/keylogin mode=0555
783 file path=usr/bin/keylogout mode=0555
784 file path=usr/bin/kmfcfg mode=0555
785 file path=usr/bin/kvmstat mode=0555
786 file path=usr/bin/line mode=0555
787 file path=usr/bin/listdgrp mode=0555
788 file path=usr/bin/listusers mode=0555
789 file path=usr/bin/loadkeys mode=0555
790 file path=usr/bin/logger mode=0555
791 file path=usr/bin/login mode=4555
792 file path=usr/bin/logins mode=0750
793 file path=usr/bin/ls mode=0555
794 file path=usr/bin/m4 mode=0555
795 file path=usr/bin/mach mode=0555
796 file path=usr/bin/mail group=mail mode=2511
797 file path=usr/bin/mailx group=mail mode=2511
798 file path=usr/bin/makedev mode=0555
799 file path=usr/bin/mesg mode=0555
800 file path=usr/bin/mkdir mode=0555
801 file path=usr/bin/mkpwdict mode=0555
802 file path=usr/bin/mktemp mode=0555
803 file path=usr/bin/moe mode=0555
804 file path=usr/bin/more mode=0555
805 file path=usr/bin/mpstat mode=0555
806 file path=usr/bin/mt mode=0555
807 file path=usr/bin/netstat mode=0555
808 file path=usr/bin/newgrp group=sys mode=4755
809 file path=usr/bin/nice mode=0555
810 file path=usr/bin/optisa mode=0555
811 file path=usr/bin/pagesize mode=0555
812 file path=usr/bin/passwd group=sys mode=6555
813 file path=usr/bin/pathchk mode=0555
814 file path=usr/bin/pax mode=0555
815 file path=usr/bin/pfexec mode=0555
816 file path=usr/bin/pg mode=0555
817 file path=usr/bin/pgrep mode=0555
818 file path=usr/bin/pktool mode=0555
819 file path=usr/bin/pr mode=0555
820 file path=usr/bin/printf mode=0555
821 file path=usr/bin/priocntl mode=0555
822 file path=usr/bin/profiles mode=0555
823 file path=usr/bin/projects mode=0555
824 file path=usr/bin/putdev mode=0555
825 file path=usr/bin/putdgrp mode=0555
826 file path=usr/bin/pwd mode=0555
827 file path=usr/bin/renice mode=0555
828 file path=usr/bin/rm mode=0555
829 file path=usr/bin/rmdir mode=0555
830 file path=usr/bin/roles mode=0555
831 file path=usr/bin/rpcinfo mode=0555
832 file path=usr/bin/runat mode=0555
833 file path=usr/bin/script mode=0555
834 file path=usr/bin/sed mode=0555
835 file path=usr/bin/setfacl mode=0555
836 file path=usr/bin/setpgrp group=sys mode=0555
837 file path=usr/bin/settime mode=0555
838 file path=usr/bin/shcomp mode=0555
839 file path=usr/bin/strchg group=root mode=0555
840 file path=usr/bin/strconf group=root mode=0555
841 file path=usr/bin/stty mode=0555
842 file path=usr/bin/su group=sys mode=4555
843 file path=usr/bin/svcprop mode=0555
844 file path=usr/bin/svcs mode=0555
845 file path=usr/bin/tabs mode=0555
846 file path=usr/bin/tail mode=0555
847 file path=usr/bin/tic mode=0555
```

```
848 file path=usr/bin/time mode=0555
849 file path=usr/bin/tip mode=4511 owner=uucp
850 file path=usr/bin/tpmadm mode=0555
851 file path=usr/bin/tput mode=0555
852 file path=usr/bin/tr mode=0555
853 file path=usr/bin/true mode=0555
854 file path=usr/bin/tty mode=0555
855 file path=usr/bin/tzselect mode=0555
856 file path=usr/bin/userattr mode=0555
857 file path=usr/bin/vmstat mode=0555
858 file path=usr/bin/which mode=0555
859 file path=usr/bin/who mode=0555
860 file path=usr/bin/wracct mode=0555
861 file path=usr/bin/write group=tty mode=2555
862 file path=usr/bin/xargs mode=0555
863 file path=usr/bin/xstr mode=0555
864 file path=usr/has/bin/edit mode=0555
865 file path=usr/has/bin/sh mode=0555
866 file path=usr/has/man/man1has/edit.1has
867 file path=usr/has/man/man1has/ex.1has
868 file path=usr/has/man/man1has/sh.1has
869 file path=usr/has/man/man1has/vi.1has
870 file path=usr/kernel/drv/$(ARCH64)/dump group=sys
871 file path=usr/kernel/drv/$(ARCH64)/fssnap group=sys
872 file path=usr/kernel/drv/$(ARCH64)/kstat group=sys
873 file path=usr/kernel/drv/$(ARCH64)/ksyms group=sys
874 file path=usr/kernel/drv/$(ARCH64)/logindmux group=sys
875 file path=usr/kernel/drv/$(ARCH64)/ptm group=sys
876 file path=usr/kernel/drv/$(ARCH64)/pts group=sys
877 $(i386_ONLY)file path=usr/kernel/drv/dump group=sys
878 file path=usr/kernel/drv/dump.conf group=sys
879 $(i386_ONLY)file path=usr/kernel/drv/fssnap group=sys
880 file path=usr/kernel/drv/fssnap.conf group=sys
881 $(i386_ONLY)file path=usr/kernel/drv/kstat group=sys
882 file path=usr/kernel/drv/kstat.conf group=sys
883 $(i386_ONLY)file path=usr/kernel/drv/ksyms group=sys
884 file path=usr/kernel/drv/ksyms.conf group=sys
885 $(i386_ONLY)file path=usr/kernel/drv/logindmux group=sys
886 file path=usr/kernel/drv/logindmux.conf group=sys
887 $(i386_ONLY)file path=usr/kernel/drv/ptm group=sys
888 file path=usr/kernel/drv/ptm.conf group=sys
889 $(i386_ONLY)file path=usr/kernel/drv/pts group=sys
890 file path=usr/kernel/drv/pts.conf group=sys
891 file path=usr/kernel/exec/$(ARCH64)/javaexec group=sys mode=0755
892 file path=usr/kernel/exec/$(ARCH64)/shbinexec group=sys mode=0755
893 $(i386_ONLY)file path=usr/kernel/exec/javaexec group=sys mode=0755
894 $(i386_ONLY)file path=usr/kernel/exec/shbinexec group=sys mode=0755
895 file path=usr/kernel/fs/$(ARCH64)/fdfs group=sys mode=0755
896 file path=usr/kernel/fs/$(ARCH64)/pcfs group=sys mode=0755
897 $(i386_ONLY)file path=usr/kernel/fs/fdfs group=sys mode=0755
898 $(i386_ONLY)file path=usr/kernel/fs/pcfs group=sys mode=0755
899 file path=usr/kernel/sched/$(ARCH64)/FX group=sys mode=0755
900 file path=usr/kernel/sched/$(ARCH64)/FX_DPTBL group=sys mode=0755
901 file path=usr/kernel/sched/$(ARCH64)/IA group=sys mode=0755
902 file path=usr/kernel/sched/$(ARCH64)/RT group=sys mode=0755
903 file path=usr/kernel/sched/$(ARCH64)/RT_DPTBL group=sys mode=0755
904 $(i386_ONLY)file path=usr/kernel/sched/FX group=sys mode=0755
905 $(i386_ONLY)file path=usr/kernel/sched/FX_DPTBL group=sys mode=0755
906 $(i386_ONLY)file path=usr/kernel/sched/IA group=sys mode=0755
907 $(i386_ONLY)file path=usr/kernel/sched/RT group=sys mode=0755
908 $(i386_ONLY)file path=usr/kernel/sched/RT_DPTBL group=sys mode=0755
909 file path=usr/kernel/strmod/$(ARCH64)/cryptmod group=sys mode=0755
910 file path=usr/kernel/strmod/$(ARCH64)/rlmod group=sys mode=0755
911 file path=usr/kernel/strmod/$(ARCH64)/telmod group=sys mode=0755
912 $(i386_ONLY)file path=usr/kernel/strmod/cryptmod group=sys mode=0755
913 $(i386_ONLY)file path=usr/kernel/strmod/rlmod group=sys mode=0755
```

```

914 $(i386_ONLY)file path=usr/kernel/strmod/telmod group=sys mode=0755
915 file path=usr/kernel/sys/$(ARCH64)/acctctl group=sys mode=0755
916 file path=usr/kernel/sys/$(ARCH64)/exacctsys group=sys mode=0755
917 file path=usr/kernel/sys/$(ARCH64)/sysacct group=sys mode=0755
918 $(i386_ONLY)file path=usr/kernel/sys/acctctl group=sys mode=0755
919 $(i386_ONLY)file path=usr/kernel/sys/exacctsys group=sys mode=0755
920 $(i386_ONLY)file path=usr/kernel/sys/sysacct group=sys mode=0755
921 file path=usr/kvm/README group=sys
922 file path=usr/lib/$(ARCH64)/libshare.so.1
923 file path=usr/lib/audit/audit_record_attr mode=0444
924 file path=usr/lib/calprog mode=0555
925 file path=usr/lib/class/FX/FXdispadmin mode=0555
926 file path=usr/lib/class/FX/FXpriosctl mode=0555
927 file path=usr/lib/class/IA/IAdispadmin mode=0555
928 file path=usr/lib/class/IA/IApriosctl mode=0555
929 file path=usr/lib/class/RT/RTdispadmin mode=0555
930 file path=usr/lib/class/RT/RTpriosctl mode=0555
931 file path=usr/lib/class/SDC/SDCdispadmin mode=0555
932 file path=usr/lib/class/SDC/SDCpriosctl mode=0555
933 file path=usr/lib/class/TS/TSdispadmin mode=0555
934 file path=usr/lib/class/TS/TSpriosctl mode=0555
935 file path=usr/lib/devfsadm/linkmod/SUNW_audio_link.so group=sys
936 file path=usr/lib/devfsadm/linkmod/SUNW_cfg_link.so group=sys
937 file path=usr/lib/devfsadm/linkmod/SUNW_disk_link.so group=sys
938 file path=usr/lib/devfsadm/linkmod/SUNW_fssnap_link.so group=sys
939 file path=usr/lib/devfsadm/linkmod/SUNW_ieee1394_link.so group=sys
940 file path=usr/lib/devfsadm/linkmod/SUNW_lofi_link.so group=sys
941 file path=usr/lib/devfsadm/linkmod/SUNW_md_link.so group=sys
942 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link.so group=sys
943 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link.$(ARCH).so group=sys
944 file path=usr/lib/devfsadm/linkmod/SUNW_port_link.so group=sys
945 file path=usr/lib/devfsadm/linkmod/SUNW_ramdisk_link.so group=sys
946 file path=usr/lib/devfsadm/linkmod/SUNW_sgen_link.so group=sys
947 file path=usr/lib/devfsadm/linkmod/SUNW_smp_link.so group=sys
948 file path=usr/lib/devfsadm/linkmod/SUNW_tape_link.so group=sys
949 file path=usr/lib/devfsadm/linkmod/SUNW_usb_link.so group=sys
950 $(i386_ONLY)file path=usr/lib/devfsadm/linkmod/SUNW_xen_link.so group=sys
951 file path=usr/lib/diffh mode=0555
952 file path=usr/lib/expreserve mode=0555
953 file path=usr/lib/exrecover mode=0555
954 file path=usr/lib/fs/cachefs/cachefs mode=0555
955 file path=usr/lib/fs/cachefs/cachefslog mode=0555
956 file path=usr/lib/fs/cachefs/cachefspack mode=0555
957 file path=usr/lib/fs/cachefs/cachefsstat mode=0555
958 file path=usr/lib/fs/cachefs/cachefswssize mode=0555
959 file path=usr/lib/fs/cachefs/cfsadmin mode=0555
960 file path=usr/lib/fs/cachefs/cfsfstype mode=0555
961 file path=usr/lib/fs/cachefs/cfstagchk mode=0555
962 file path=usr/lib/fs/cachefs/dfshares mode=0555
963 file path=usr/lib/fs/cachefs/fsck mode=0555
964 file path=usr/lib/fs/cachefs/mount mode=0555
965 file path=usr/lib/fs/cachefs/share mode=0555
966 file path=usr/lib/fs/cachefs/umount mode=0555
967 file path=usr/lib/fs/cachefs/unshare mode=0555
968 file path=usr/lib/fs/ctfs/mount mode=0555
969 file path=usr/lib/fs/fd/mount mode=0555
970 file path=usr/lib/fs/hsfs/fstyp.so.1 mode=0555
971 file path=usr/lib/fs/hsfs/labelit mode=0555
972 file path=usr/lib/fs/lofs/mount mode=0555
973 file path=usr/lib/fs/mntfs/mount mode=0555
974 file path=usr/lib/fs/objfs/mount mode=0555
975 file path=usr/lib/fs/proc/mount mode=0555
976 file path=usr/lib/fs/sharefs/mount mode=0555
977 file path=usr/lib/fs/tmpfs/mount mode=0555
978 file path=usr/lib/fs/ufs/clri mode=0555
979 file path=usr/lib/fs/ufs/df mode=0555

```

```

980 file path=usr/lib/fs/ufs/edquota mode=0555
981 file path=usr/lib/fs/ufs/ff mode=0555
982 file path=usr/lib/fs/ufs/fsck mode=0555
983 file path=usr/lib/fs/ufs/fsckall mode=0555
984 file path=usr/lib/fs/ufs/fsdb mode=0555
985 file path=usr/lib/fs/ufs/fsirand mode=0555
986 file path=usr/lib/fs/ufs/fssnap mode=0555
987 file path=usr/lib/fs/ufs/fstyp.so.1 mode=0555
988 file path=usr/lib/fs/ufs/labelit mode=0555
989 file path=usr/lib/fs/ufs/lockfs mode=0555
990 file path=usr/lib/fs/ufs/mkfs mode=0555
991 file path=usr/lib/fs/ufs/ncheck mode=0555
992 file path=usr/lib/fs/ufs/newfs mode=0555
993 file path=usr/lib/fs/ufs/quot mode=0555
994 file path=usr/lib/fs/ufs/quota mode=4555
995 file path=usr/lib/fs/ufs/quotacheck mode=0555
996 file path=usr/lib/fs/ufs/quotaooff mode=0555
997 file path=usr/lib/fs/ufs/repquota mode=0555
998 file path=usr/lib/fs/ufs/tunefs mode=0555
999 file path=usr/lib/fs/ufs/ufsdump mode=4555
1000 file path=usr/lib/fs/ufs/ufsrestore mode=4555
1001 file path=usr/lib/fs/ufs/volcopy mode=0555
1002 file path=usr/lib/getoptcvt mode=0555
1003 file path=usr/lib/help/auths/locale/C/AllSolAuthsHeader.html
1004 file path=usr/lib/help/auths/locale/C/AuditHeader.html
1005 file path=usr/lib/help/auths/locale/C/AuthJobsAdmin.html
1006 file path=usr/lib/help/auths/locale/C/AuthJobsUser.html
1007 file path=usr/lib/help/auths/locale/C/AuthProfmgrAssign.html
1008 file path=usr/lib/help/auths/locale/C/AuthProfmgrDelegate.html
1009 file path=usr/lib/help/auths/locale/C/AuthProfmgrExecattrWrite.html
1010 file path=usr/lib/help/auths/locale/C/AuthProfmgrRead.html
1011 file path=usr/lib/help/auths/locale/C/AuthProfmgrWrite.html
1012 file path=usr/lib/help/auths/locale/C/AuthReadNDMP.html
1013 file path=usr/lib/help/auths/locale/C/AuthReadSMB.html
1014 file path=usr/lib/help/auths/locale/C/AuthRoleAssign.html
1015 file path=usr/lib/help/auths/locale/C/AuthRoleDelegate.html
1016 file path=usr/lib/help/auths/locale/C/AuthRoleWrite.html
1017 file path=usr/lib/help/auths/locale/C/BindStates.html
1018 file path=usr/lib/help/auths/locale/C/DevAllocHeader.html
1019 file path=usr/lib/help/auths/locale/C/DevAllocate.html
1020 file path=usr/lib/help/auths/locale/C/DevConfig.html
1021 file path=usr/lib/help/auths/locale/C/DevGrant.html
1022 file path=usr/lib/help/auths/locale/C/DevRevoke.html
1023 file path=usr/lib/help/auths/locale/C/DhccpmgrHeader.html
1024 file path=usr/lib/help/auths/locale/C/DhccpmgrWrite.html
1025 file path=usr/lib/help/auths/locale/C/HotplugHeader.html
1026 file path=usr/lib/help/auths/locale/C/HotplugModify.html
1027 file path=usr/lib/help/auths/locale/C/IdmapRules.html
1028 file path=usr/lib/help/auths/locale/C/JobHeader.html
1029 file path=usr/lib/help/auths/locale/C/JobsGrant.html
1030 file path=usr/lib/help/auths/locale/C/LinkSecurity.html
1031 file path=usr/lib/help/auths/locale/C/LoginEnable.html
1032 file path=usr/lib/help/auths/locale/C/LoginHeader.html
1033 file path=usr/lib/help/auths/locale/C/LoginRemote.html
1034 file path=usr/lib/help/auths/locale/C/NetworkAutoconfRead.html
1035 file path=usr/lib/help/auths/locale/C/NetworkAutoconfSelect.html
1036 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWlan.html
1037 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWrite.html
1038 file path=usr/lib/help/auths/locale/C/NetworkHeader.html
1039 file path=usr/lib/help/auths/locale/C/NetworkILBconf.html
1040 file path=usr/lib/help/auths/locale/C/NetworkILBenable.html
1041 file path=usr/lib/help/auths/locale/C/NetworkInterfaceConfig.html
1042 file path=usr/lib/help/auths/locale/C/NetworkVRRP.html
1043 file path=usr/lib/help/auths/locale/C/PriAdmin.html
1044 file path=usr/lib/help/auths/locale/C/ProfmgrHeader.html
1045 file path=usr/lib/help/auths/locale/C/RoleHeader.html

```

1046 file path=usr/lib/help/auths/locale/C/SmfAllocate.html
1047 file path=usr/lib/help/auths/locale/C/SmfAutofsStates.html
1048 file path=usr/lib/help/auths/locale/C/SmfCoreadmStates.html
1049 file path=usr/lib/help/auths/locale/C/SmfCronStates.html
1050 file path=usr/lib/help/auths/locale/C/SmfExAcctFlowStates.html
1051 file path=usr/lib/help/auths/locale/C/SmfExAcctNetStates.html
1052 file path=usr/lib/help/auths/locale/C/SmfExAcctProcessStates.html
1053 file path=usr/lib/help/auths/locale/C/SmfExAcctTaskStates.html
1054 file path=usr/lib/help/auths/locale/C/SmfHeader.html
1055 file path=usr/lib/help/auths/locale/C/SmfILBStates.html
1056 file path=usr/lib/help/auths/locale/C/SmfIPsecStates.html
1057 file path=usr/lib/help/auths/locale/C/SmfIdmapStates.html
1058 file path=usr/lib/help/auths/locale/C/SmfInetdStates.html
1059 file path=usr/lib/help/auths/locale/C/SmfLocationStates.html
1060 file path=usr/lib/help/auths/locale/C/SmfMDNSStates.html
1061 file path=usr/lib/help/auths/locale/C/SmfManageAudit.html
1062 file path=usr/lib/help/auths/locale/C/SmfManageHeader.html
1063 file path=usr/lib/help/auths/locale/C/SmfManageHotplug.html
1064 file path=usr/lib/help/auths/locale/C/SmfManageZFSSnap.html
1065 file path=usr/lib/help/auths/locale/C/SmfModifyAppl.html
1066 file path=usr/lib/help/auths/locale/C/SmfModifyDepend.html
1067 file path=usr/lib/help/auths/locale/C/SmfModifyFramework.html
1068 file path=usr/lib/help/auths/locale/C/SmfModifyHeader.html
1069 file path=usr/lib/help/auths/locale/C/SmfModifyMethod.html
1070 file path=usr/lib/help/auths/locale/C/SmfNADDStates.html
1071 file path=usr/lib/help/auths/locale/C/SmfNDMPStates.html
1072 file path=usr/lib/help/auths/locale/C/SmfNWAMStates.html
1073 file path=usr/lib/help/auths/locale/C/SmfNscdStates.html
1074 file path=usr/lib/help/auths/locale/C/SmfPowerStates.html
1075 file path=usr/lib/help/auths/locale/C/SmfReparseStates.html
1076 file path=usr/lib/help/auths/locale/C/SmfRoutingStates.html
1077 file path=usr/lib/help/auths/locale/C/SmfSMBFSStates.html
1078 file path=usr/lib/help/auths/locale/C/SmfSMBStates.html
1079 file path=usr/lib/help/auths/locale/C/SmfSendmailStates.html
1080 file path=usr/lib/help/auths/locale/C/SmfSshStates.html
1081 file path=usr/lib/help/auths/locale/C/SmfSyslogStates.html
1082 file path=usr/lib/help/auths/locale/C/SmfVRRPStates.html
1083 file path=usr/lib/help/auths/locale/C/SmfValueAudit.html
1084 file path=usr/lib/help/auths/locale/C/SmfValueCoreadm.html
1085 file path=usr/lib/help/auths/locale/C/SmfValueExAcctFlow.html
1086 file path=usr/lib/help/auths/locale/C/SmfValueExAcctNet.html
1087 file path=usr/lib/help/auths/locale/C/SmfValueExAcctProcess.html
1088 file path=usr/lib/help/auths/locale/C/SmfValueExAcctTask.html
1089 file path=usr/lib/help/auths/locale/C/SmfValueFirewall.html
1090 file path=usr/lib/help/auths/locale/C/SmfValueHeader.html
1091 file path=usr/lib/help/auths/locale/C/SmfValueIPsec.html
1092 file path=usr/lib/help/auths/locale/C/SmfValueIdmap.html
1093 file path=usr/lib/help/auths/locale/C/SmfValueInetd.html
1094 file path=usr/lib/help/auths/locale/C/SmfValueMDNS.html
1095 file path=usr/lib/help/auths/locale/C/SmfValueNADD.html
1096 file path=usr/lib/help/auths/locale/C/SmfValueNDMP.html
1097 file path=usr/lib/help/auths/locale/C/SmfValueNWAM.html
1098 file path=usr/lib/help/auths/locale/C/SmfValueRouting.html
1099 file path=usr/lib/help/auths/locale/C/SmfValueSMB.html
1100 file path=usr/lib/help/auths/locale/C/SmfValueVscan.html
1101 file path=usr/lib/help/auths/locale/C/SmfValueVt.html
1102 file path=usr/lib/help/auths/locale/C/SmfVscanStates.html
1103 file path=usr/lib/help/auths/locale/C/SmfVtStates.html
1104 file path=usr/lib/help/auths/locale/C/SmfWpaStates.html
1105 file path=usr/lib/help/auths/locale/C/SysCpuPowerMgmt.html
1106 file path=usr/lib/help/auths/locale/C/SysDate.html
1107 file path=usr/lib/help/auths/locale/C/SysHeader.html
1108 file path=usr/lib/help/auths/locale/C/SysMaintenance.html
1109 file path=usr/lib/help/auths/locale/C/SysPowerMgmtBrightness.html
1110 file path=usr/lib/help/auths/locale/C/SysPowerMgmtHeader.html
1111 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspend.html

1112 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoDisk.html
1113 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoRAM.html
1114 file path=usr/lib/help/auths/locale/C/SysShutdown.html
1115 file path=usr/lib/help/auths/locale/C/SysSyseventRead.html
1116 file path=usr/lib/help/auths/locale/C/SysSyseventWrite.html
1117 file path=usr/lib/help/auths/locale/C/WifiConfig.html
1118 file path=usr/lib/help/auths/locale/C/WifiWep.html
1119 file path=usr/lib/help/auths/locale/C/ZoneCloneFrom.html
1120 file path=usr/lib/help/auths/locale/C/ZoneHeader.html
1121 file path=usr/lib/help/auths/locale/C/ZoneLogin.html
1122 file path=usr/lib/help/auths/locale/C/ZoneManage.html
1123 file path=usr/lib/help/profiles/locale/C/RtAcctadm.html
1124 file path=usr/lib/help/profiles/locale/C/RtAll.html
1125 file path=usr/lib/help/profiles/locale/C/RtAuditCfg.html
1126 file path=usr/lib/help/profiles/locale/C/RtAuditCtrl.html
1127 file path=usr/lib/help/profiles/locale/C/RtAuditReview.html
1128 file path=usr/lib/help/profiles/locale/C/RtCPUPowerManagement.html
1129 file path=usr/lib/help/profiles/locale/C/RtConsUser.html
1130 file path=usr/lib/help/profiles/locale/C/RtContractObserver.html
1131 file path=usr/lib/help/profiles/locale/C/RtCronMngmnt.html
1132 file path=usr/lib/help/profiles/locale/C/RtCryptoMngmnt.html
1133 file path=usr/lib/help/profiles/locale/C/RtDHCPMngmnt.html
1134 file path=usr/lib/help/profiles/locale/C/RtDataAdmin.html
1135 file path=usr/lib/help/profiles/locale/C/RtDefault.html
1136 file path=usr/lib/help/profiles/locale/C/RtDeviceMngmnt.html
1137 file path=usr/lib/help/profiles/locale/C/RtDeviceSecurity.html
1138 file path=usr/lib/help/profiles/locale/C/RtExAcctFlow.html
1139 file path=usr/lib/help/profiles/locale/C/RtExAcctNet.html
1140 file path=usr/lib/help/profiles/locale/C/RtExAcctProcess.html
1141 file path=usr/lib/help/profiles/locale/C/RtExAcctTask.html
1142 file path=usr/lib/help/profiles/locale/C/RtFTPMngmnt.html
1143 file path=usr/lib/help/profiles/locale/C/RtFileSysMngmnt.html
1144 file path=usr/lib/help/profiles/locale/C/RtFileSysSecurity.html
1145 file path=usr/lib/help/profiles/locale/C/RtHotplugMngmnt.html
1146 file path=usr/lib/help/profiles/locale/C/RtIPFilterMngmnt.html
1147 file path=usr/lib/help/profiles/locale/C/RtIdmapMngmnt.html
1148 file path=usr/lib/help/profiles/locale/C/RtIdmapNameRulesMngmnt.html
1149 file path=usr/lib/help/profiles/locale/C/RtInetdMngmnt.html
1150 file path=usr/lib/help/profiles/locale/C/RtKerberosCIntMngmnt.html
1151 file path=usr/lib/help/profiles/locale/C/RtKerberosSrvrMngmnt.html
1152 file path=usr/lib/help/profiles/locale/C/RtLogMngmnt.html
1153 file path=usr/lib/help/profiles/locale/C/RtMailMngmnt.html
1154 file path=usr/lib/help/profiles/locale/C/RtMaintAndRepair.html
1155 file path=usr/lib/help/profiles/locale/C/RtMediaBkup.html
1156 file path=usr/lib/help/profiles/locale/C/RtMediaCtlg.html
1157 file path=usr/lib/help/profiles/locale/C/RtMediaRestore.html
1158 file path=usr/lib/help/profiles/locale/C/RtNDMPMngmnt.html
1159 file path=usr/lib/help/profiles/locale/C/RtNameServiceAdmin.html
1160 file path=usr/lib/help/profiles/locale/C/RtNameServiceSecure.html
1161 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfAdmin.html
1162 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfUser.html
1163 file path=usr/lib/help/profiles/locale/C/RtNetILB.html
1164 file path=usr/lib/help/profiles/locale/C/RtNetIPsec.html
1165 file path=usr/lib/help/profiles/locale/C/RtNetLinkSecure.html
1166 file path=usr/lib/help/profiles/locale/C/RtNetMngmnt.html
1167 file path=usr/lib/help/profiles/locale/C/RtNetObservability.html
1168 file path=usr/lib/help/profiles/locale/C/RtNetSecure.html
1169 file path=usr/lib/help/profiles/locale/C/RtNetVRRP.html
1170 file path=usr/lib/help/profiles/locale/C/RtNetWifiMngmnt.html
1171 file path=usr/lib/help/profiles/locale/C/RtNetWifiSecure.html
1172 file path=usr/lib/help/profiles/locale/C/RtObAccessMngmnt.html
1173 file path=usr/lib/help/profiles/locale/C/RtOperator.html
1174 file path=usr/lib/help/profiles/locale/C/RtPriAdmin.html
1175 file path=usr/lib/help/profiles/locale/C/RtPrintAdmin.html
1176 file path=usr/lib/help/profiles/locale/C/RtProcManagement.html
1177 file path=usr/lib/help/profiles/locale/C/RtReparseMngmnt.html

```

1178 file path=usr/lib/help/profiles/locale/C/RtReservedProfile.html
1179 file path=usr/lib/help/profiles/locale/C/RtRightsDelegate.html
1180 file path=usr/lib/help/profiles/locale/C/RtSMBFSMngmnt.html
1181 file path=usr/lib/help/profiles/locale/C/RtSMBMngmnt.html
1182 file path=usr/lib/help/profiles/locale/C/RtSoftwareInstall.html
1183 file path=usr/lib/help/profiles/locale/C/RtSysAdmin.html
1184 file path=usr/lib/help/profiles/locale/C/RtSysEvMngmnt.html
1185 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmt.html
1186 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtBrightness.html
1187 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspend.html
1188 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoDisk.html
1189 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoRAM.html
1190 file path=usr/lib/help/profiles/locale/C/RtUserMngmnt.html
1191 file path=usr/lib/help/profiles/locale/C/RtVscanSecurity.html
1192 file path=usr/lib/help/profiles/locale/C/RtVscanMngmnt.html
1193 file path=usr/lib/help/profiles/locale/C/RtZFSSFileSysMngmnt.html
1194 file path=usr/lib/help/profiles/locale/C/RtZFSSStorageMngmnt.html
1195 file path=usr/lib/help/profiles/locale/C/RtZoneMngmnt.html
1196 file path=usr/lib/help/profiles/locale/C/RtZoneSecurity.html
1197 file path=usr/lib/hotplugd mode=0555
1198 file path=usr/lib/iconv/646da.8859.t mode=0444
1199 file path=usr/lib/iconv/646de.8859.t mode=0444
1200 file path=usr/lib/iconv/646en.8859.t mode=0444
1201 file path=usr/lib/iconv/646es.8859.t mode=0444
1202 file path=usr/lib/iconv/646fr.8859.t mode=0444
1203 file path=usr/lib/iconv/646it.8859.t mode=0444
1204 file path=usr/lib/iconv/646sv.8859.t mode=0444
1205 file path=usr/lib/iconv/8859.646.t mode=0444
1206 file path=usr/lib/iconv/8859.646da.t mode=0444
1207 file path=usr/lib/iconv/8859.646de.t mode=0444
1208 file path=usr/lib/iconv/8859.646en.t mode=0444
1209 file path=usr/lib/iconv/8859.646es.t mode=0444
1210 file path=usr/lib/iconv/8859.646fr.t mode=0444
1211 file path=usr/lib/iconv/8859.646it.t mode=0444
1212 file path=usr/lib/iconv/8859.646sv.t mode=0444
1213 file path=usr/lib/iconv/iconv_data mode=0444
1214 file path=usr/lib/imapd mode=0555
1215 file path=usr/lib/inet/$(ARCH32)/in.iked mode=0555
1216 file path=usr/lib/inet/$(ARCH64)/in.iked mode=0555
1217 file path=usr/lib/inet/certdb mode=0555
1218 file path=usr/lib/inet/certlocal mode=0555
1219 file path=usr/lib/inet/certrldb mode=0555
1220 file path=usr/lib/inet/inetd mode=0555
1221 file path=usr/lib/intrd mode=0555
1222 file path=usr/lib/isaexec mode=0555
1223 file path=usr/lib/kssladm mode=0555
1224 file $(sparc_ONLY)file path=usr/lib/ld.so
1225 file path=usr/lib/libshare.so.1
1226 file path=usr/lib/makekey mode=0555
1227 file path=usr/lib/more.help
1228 file path=usr/lib/newsyslog group=sys mode=0555
1229 file path=usr/lib/passmgmt group=sys mode=0555
1230 file path=usr/lib/pci/pcidr mode=0555
1231 file path=usr/lib/pci/pcidr_plugin.so
1232 file path=usr/lib/pfexecd mode=0555
1233 file path=usr/lib/platexec mode=0555
1234 file path=usr/lib/rcm/modules/SUNW_aggr_rcm.so mode=0555
1235 file path=usr/lib/rcm/modules/SUNW_cluster_rcm.so mode=0555
1236 file path=usr/lib/rcm/modules/SUNW_dump_rcm.so mode=0555
1237 file path=usr/lib/rcm/modules/SUNW_filesys_rcm.so mode=0555
1238 file path=usr/lib/rcm/modules/SUNW_ibpart_rcm.so mode=0555
1239 file path=usr/lib/rcm/modules/SUNW_ip_anon_rcm.so mode=0555
1240 file path=usr/lib/rcm/modules/SUNW_ip_rcm.so mode=0555
1241 file path=usr/lib/rcm/modules/SUNW_mpxio_rcm.so mode=0555
1242 file path=usr/lib/rcm/modules/SUNW_network_rcm.so mode=0555
1243 file path=usr/lib/rcm/modules/SUNW_swap_rcm.so mode=0555

```

```

1244 file $(sparc_ONLY)file path=usr/lib/rcm/modules/SUNW_ttymux_rcm.so mode=0555
1245 file path=usr/lib/rcm/modules/SUNW_vlan_rcm.so mode=0555
1246 file path=usr/lib/rcm/modules/SUNW_vnic_rcm.so mode=0555
1247 file path=usr/lib/rcm/rcm_daemon mode=0555
1248 file path=usr/lib/reparse/reparsed group=sys mode=0555
1249 file path=usr/lib/saf/listen group=sys mode=0755
1250 file path=usr/lib/saf/nlps_server group=sys mode=0755
1251 file path=usr/lib/saf/sac group=sys mode=0555
1252 file path=usr/lib/saf/ttymon group=sys mode=0555
1253 file path=usr/lib/sysevent/modules/datalink_mod.so
1254 file path=usr/lib/sysevent/modules/devfsadmd_mod.so
1255 file path=usr/lib/sysevent/modules/sysevent_conf_mod.so
1256 file path=usr/lib/sysevent/modules/sysevent_reg_mod.so
1257 file path=usr/lib/sysevent/syseventcnfd mode=0555
1258 file path=usr/lib/sysevent/syseventd mode=0555
1259 file path=usr/lib/utmp_update mode=4555
1260 file path=usr/lib/utmpd mode=0555
1261 file path=usr/lib/vtdaemon mode=0555
1262 file path=usr/lib/vtinfo mode=0555
1263 file path=usr/lib/vtxlock mode=0555
1264 file path=usr/sadm/bin/puttext mode=0555
1265 file path=usr/sadm/install/miniroot.db group=sys mode=0444
1266 file path=usr/sadm/install/scripts/i.ipsecalg group=sys mode=0555
1267 file path=usr/sadm/install/scripts/i.kcfconf group=sys mode=0555
1268 file path=usr/sadm/install/scripts/i.kmfconf group=sys mode=0555
1269 file path=usr/sadm/install/scripts/i.manifest group=sys mode=0555
1270 file path=usr/sadm/install/scripts/i.pkcs11conf group=sys mode=0555
1271 file path=usr/sadm/install/scripts/i.rbac group=sys mode=0555
1272 file path=usr/sadm/install/scripts/r.ipsecalg group=sys mode=0555
1273 file path=usr/sadm/install/scripts/r.kcfconf group=sys mode=0555
1274 file path=usr/sadm/install/scripts/r.kmfconf group=sys mode=0555
1275 file path=usr/sadm/install/scripts/r.manifest group=sys mode=0555
1276 file path=usr/sadm/install/scripts/r.pkcs11conf group=sys mode=0555
1277 file path=usr/sadm/install/scripts/r.rbac group=sys mode=0555
1278 file path=usr/sadm/updates mode=0444
1279 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/add_drv group=sys mode=0555
1280 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modinfo group=sys mode=0555
1281 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modload group=sys mode=0555
1282 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modunload group=sys mode=0555
1283 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/pbind group=sys mode=0555
1284 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/prtconf group=sys mode=2555
1285 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/psrset group=sys mode=0555
1286 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/rem_drv group=sys mode=0555
1287 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/swap group=sys mode=2555
1288 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/sysdef group=sys mode=2555
1289 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/update_drv group=sys mode=0555
1290 file $(i386_ONLY)file path=usr/sbin/$(ARCH32)/whodo mode=4555
1291 file path=usr/sbin/$(ARCH64)/add_drv group=sys mode=0555
1292 file path=usr/sbin/$(ARCH64)/modinfo group=sys mode=0555
1293 file path=usr/sbin/$(ARCH64)/modload group=sys mode=0555
1294 file path=usr/sbin/$(ARCH64)/modunload group=sys mode=0555
1295 file path=usr/sbin/$(ARCH64)/pbind group=sys mode=0555
1296 file path=usr/sbin/$(ARCH64)/prtconf group=sys mode=2555
1297 file path=usr/sbin/$(ARCH64)/psrset group=sys mode=0555
1298 file path=usr/sbin/$(ARCH64)/rem_drv group=sys mode=0555
1299 file path=usr/sbin/$(ARCH64)/swap group=sys mode=2555
1300 file path=usr/sbin/$(ARCH64)/sysdef group=sys mode=2555
1301 file path=usr/sbin/$(ARCH64)/update_drv group=sys mode=0555
1302 file path=usr/sbin/$(ARCH64)/whodo mode=4555
1303 file path=usr/sbin/6to4relay mode=0555
1304 file path=usr/sbin/acctadm mode=0555
1305 file path=usr/sbin/allocate mode=4555
1306 file path=usr/sbin/arp mode=0555
1307 file path=usr/sbin/audit mode=0555
1308 file path=usr/sbin/auditconfig mode=0555
1309 file path=usr/sbin/auditd mode=0555

```

new/usr/src/pkg/manIFESTS/SUNWcs.mf

1310 file path=usr/sbin/auditrecord mode=0555
1311 file path=usr/sbin/auditreduce mode=0555
1312 file path=usr/sbin/auditstat mode=0555
1313 file path=usr/sbin/cfgadm mode=0555
1314 file path=usr/sbin/chroot mode=0555
1315 file path=usr/sbin/clear_locks mode=0555
1316 file path=usr/sbin/clinfo mode=0555
1317 file path=usr/sbin/clri mode=0555
1318 file path=usr/sbin/consadm group=sys mode=0555
1319 file path=usr/sbin/cron group=sys mode=0555
1320 file path=usr/sbin/devfsadm group=sys mode=0755
1321 file path=usr/sbin/devinfo mode=0555
1322 file path=usr/sbin/df mode=0555
1323 file path=usr/sbin/dfmounts mode=0555
1324 file path=usr/sbin/dispadm mode=0555
1325 file path=usr/sbin/dminfo mode=0555
1326 file path=usr/sbin/dumpadm mode=0555
1327 file path=usr/sbin/eeprom group=sys mode=2555
1328 file path=usr/sbin/ff mode=0555
1329 file path=usr/sbin/fmthard group=sys mode=0555
1330 file path=usr/sbin/format mode=0555
1331 file path=usr/sbin/fsck mode=0555
1332 file path=usr/sbin/fstyp group=sys mode=0555
1333 file path=usr/sbin/fuser mode=0555
1334 file path=usr/sbin/getdevpolicy group=sys mode=0555
1335 file path=usr/sbin/getmajor group=sys mode=0755
1336 file path=usr/sbin/groupadd group=sys mode=0555
1337 file path=usr/sbin/groupdel group=sys mode=0555
1338 file path=usr/sbin/groupmod group=sys mode=0555
1339 file path=usr/sbin/grpck mode=0555
1340 file path=usr/sbin/halt mode=0755
1341 file path=usr/sbin/hotplug mode=0555
1342 file path=usr/sbin/idmap mode=0555
1343 file path=usr/sbin/if_mpadm mode=0555
1344 file path=usr/sbin/ikeadm mode=0555
1345 file path=usr/sbin/ikecert mode=0555
1346 file path=usr/sbin/inetadm mode=0555
1347 file path=usr/sbin/inetconv mode=0555
1348 file path=usr/sbin/install mode=0555
1349 file path=usr/sbin/installboot group=sys mode=0555
1350 file path=usr/sbin/ipaddrsel mode=0555
1351 file path=usr/sbin/ipsecalgls mode=0555
1352 file path=usr/sbin/ipsecconf mode=0555
1353 file path=usr/sbin/ipseckey mode=0555
1354 file path=usr/sbin/keyserv group=sys mode=0555
1355 file path=usr/sbin/killall mode=0555
1356 file path=usr/sbin/ksslcfg mode=0555
1357 file path=usr/sbin/link mode=0555
1358 file path=usr/sbin/locator mode=0555
1359 file path=usr/sbin/lofiadm mode=0555
1360 file path=usr/sbin/logadm mode=0555
1361 file path=usr/sbin/makedbm mode=0555
1362 file path=usr/sbin/mkdevalloc mode=0555
1363 file path=usr/sbin/mkfile mode=0555
1364 file path=usr/sbin/mknod mode=0555
1365 file path=usr/sbin/mountall group=sys mode=0555
1366 file path=usr/sbin/msgid mode=0555
1367 file path=usr/sbin/mvdir mode=0555
1368 file path=usr/sbin/ndd mode=0555
1369 file path=usr/sbin/nlsadmin group=adm mode=0755
1370 file path=usr/sbin/nscd mode=0555
1371 file path=usr/sbin/nwamadm mode=0555
1372 file path=usr/sbin/nwamcfg mode=0555
1373 file path=usr/sbin/pmadm group=sys mode=0555
1374 file path=usr/sbin/praudit mode=0555
1375 \$(i386_ONLY)file path=usr/sbin/prtdiag group=sys mode=2755

21

new/usr/src/pkg/manIFESTS/SUNWcs.mf

1376 file path=usr/sbin/prtvtoc group=sys mode=0555
1377 file path=usr/sbin/psradm group=sys mode=0555
1378 file path=usr/sbin/psrinfo group=sys mode=0555
1379 file path=usr/sbin/pwck mode=0555
1380 file path=usr/sbin/pwconv group=sys mode=0555
1381 file path=usr/sbin/raidctl mode=0555
1382 file path=usr/sbin/ramdiskadm mode=0555
1383 file path=usr/sbin/rctldm mode=0555
1384 file path=usr/sbin/root_archive group=sys mode=0555
1385 file path=usr/sbin/rpcbind mode=0555
1386 \$(i386_ONLY)file path=usr/sbin/rtc mode=0555
1387 file path=usr/sbin/sacadm group=sys mode=4755
1388 file path=usr/sbin/setmnt mode=0555
1389 file path=usr/sbin/shareall mode=0555
1390 file path=usr/sbin/sharectl mode=0555
1391 file path=usr/sbin/sharemgr mode=0555
1392 file path=usr/sbin/shutdown group=sys mode=0755
1393 file path=usr/sbin/smbios mode=0555
1394 file path=usr/sbin/stmsboot mode=0555
1395 file path=usr/sbin/strace group=sys mode=0555
1396 file path=usr/sbin/strclean group=sys mode=0555
1397 file path=usr/sbin/strerr group=sys mode=0555
1398 file path=usr/sbin/ttydefs group=sys mode=0755
1399 file path=usr/sbin/svcadm mode=0555
1400 file path=usr/sbin/svccfg mode=0555
1401 file path=usr/sbin/syncinit mode=0555
1402 file path=usr/sbin/syncloop mode=0555
1403 file path=usr/sbin/syncstat mode=0555
1404 file path=usr/sbin/syseventadm group=sys mode=0555
1405 file path=usr/sbin/syslogd group=sys mode=0555
1406 file path=usr/sbin/tar mode=0555
1407 file path=usr/sbin/traceroute mode=4555
1408 file path=usr/sbin/trapstat mode=0555
1409 file path=usr/sbin/ttyadm group=sys mode=0755
1410 \$(i386_ONLY)file path=usr/sbin/ucodeadm mode=0555
1411 file path=usr/sbin/umountall group=sys mode=0555
1412 file path=usr/sbin/unlink mode=0555
1413 file path=usr/sbin/unshareall mode=0555
1414 file path=usr/sbin/useradd group=sys mode=0555
1415 file path=usr/sbin/userdel group=sys mode=0555
1416 file path=usr/sbin/usermod group=sys mode=0555
1417 \$(sparc_ONLY)file path=usr/sbin/virtinfo mode=0555
1418 file path=usr/sbin/volcopy mode=0555
1419 file path=usr/sbin/wall group=tty mode=2555
1420 file path=usr/sbin/zdump mode=0555
1421 file path=usr/sbin/zic mode=0555
1422 file path=usr/share/doc/ksh/COMPATIBILITY
1423 file path=usr/share/doc/ksh/DESIGN
1424 file path=usr/share/doc/ksh/OBSOLETE
1425 file path=usr/share/doc/ksh/README
1426 file path=usr/share/doc/ksh/RELEASE
1427 file path=usr/share/doc/ksh/TYPES
1428 file path=usr/share/doc/ksh/images/callouts/1.png
1429 file path=usr/share/doc/ksh/images/callouts/10.png
1430 file path=usr/share/doc/ksh/images/callouts/2.png
1431 file path=usr/share/doc/ksh/images/callouts/3.png
1432 file path=usr/share/doc/ksh/images/callouts/4.png
1433 file path=usr/share/doc/ksh/images/callouts/5.png
1434 file path=usr/share/doc/ksh/images/callouts/6.png
1435 file path=usr/share/doc/ksh/images/callouts/7.png
1436 file path=usr/share/doc/ksh/images/callouts/8.png
1437 file path=usr/share/doc/ksh/images/callouts/9.png
1438 file path=usr/share/doc/ksh/images/tag_bourne.png
1439 file path=usr/share/doc/ksh/images/tag_i18n.png
1440 file path=usr/share/doc/ksh/images/tag_ksh.png
1441 file path=usr/share/doc/ksh/images/tag_ksh88.png

22

```
1442 file path=usr/share/doc/ksh/images/tag_ksh93.png
1443 file path=usr/share/doc/ksh/images/tag_110n.png
1444 file path=usr/share/doc/ksh/images/tag_perf.png
1445 file path=usr/share/doc/ksh/shell_styleguide.docbook
1446 file path=usr/share/doc/ksh/shell_styleguide.html
1447 file path=usr/share/lib/mailx/mailx.help
1448 file path=usr/share/lib/mailx/mailx.help.-
1449 file path=usr/share/lib/tabset/3101
1450 file path=usr/share/lib/tabset/beehive
1451 file path=usr/share/lib/tabset/hds
1452 file path=usr/share/lib/tabset/hds3
1453 file path=usr/share/lib/tabset/std
1454 file path=usr/share/lib/tabset/stdcrt
1455 file path=usr/share/lib/tabset/teleray
1456 file path=usr/share/lib/tabset/vt100
1457 file path=usr/share/lib/tabset/wyse-adds
1458 file path=usr/share/lib/tabset/xerox1720
1459 file path=usr/share/lib/termcap
1460 file path=usr/share/lib/unittab
1461 file path=usr/share/lib/xml/dtd/adt_record.dtd.1
1462 file path=usr/share/lib/xml/dtd/kmfpolicy.dtd
1463 file path=usr/share/lib/xml/dtd/service_bundle.dtd.1 group=sys
1464 file path=usr/share/lib/xml/style/adt_record.xsl.1
1465 file path=var/adm/aculog mode=0600 owner=uucp preserve=true
1466 file path=var/adm/spellhist mode=0666 preserve=true
1467 file path=var/adm/utmpx preserve=true
1468 file path=var/adm/wtmpx group=adm owner=adm preserve=true
1469 file path=var/log/authlog group=sys mode=0600 preserve=true
1470 file path=var/log/syslog group=sys preserve=true
1471 file path=var/sadm/system/admin/default_java group=sys mode=0444
1472 file path=var/saf/zsmon/log group=sys preserve=true
1473 file path=var/spool/cron/crontabs/adm group=sys mode=0600 preserve=true
1474 file path=var/spool/cron/crontabs/root group=sys mode=0600 preserve=true
1475 hardlink path=etc/rc2.d/S20syssetup target=../etc/init.d/syssetup
1476 hardlink path=etc/rc2.d/S73cachefs.daemon \
1477     target=../etc/init.d/cachefs.daemon
1478 hardlink path=etc/rc2.d/S89PRESERVE target=../etc/init.d/PRESERVE
1479 $(sparc_ONLY)hardlink path=etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml \
1480     target=platform_SUNW,Sun-Fire-880.xml
1481 $(sparc_ONLY)hardlink \
1482     path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml \
1483     target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1484 $(sparc_ONLY)hardlink \
1485     path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml \
1486     target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1487 hardlink path=sbin/rc5 target=../sbin/rc0
1488 hardlink path=sbin/rc6 target=../sbin/rc0
1489 hardlink path=usr/bin/$(ARCH32)/encrypt target=decrypt
1490 hardlink path=usr/bin/$(ARCH32)/ksh target=ksh93
1491 hardlink path=usr/bin/$(ARCH32)/mac target=digest
1492 hardlink path=usr/bin/$(ARCH32)/rksh target=ksh93
1493 hardlink path=usr/bin/$(ARCH32)/rksh93 target=ksh93
1494 $(i386_ONLY)hardlink path=usr/bin/$(ARCH32)/w target=uptime
1495 hardlink path=usr/bin/$(ARCH64)/encrypt target=decrypt
1496 hardlink path=usr/bin/$(ARCH64)/ksh target=ksh93
1497 hardlink path=usr/bin/$(ARCH64)/mac target=digest
1498 hardlink path=usr/bin/$(ARCH64)/rksh target=ksh93
1499 hardlink path=usr/bin/$(ARCH64)/rksh93 target=ksh93
1500 hardlink path=usr/bin/$(ARCH64)/w target=uptime
1501 hardlink path=usr/bin/bg target=../usr/bin/alias
1502 hardlink path=usr/bin/cd target=../usr/bin/alias
1503 hardlink path=usr/bin/cksum target=../usr/bin/alias
1504 hardlink path=usr/bin/cmp target=../usr/bin/alias
1505 hardlink path=usr/bin/comm target=../usr/bin/alias
1506 hardlink path=usr/bin/command target=../usr/bin/alias
1507 hardlink path=usr/bin/cut target=../usr/bin/alias
```

```
1508 hardlink path=usr/bin/decrypt target=../usr/lib/isaexec
1509 hardlink path=usr/bin/digest target=../usr/lib/isaexec
1510 hardlink path=usr/bin/dispgid target=../usr/bin/ckgid
1511 hardlink path=usr/bin/dispuid target=../usr/bin/ckuid
1512 hardlink path=usr/bin/edit target=../has/bin/edit
1513 hardlink path=usr/bin/encrypt target=../usr/lib/isaexec
1514 hardlink path=usr/bin/fc target=../usr/bin/alias
1515 hardlink path=usr/bin/fg target=../usr/bin/alias
1516 hardlink path=usr/bin/getopts target=../usr/bin/alias
1517 hardlink path=usr/bin/hash target=../usr/bin/alias
1518 hardlink path=usr/bin/i386 target=../usr/bin/i286
1519 hardlink path=usr/bin/i486 target=../usr/bin/i286
1520 hardlink path=usr/bin/i860 target=../usr/bin/i286
1521 hardlink path=usr/bin/i86pc target=../usr/bin/i286
1522 hardlink path=usr/bin/iAPX286 target=../usr/bin/i286
1523 hardlink path=usr/bin/jobs target=../usr/bin/alias
1524 hardlink path=usr/bin/join target=../usr/bin/alias
1525 hardlink path=usr/bin/kill target=../usr/bin/alias
1526 hardlink path=usr/bin/ksh target=../usr/lib/isaexec
1527 hardlink path=usr/bin/ksh93 target=../usr/lib/isaexec
1528 hardlink path=usr/bin/ln target=../usr/bin/cp
1529 hardlink path=usr/bin/logname target=../usr/bin/alias
1530 hardlink path=usr/bin/m68k target=../usr/bin/i286
1531 hardlink path=usr/bin/mac target=../usr/lib/isaexec
1532 hardlink path=usr/bin/mc68000 target=../usr/bin/i286
1533 hardlink path=usr/bin/mc68010 target=../usr/bin/i286
1534 hardlink path=usr/bin/mc68020 target=../usr/bin/i286
1535 hardlink path=usr/bin/mc68030 target=../usr/bin/i286
1536 hardlink path=usr/bin/mc68040 target=../usr/bin/i286
1537 hardlink path=usr/bin/mv target=../usr/bin/cp
1538 hardlink path=usr/bin/newtask target=../usr/lib/isaexec
1539 hardlink path=usr/bin/nohup target=../usr/lib/isaexec
1540 hardlink path=usr/bin/page target=../usr/bin/more
1541 hardlink path=usr/bin/paste target=../usr/bin/alias
1542 hardlink path=usr/bin/pdp11 target=../usr/bin/i286
1543 hardlink path=usr/bin/pfbash target=../usr/bin/pfexec
1544 hardlink path=usr/bin/pfcsh target=../usr/bin/pfexec
1545 hardlink path=usr/bin/pfksh target=../usr/bin/pfexec
1546 hardlink path=usr/bin/pfksh93 target=../usr/bin/pfexec
1547 hardlink path=usr/bin/pfrksh target=../usr/bin/pfexec
1548 hardlink path=usr/bin/pfrksh93 target=../usr/bin/pfexec
1549 hardlink path=usr/bin/pfsh target=../usr/bin/pfexec
1550 hardlink path=usr/bin/pftcsh target=../usr/bin/pfexec
1551 hardlink path=usr/bin/pfzsh target=../usr/bin/pfexec
1552 hardlink path=usr/bin/pkill target=../usr/bin/gpgrep
1553 hardlink path=usr/bin/prctl target=../usr/lib/isaexec
1554 hardlink path=usr/bin/print target=../usr/bin/alias
1555 hardlink path=usr/bin/prstat target=../usr/lib/isaexec
1556 hardlink path=usr/bin/ps target=../usr/lib/isaexec
1557 hardlink path=usr/bin/read target=../usr/bin/alias
1558 hardlink path=usr/bin/red target=../usr/bin/ed
1559 hardlink path=usr/bin/rev target=../usr/bin/alias
1560 hardlink path=usr/bin/rksh target=../usr/lib/isaexec
1561 hardlink path=usr/bin/rksh93 target=../usr/lib/isaexec
1562 hardlink path=usr/bin/savecore target=../usr/lib/isaexec
1563 hardlink path=usr/bin/setuname target=../usr/lib/isaexec
1564 hardlink path=usr/bin/sleep target=../usr/bin/alias
1565 hardlink path=usr/bin/sparc target=../usr/bin/i286
1566 hardlink path=usr/bin/sum target=../usr/bin/alias
1567 hardlink path=usr/bin/sun target=../usr/bin/i286
1568 hardlink path=usr/bin/sun2 target=../usr/bin/i286
1569 hardlink path=usr/bin/sun3 target=../usr/bin/i286
1570 hardlink path=usr/bin/sun3x target=../usr/bin/i286
1571 hardlink path=usr/bin/sun4 target=../usr/bin/i286
1572 hardlink path=usr/bin/sun4c target=../usr/bin/i286
1573 hardlink path=usr/bin/sun4d target=../usr/bin/i286
```

```

1574 hardlink path=usr/bin/sun4e target=../usr/bin/i286
1575 hardlink path=usr/bin/sun4m target=../usr/bin/i286
1576 hardlink path=usr/bin/tee target=../usr/bin/alias
1577 hardlink path=usr/bin/test target=../usr/bin/alias
1578 hardlink path=usr/bin/touch target=../usr/bin/settime
1579 hardlink path=usr/bin/type target=../usr/bin/alias
1580 hardlink path=usr/bin/u370 target=../usr/bin/i286
1581 hardlink path=usr/bin/u3b target=../usr/bin/i286
1582 hardlink path=usr/bin/u3b15 target=../usr/bin/i286
1583 hardlink path=usr/bin/u3b2 target=../usr/bin/i286
1584 hardlink path=usr/bin/u3b5 target=../usr/bin/i286
1585 hardlink path=usr/bin/ulimit target=../usr/bin/alias
1586 hardlink path=usr/bin/umask target=../usr/bin/alias
1587 hardlink path=usr/bin/unalias target=../usr/bin/alias
1588 hardlink path=usr/bin/uniq target=../usr/bin/alias
1589 hardlink path=usr/bin/uptime target=../usr/lib/isaexec
1590 hardlink path=usr/bin/vax target=../usr/bin/i286
1591 hardlink path=usr/bin/vedit target=../has/bin/edit
1592 hardlink path=usr/bin/w target=../usr/lib/isaexec
1593 hardlink path=usr/bin/wait target=../usr/bin/alias
1594 hardlink path=usr/bin/wc target=../usr/bin/alias
1595 hardlink path=usr/has/bin/ex target=edit
1596 hardlink path=usr/has/bin/pfsh target=../bin/pfexec
1597 hardlink path=usr/has/bin/vedit target=edit
1598 hardlink path=usr/has/bin/vi target=edit
1599 hardlink path=usr/has/bin/view target=edit
1600 hardlink path=usr/lib/fs/hsfs/fstyp target=../usr/lib/fs/fstyp
1601 hardlink path=usr/lib/fs/ufs/dcopy target=../usr/lib/fs/ufs/clri
1602 hardlink path=usr/lib/fs/ufs/fstyp target=../usr/lib/fs/fstyp
1603 hardlink path=usr/lib/fs/ufs/quotao \
1604   target=../usr/lib/fs/ufs/quotao \
1605 hardlink path=usr/lib/inet/in.iked target=../usr/lib/isaexec
1606 hardlink path=usr/sadm/bin/dispgid target=../usr/bin/cgid
1607 hardlink path=usr/sadm/bin/dispuuid target=../usr/bin/cuid
1608 hardlink path=usr/sadm/bin/errange target=../usr/bin/ckrange
1609 hardlink path=usr/sadm/bin/errdate target=../usr/bin/ckdate
1610 hardlink path=usr/sadm/bin/errgid target=../usr/bin/ckgid
1611 hardlink path=usr/sadm/bin/errint target=../usr/bin/ckint
1612 hardlink path=usr/sadm/bin/erritem target=../usr/bin/ckitem
1613 hardlink path=usr/sadm/bin/errpath target=../usr/bin/ckpath
1614 hardlink path=usr/sadm/bin/errstr target=../usr/bin/ckstr
1615 hardlink path=usr/sadm/bin/errtime target=../usr/bin/cktime
1616 hardlink path=usr/sadm/bin/erruid target=../usr/bin/ckuid
1617 hardlink path=usr/sadm/bin/erryorn target=../usr/bin/ckyorn
1618 hardlink path=usr/sadm/bin/helpdate target=../usr/bin/ckdate
1619 hardlink path=usr/sadm/bin/helpgid target=../usr/bin/ckgid
1620 hardlink path=usr/sadm/bin/helpint target=../usr/bin/ckint
1621 hardlink path=usr/sadm/bin/helpitem target=../usr/bin/ckitem
1622 hardlink path=usr/sadm/bin/helppath target=../usr/bin/ckpath
1623 hardlink path=usr/sadm/bin/helpprange target=../usr/bin/ckrange
1624 hardlink path=usr/sadm/bin/helpstr target=../usr/bin/ckstr
1625 hardlink path=usr/sadm/bin/helptime target=../usr/bin/cktime
1626 hardlink path=usr/sadm/bin/helpuid target=../usr/bin/ckuid
1627 hardlink path=usr/sadm/bin/helpyorn target=../usr/bin/ckyorn
1628 hardlink path=usr/sadm/bin/valdate target=../usr/bin/ckdate
1629 hardlink path=usr/sadm/bin/valgid target=../usr/bin/ckgid
1630 hardlink path=usr/sadm/bin/valint target=../usr/bin/ckint
1631 hardlink path=usr/sadm/bin/valpath target=../usr/bin/ckpath
1632 hardlink path=usr/sadm/bin/valrange target=../usr/bin/ckrange
1633 hardlink path=usr/sadm/bin/valstr target=../usr/bin/ckstr
1634 hardlink path=usr/sadm/bin/valtime target=../usr/bin/cktime
1635 hardlink path=usr/sadm/bin/valuid target=../usr/bin/ckuid
1636 hardlink path=usr/sadm/bin/valyorn target=../usr/bin/ckyorn
1637 hardlink path=usr/sbin/add_drv target=../usr/lib/isaexec
1638 hardlink path=usr/sbin/audlinks target=../devfsadm
1639 hardlink path=usr/sbin/consadm target=../usr/sbin/consadm

```

```

1640 hardlink path=usr/sbin/deallocate target=../usr/sbin/allocate
1641 hardlink path=usr/sbin/devlinks target=../devfsadm
1642 hardlink path=usr/sbin/dfshares target=../usr/sbin/dfmounts
1643 hardlink path=usr/sbin/disks target=../devfsadm
1644 hardlink path=usr/sbin/drvconfig target=../devfsadm
1645 hardlink path=usr/sbin/list_devices target=../usr/sbin/allocate
1646 hardlink path=usr/sbin/mkdevmaps target=../usr/sbin/mkdevalloc
1647 hardlink path=usr/sbin/modinfo target=../usr/lib/isaexec
1648 hardlink path=usr/sbin/modload target=../usr/lib/isaexec
1649 hardlink path=usr/sbin/modunload target=../usr/lib/isaexec
1650 hardlink path=usr/sbin/pbind target=../usr/lib/isaexec
1651 hardlink path=usr/sbin/ports target=../devfsadm
1652 hardlink path=usr/sbin/poweroff target=../halt
1653 hardlink path=usr/sbin/prtconf target=../usr/lib/isaexec
1654 $(sparc_ONLY)hardlink path=usr/sbin/prtdiag target=../usr/lib/latexex
1655 hardlink path=usr/sbin/psrset target=../usr/lib/isaexec
1656 hardlink path=usr/sbin/reboot target=../halt
1657 hardlink path=usr/sbin/rem_drv target=../usr/lib/isaexec
1658 hardlink path=usr/sbin/roleadd target=../usr/sbin/useradd
1659 hardlink path=usr/sbin/roledel target=../usr/sbin/userdel
1660 hardlink path=usr/sbin/rolemod target=../usr/sbin/usermod
1661 hardlink path=usr/sbin/share target=../usr/sbin/sharemgr
1662 hardlink path=usr/sbin/swap target=../usr/lib/isaexec
1663 hardlink path=usr/sbin/sysdef target=../usr/lib/isaexec
1664 hardlink path=usr/sbin/tapes target=../devfsadm
1665 hardlink path=usr/sbin/unshare target=../usr/sbin/sharemgr
1666 hardlink path=usr/sbin/update_drv target=../usr/lib/isaexec
1667 hardlink path=usr/sbin/whodo target=../usr/lib/isaexec
1668 legacy pkg=SUNWcsr \
1669   desc="core software for a specific instruction-set architecture" \
1670   name="Core Solaris, (Root)"
1671 legacy pkg=SUNWcsu \
1672   desc="core software for a specific instruction-set architecture" \
1673   name="Core Solaris, (User)"
1674 legacy pkg=SUNWftpr desc="FTP Server Configuration Files" \
1675   name="FTP Server, (Root)"
1676 license cr_Sun license=cr_Sun
1677 license lic_CDDL license=lic_CDDL
1678 license usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE \
1679   license=usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE
1680 license usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE \
1681   license=usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE
1682 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.arp \
1683   license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.arp
1684 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.route \
1685   license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.route
1686 license usr/src/cmd/cmd-inet/usr/sbin/ifconfig/THIRDPARTYLICENSE \
1687   license=usr/src/cmd/cmd-inet/usr/sbin/ifconfig/THIRDPARTYLICENSE
1688 license usr/src/cmd/cmd-inet/usr/sbin/traceroute/THIRDPARTYLICENSE \
1689   license=usr/src/cmd/cmd-inet/usr/sbin/traceroute/THIRDPARTYLICENSE
1690 license usr/src/cmd/cron/THIRDPARTYLICENSE \
1691   license=usr/src/cmd/cron/THIRDPARTYLICENSE
1692 license usr/src/cmd/csh/THIRDPARTYLICENSE \
1693   license=usr/src/cmd/csh/THIRDPARTYLICENSE
1694 license usr/src/cmd/eeprom/THIRDPARTYLICENSE \
1695   license=usr/src/cmd/eeprom/THIRDPARTYLICENSE
1696 license usr/src/cmd/fs.d/ufs/THIRDPARTYLICENSE \
1697   license=usr/src/cmd/fs.d/ufs/THIRDPARTYLICENSE
1698 license usr/src/cmd/mt/THIRDPARTYLICENSE \
1699   license=usr/src/cmd/mt/THIRDPARTYLICENSE
1700 license usr/src/cmd/script/THIRDPARTYLICENSE \
1701   license=usr/src/cmd/script/THIRDPARTYLICENSE
1702 license usr/src/cmd/sed/THIRDPARTYLICENSE \
1703   license=usr/src/cmd/sed/THIRDPARTYLICENSE
1704 license usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE \
1705   license=usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE

```

```

1706 license usr/src/cmd/tail/THIRDPARTYLICENSE \
1707     license=usr/src/cmd/tail/THIRDPARTYLICENSE
1708 license usr/src/cmd/tip/THIRDPARTYLICENSE \
1709     license=usr/src/cmd/tip/THIRDPARTYLICENSE
1710 license usr/src/cmd/tr/THIRDPARTYLICENSE \
1711     license=usr/src/cmd/tr/THIRDPARTYLICENSE
1712 license usr/src/cmd/vi/THIRDPARTYLICENSE \
1713     license=usr/src/cmd/vi/THIRDPARTYLICENSE
1714 license usr/src/cmd/which/THIRDPARTYLICENSE \
1715     license=usr/src/cmd/which/THIRDPARTYLICENSE
1716 license usr/src/cmd/xstr/THIRDPARTYLICENSE \
1717     license=usr/src/cmd/xstr/THIRDPARTYLICENSE
1718 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
1719 link path=bin target=./usr/bin
1720 link path=etc/TIMEZONE target=./default/init
1721 link path=etc/autopush target=./sbin/autopush
1722 link path=etc/cfgadm target=./usr/sbin/cfgadm
1723 link path=etc/clri target=./usr/sbin/clri
1724 link path=etc/cron target=./usr/sbin/cron
1725 link path=etc/dcopy target=./usr/sbin/dcopy
1726 link path=etc/ff target=./usr/sbin/ff
1727 link path=etc/fmthard target=./usr/sbin/fmthard
1728 link path=etc/format target=./usr/sbin/format
1729 link path=etc/fsck target=./usr/sbin/fsck
1730 link path=etc/fsdb target=./usr/sbin/fsdb
1731 link path=etc/fstyp target=./usr/sbin/fstyp
1732 link path=etc/ftputers target=./ftpd/ftputers
1733 link path=etc/getty target=./usr/lib/saf/ttymon
1734 link path=etc/grpck target=./usr/sbin/grpck
1735 link path=etc/halt target=./usr/sbin/halt
1736 link path=etc/hosts target=./inet/hosts
1737 link path=etc/inet/ipnodes target=./hosts
1738 link path=etc/inetd.conf target=./inet/inetd.conf
1739 link path=etc/init target=./sbin/init
1740 link path=etc/install target=./usr/sbin/install
1741 link path=etc/killall target=./usr/sbin/killall
1742 link path=etc/labelit target=./usr/sbin/labelit
1743 link path=etc/lib/ld.so.1 target=./../lib/ld.so.1
1744 link path=etc/lib/libdl.so.1 target=./../lib/libdl.so.1
1745 link path=etc/lib/nss_files.so.1 target=./../lib/nss_files.so.1
1746 link path=etc/log target=./var/adm/log
1747 link path=etc/mkfs target=./usr/sbin/mkfs
1748 link path=etc/mknod target=./usr/sbin/mknod
1749 link path=etc/mount target=./sbin/mount
1750 link path=etc/mountall target=./sbin/mountall
1751 link path=etc/ncheck target=./usr/sbin/ncheck
1752 link path=etc/netmasks target=./inet/netmasks
1753 link path=etc/networks target=./inet/networks
1754 link path=etc/protocols target=./inet/protocols
1755 link path=etc/prtconf target=./usr/sbin/prtconf
1756 link path=etc/prtvtoc target=./usr/sbin/prtvtoc
1757 link path=etc/rc0 target=./sbin/rc0
1758 link path=etc/rc1 target=./sbin/rc1
1759 link path=etc/rc2 target=./sbin/rc2
1760 link path=etc/rc3 target=./sbin/rc3
1761 link path=etc/rc5 target=./sbin/rc5
1762 link path=etc/rc6 target=./sbin/rc6
1763 link path=etc/rcS target=./sbin/rcS
1764 link path=etc/reboot target=./usr/sbin/halt
1765 link path=etc/security/audit/localhost/files target=./../../var/audit
1766 link path=etc/services target=./inet/services
1767 link path=etc/setmnt target=./usr/sbin/setmnt
1768 link path=etc/shutdown target=./usr/sbin/shutdown
1769 link path=etc/sulogin target=./sbin/sulogin
1770 link path=etc/swap target=./usr/sbin/swap
1771 link path=etc/swapadd target=./sbin/swapadd

```

```

1772 link path=etc/sysdef target=./usr/sbin/sysdef
1773 link path=etc/tar target=./usr/sbin/tar
1774 link path=etc/telinit target=./sbin/init
1775 link path=etc/uadmin target=./sbin/uadmin
1776 link path=etc/umount target=./sbin/umount
1777 link path=etc/umountall target=./sbin/umountall
1778 link path=etc/utmpx target=./var/adm/utmpx
1779 link path=etc/volcopy target=./usr/sbin/volcopy
1780 link path=etc/wall target=./usr/sbin/wall
1781 link path=etc/whodo target=./usr/sbin/whodo
1782 link path=etc/wtmpx target=./var/adm/wtmpx
1783 link path=sbin/in.mpathd target=./lib/inet/in.mpathd
1784 link path=sbin/jsh target=./usr/bin/ksh93
1785 link path=sbin/pfsh target=./usr/bin/pfexec
1786 link path=sbin/sh target=./usr/bin/$(ARCH32)/ksh93
1787 link path=sbin/su target=./usr/bin/su
1788 link path=usr/adm target=./var/adm
1789 link path=usr/bin/cachefspack target=./lib/fs/cachefs/cachefspack
1790 link path=usr/bin/cachefsstat target=./lib/fs/cachefs/cachefsstat
1791 link path=usr/bin/df target=./sbin/df
1792 link path=usr/bin/jsh target=ksh93
1793 link path=usr/bin/pwconv target=./sbin/pwconv
1794 link path=usr/bin/rmail target=./mail
1795 link path=usr/bin/sh target=$(ARCH32)/ksh93
1796 link path=usr/bin/strclean target=./sbin/strclean
1797 link path=usr/bin/strerr target=./sbin/strerr
1798 link path=usr/bin/sync target=./../sbin/sync
1799 link path=usr/bin/tar target=./sbin/tar
1800 link path=usr/bin/uname target=./../sbin/uname
1801 link path=usr/ccs/bin/m4 target=./../bin/m4
1802 link path=usr/has/bin/jsh target=sh
1803 link path=usr/has/lib/rsh target=./bin/sh
1804 link path=usr/lib/$(ARCH64)/ld.so.1 target=./../lib/$(ARCH64)/ld.so.1
1805 link path=usr/lib/cron target=./etc/cron.d
1806 link path=usr/lib/devfsadm/devfsadm target=./sbin/devfsadm
1807 link path=usr/lib/embedded_su target=./bin/su
1808 link path=usr/lib/fs/dev/mount target=./../etc/fs/dev/mount
1809 link path=usr/lib/fs/hsfs/mount target=./../etc/fs/hsfs/mount
1810 link path=usr/lib/fs/ufs/mount target=./../etc/fs/ufs/mount
1811 link path=usr/lib/inet/in.mpathd target=./../lib/inet/in.mpathd
1812 link path=usr/lib/ld.so.1 target=./../lib/ld.so.1
1813 link path=usr/lib/locale/POSIX target=./C
1814 link path=usr/lib/rsh target=./bin/ksh93
1815 link path=usr/lib/secure/32 target=
1816 link path=usr/lib/secure/64 target=$(ARCH64)
1817 link path=usr/lib/wusbd target=./sbin/wusbadm
1818 link path=usr/mail target=./var/mail
1819 link path=usr/net/nls/listen target=./../lib/saf/listen
1820 link path=usr/net/nls/nlps_server target=./../lib/saf/nlps_server
1821 link path=usr/news target=./var/news
1822 link path=usr/preserve target=./var/preserve
1823 link path=usr/pub target=./share/lib/pub
1824 link path=usr/sbin/autopush target=./../sbin/autopush
1825 link path=usr/sbin/bootadm target=./../sbin/bootadm
1826 link path=usr/sbin/cachefslog target=./lib/fs/cachefs/cachefslog
1827 link path=usr/sbin/cachefswssize target=./lib/fs/cachefs/cachefswssize
1828 link path=usr/sbin/cfsadmin target=./lib/fs/cachefs/cfsadmin
1829 link path=usr/sbin/cryptoadm target=./sbin/cryptoadm
1830 link path=usr/sbin/dcopy target=./clri
1831 link path=usr/sbin/devnm target=./df
1832 link path=usr/sbin/dladm target=./../sbin/dladm
1833 link path=usr/sbin/dlstat target=./../sbin/dlstat
1834 link path=usr/sbin/edquota target=./lib/fs/ufs/edquota
1835 link path=usr/sbin/fdisk target=./../sbin/fdisk
1836 link path=usr/sbin/fiocompress target=./../sbin/fiocompress
1837 link path=usr/sbin/flowadm target=./../sbin/flowadm

```

```
1838 link path=usr/sbin/flowstat target=../sbin/flowstat
1839 link path=usr/sbin/fsdb target=../clri
1840 link path=usr/sbin/fsirand target=../lib/fs/ufs/fsirand
1841 link path=usr/sbin/fssnap target=../clri
1842 link path=usr/sbin/hostconfig target=../sbin/hostconfig
1843 link path=usr/sbin/ifconfig target=../sbin/ifconfig
1844 link path=usr/sbin/inetd target=../lib/inet/inetd
1845 link path=usr/sbin/init target=../sbin/init
1846 $(i386_ONLY)link path=usr/sbin/installgrub target=../sbin/installgrub
1847 link path=usr/sbin/ipadm target=../sbin/ipadm
1848 link path=usr/sbin/impstat target=../sbin/impstat
1849 link path=usr/sbin/labelit target=../clri
1850 link path=usr/sbin/lockfs target=../lib/fs/ufs/lockfs
1851 link path=usr/sbin/mkfs target=../clri
1852 link path=usr/sbin/mount target=../sbin/mount
1853 link path=usr/sbin/ncheck target=../ff
1854 link path=usr/sbin/newfs target=../lib/fs/ufs/newfs
1855 link path=usr/sbin/quot target=../lib/fs/ufs/quot
1856 link path=usr/sbin/quota target=../lib/fs/ufs/quota
1857 link path=usr/sbin/quotacheck target=../lib/fs/ufs/quotacheck
1858 link path=usr/sbin/quotaoff target=../lib/fs/ufs/quotaoff
1859 link path=usr/sbin/quotaon target=../lib/fs/ufs/quotaon
1860 link path=usr/sbin/repquota target=../lib/fs/ufs/repquota
1861 link path=usr/sbin/route target=../sbin/route
1862 link path=usr/sbin/routadm target=../sbin/routadm
1863 link path=usr/sbin/sync target=../sbin/sync
1864 link path=usr/sbin/tunefs target=../lib/fs/ufs/tunefs
1865 link path=usr/sbin/tzreload target=../sbin/tzreload
1866 link path=usr/sbin/uadmin target=../sbin/uadmin
1867 link path=usr/sbin/ufsdump target=../lib/fs/ufs/ufsdump
1868 link path=usr/sbin/ufsrestore target=../lib/fs/ufs/ufsrestore
1869 link path=usr/sbin/umount target=../sbin/umount
1870 link path=usr/sbin/wusbadm target=../sbin/wusbadm
1871 link path=usr/spool target=../var/spool
1872 link path=usr/src target=../share/src
1873 link path=usr/tmp target=../var/tmp
1874 link path=var/ld/32 target=
1875 link path=var/ld/64 target=$(ARCH64)
1876 #
1877 # The bootadm binary needs the etc/release file.
1878 #
1879 depend fmri=release/name type=require
1880 #
1881 # intrd and others use the illumos-defaulted perl interpreter
1882 #
1883 depend fmri=runtime/perl$(PERL_PKGVERS) type=require
1884 #
1885 # intrd uses sun-solaris Perl modules
1886 #
1887 depend fmri=runtime/perl$(PERL_PKGVERS)/module/sun-solaris type=require
1888 #
1889 # The loadkeys binary needs the keytables.
1890 #
1891 depend fmri=system/data/keyboard/keytables type=require
1892 #
1893 # Depend on terminfo data.
1894 #
1895 depend fmri=system/data/terminfo type=require
1896 #
1897 # Depend on zoneinfo data.
1898 #
1899 depend fmri=system/data/zoneinfo type=require
1900 #
1901 # The mailx binary calls /usr/lib/sendmail provided by mailwrapper
1902 #
1903 depend fmri=system/network/mailwrapper type=require
```

17533 Tue Nov 4 14:40:15 2014
 new/usr/src/pkg/manifests/consolidation-osnet-osnet-message-files.mf
 4174 Torch the old and unmaintained Sun-dhcp
 Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
 Reviewed by: Garrett D'Amore <garrett@damore.org>
 Approved by: Dan McDonald <danmcd@omniti.com>

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21
22 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24
25 set name=pkg.fmri \
26     value=pkg:/consolidation/osnet/osnet-message-files@$(PKGVERS)
27 set name=pkg.description \
28     value="localizable message files for the OS-Networking consolidation"
29 set name=pkg.summary value="Localizable ON message files"
30 set name=info.classification \
31     value=org.opensolaris.category.2008:Development/System
32
33 #
34 # This package should not have automated dependencies generated because
35 # it provides messages only.
36 #
37 set name=org.opensolaris.nodepend value=true
38 set name=variant.arch value=$(ARCH)
39 dir path=usr group=sys
40 dir path=usr/lib
41 dir path=usr/lib/help
42 dir path=usr/lib/help/auths
43 dir path=usr/lib/help/auths/locale
44 dir path=usr/lib/help/profiles
45 dir path=usr/lib/help/profiles/locale
46 dir path=usr/lib/locale
47 dir path=usr/lib/locale/C
48 dir path=usr/lib/locale/C/LC_MESSAGES
49 dir path=usr/lib/locale/C/LC_TIME
50 dir path=usr/share
51 dir path=usr/share/lib
52 dir path=usr/share/lib/locale
53 dir path=usr/share/lib/locale/com
54 dir path=usr/share/lib/locale/com/sun
55 dir path=usr/share/lib/locale/com/sun/admin
56 dir path=usr/share/lib/locale/com/sun/admin/pm
57 dir path=usr/share/lib/locale/com/sun/admin/pm/client
58 dir path=usr/share/lib/locale/com/sun/dhcppmgr

```

```

58 dir path=usr/share/lib/locale/com/sun/dhcppmgr/bridge
59 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli
60 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/common
61 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppbatch
62 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppconfig
63 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhtadm
64 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/ptnadm
65 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client
66 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNwbinfiles
67 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNwfiles
68 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/help
69 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art
70 dir path=usr/share/lib/locale/com/sun/dhcppmgr/common
71 dir path=usr/share/lib/locale/com/sun/dhcppmgr/data
72 dir path=usr/share/lib/locale/com/sun/dhcppmgr/ui
58 dir path=usr/share/lib/locale/com/sun/slp
59 file path=usr/lib/help/auths/locale/AllSolAuthsHeader.html
60 file path=usr/lib/help/auths/locale/AuditHeader.html
61 file path=usr/lib/help/auths/locale/AuthJobsAdmin.html
62 file path=usr/lib/help/auths/locale/AuthJobsUser.html
63 file path=usr/lib/help/auths/locale/AuthProfmgrAssign.html
64 file path=usr/lib/help/auths/locale/AuthProfmgrDelegate.html
65 file path=usr/lib/help/auths/locale/AuthProfmgrExecattrWrite.html
66 file path=usr/lib/help/auths/locale/AuthProfmgrRead.html
67 file path=usr/lib/help/auths/locale/AuthProfmgrWrite.html
68 file path=usr/lib/help/auths/locale/AuthReadNDMP.html
69 file path=usr/lib/help/auths/locale/AuthReadSMB.html
70 file path=usr/lib/help/auths/locale/AuthRoleAssign.html
71 file path=usr/lib/help/auths/locale/AuthRoleDelegate.html
72 file path=usr/lib/help/auths/locale/AuthRoleWrite.html
73 file path=usr/lib/help/auths/locale/BindStates.html
74 file path=usr/lib/help/auths/locale/DevAllocHeader.html
75 file path=usr/lib/help/auths/locale/DevAllocate.html
76 file path=usr/lib/help/auths/locale/DevCDRW.html
77 file path=usr/lib/help/auths/locale/DevConfig.html
78 file path=usr/lib/help/auths/locale/DevGrant.html
79 file path=usr/lib/help/auths/locale/DevRevoke.html
80 file path=usr/lib/help/auths/locale/DhcppmgrHeader.html
81 file path=usr/lib/help/auths/locale/DhcppmgrWrite.html
82 file path=usr/lib/help/auths/locale/FileChown.html
83 file path=usr/lib/help/auths/locale/FileHeader.html
84 file path=usr/lib/help/auths/locale/FileOwner.html
85 file path=usr/lib/help/auths/locale/HotplugHeader.html
86 file path=usr/lib/help/auths/locale/HotplugModify.html
87 file path=usr/lib/help/auths/locale/IdmapRules.html
88 file path=usr/lib/help/auths/locale/JobHeader.html
89 file path=usr/lib/help/auths/locale/JobGrant.html
90 file path=usr/lib/help/auths/locale/LabelFileDowngrade.html
91 file path=usr/lib/help/auths/locale/LabelFileUpgrade.html
92 file path=usr/lib/help/auths/locale/LabelHeader.html
93 file path=usr/lib/help/auths/locale/LabelPrint.html
94 file path=usr/lib/help/auths/locale/LabelRange.html
95 file path=usr/lib/help/auths/locale/LabelServer.html
96 file path=usr/lib/help/auths/locale/LabelWinDowngrade.html
97 file path=usr/lib/help/auths/locale/LabelWinNoview.html
98 file path=usr/lib/help/auths/locale/LabelWinUpgrade.html
99 file path=usr/lib/help/auths/locale/LinkSecurity.html
100 file path=usr/lib/help/auths/locale/LoginEnable.html
101 file path=usr/lib/help/auths/locale/LoginHeader.html
102 file path=usr/lib/help/auths/locale/LoginRemote.html
103 file path=usr/lib/help/auths/locale/MailHeader.html
104 file path=usr/lib/help/auths/locale/MailQueue.html
105 file path=usr/lib/help/auths/locale/NetworkAutoconfRead.html
106 file path=usr/lib/help/auths/locale/NetworkAutoconfSelect.html
107 file path=usr/lib/help/auths/locale/NetworkAutoconfWlan.html
108 file path=usr/lib/help/auths/locale/NetworkAutoconfWrite.html

```

109 file path=usr/lib/help/auths/locale/NetworkHeader.html
110 file path=usr/lib/help/auths/locale/NetworkILBconf.html
111 file path=usr/lib/help/auths/locale/NetworkILBenable.html
112 file path=usr/lib/help/auths/locale/NetworkInterfaceConfig.html
113 file path=usr/lib/help/auths/locale/NetworkVRRP.html
114 file path=usr/lib/help/auths/locale/PriAdmin.html
115 file path=usr/lib/help/auths/locale/PrintAdmin.html
116 file path=usr/lib/help/auths/locale/PrintCancel.html
117 file path=usr/lib/help/auths/locale/PrintHeader.html
118 file path=usr/lib/help/auths/locale/PrintList.html
119 file path=usr/lib/help/auths/locale/PrintNoBanner.html
120 file path=usr/lib/help/auths/locale/PrintPs.html
121 file path=usr/lib/help/auths/locale/PrintUnlabeled.html
122 file path=usr/lib/help/auths/locale/ProfmgrHeader.html
123 file path=usr/lib/help/auths/locale/RoleHeader.html
124 file path=usr/lib/help/auths/locale/SmfAllocate.html
125 file path=usr/lib/help/auths/locale/SmfAutofsStates.html
126 file path=usr/lib/help/auths/locale/SmfCoreadmStates.html
127 file path=usr/lib/help/auths/locale/SmfCronStates.html
128 file path=usr/lib/help/auths/locale/SmfExAcctFlowStates.html
129 file path=usr/lib/help/auths/locale/SmfExAcctNetStates.html
130 file path=usr/lib/help/auths/locale/SmfExAcctProcessStates.html
131 file path=usr/lib/help/auths/locale/SmfExAcctTaskStates.html
132 file path=usr/lib/help/auths/locale/SmfHeader.html
133 file path=usr/lib/help/auths/locale/SmfILBStates.html
134 file path=usr/lib/help/auths/locale/SmfIPsecStates.html
135 file path=usr/lib/help/auths/locale/SmfIdmapStates.html
136 file path=usr/lib/help/auths/locale/SmfInetdStates.html
137 file path=usr/lib/help/auths/locale/SmfLocationStates.html
138 file path=usr/lib/help/auths/locale/SmfMDNSStates.html
139 file path=usr/lib/help/auths/locale/SmfManageAudit.html
140 file path=usr/lib/help/auths/locale/SmfManageHeader.html
141 file path=usr/lib/help/auths/locale/SmfManageHotplug.html
142 file path=usr/lib/help/auths/locale/SmfManageZFSSnap.html
143 file path=usr/lib/help/auths/locale/SmfModifyAppl.html
144 file path=usr/lib/help/auths/locale/SmfModifyDepend.html
145 file path=usr/lib/help/auths/locale/SmfModifyFramework.html
146 file path=usr/lib/help/auths/locale/SmfModifyHeader.html
147 file path=usr/lib/help/auths/locale/SmfModifyMethod.html
148 file path=usr/lib/help/auths/locale/SmfNADDStates.html
149 file path=usr/lib/help/auths/locale/SmfNDMPStates.html
150 file path=usr/lib/help/auths/locale/SmfNWAMStates.html
151 file path=usr/lib/help/auths/locale/SmfNscdStates.html
152 file path=usr/lib/help/auths/locale/SmfPowerStates.html
153 file path=usr/lib/help/auths/locale/SmfReparseStates.html
154 file path=usr/lib/help/auths/locale/SmfRoutingStates.html
155 file path=usr/lib/help/auths/locale/SmfSMBFSStates.html
156 file path=usr/lib/help/auths/locale/SmfSMBStates.html
157 file path=usr/lib/help/auths/locale/SmfSendmailStates.html
158 file path=usr/lib/help/auths/locale/SmfSshStates.html
159 file path=usr/lib/help/auths/locale/SmfSyslogStates.html
160 file path=usr/lib/help/auths/locale/SmfVRRPStates.html
161 file path=usr/lib/help/auths/locale/SmfValueAudit.html
162 file path=usr/lib/help/auths/locale/SmfValueCoreadm.html
163 file path=usr/lib/help/auths/locale/SmfValueExAcctFlow.html
164 file path=usr/lib/help/auths/locale/SmfValueExAcctNet.html
165 file path=usr/lib/help/auths/locale/SmfValueExAcctProcess.html
166 file path=usr/lib/help/auths/locale/SmfValueExAcctTask.html
167 file path=usr/lib/help/auths/locale/SmfValueFirewall.html
168 file path=usr/lib/help/auths/locale/SmfValueHeader.html
169 file path=usr/lib/help/auths/locale/SmfValueIPsec.html
170 file path=usr/lib/help/auths/locale/SmfValueIdmap.html
171 file path=usr/lib/help/auths/locale/SmfValueInetd.html
172 file path=usr/lib/help/auths/locale/SmfValueMDNS.html
173 file path=usr/lib/help/auths/locale/SmfValueNADD.html
174 file path=usr/lib/help/auths/locale/SmfValueNDMP.html

175 file path=usr/lib/help/auths/locale/SmfValueNWAM.html
176 file path=usr/lib/help/auths/locale/SmfValueRouting.html
177 file path=usr/lib/help/auths/locale/SmfValueSMB.html
178 file path=usr/lib/help/auths/locale/SmfValueVscan.html
179 file path=usr/lib/help/auths/locale/SmfValueVt.html
180 file path=usr/lib/help/auths/locale/SmfVscanStates.html
181 file path=usr/lib/help/auths/locale/SmfVtStates.html
182 file path=usr/lib/help/auths/locale/SmfWpaStates.html
183 file path=usr/lib/help/auths/locale/SysCpuPowerMgmt.html
184 file path=usr/lib/help/auths/locale/SysDate.html
185 file path=usr/lib/help/auths/locale/SysHeader.html
186 file path=usr/lib/help/auths/locale/SysMaintenance.html
187 file path=usr/lib/help/auths/locale/SysPowerMgmtBrightness.html
188 file path=usr/lib/help/auths/locale/SysPowerMgmtHeader.html
189 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspend.html
190 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspendtoDisk.html
191 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspendtoRAM.html
192 file path=usr/lib/help/auths/locale/SysShutdown.html
193 file path=usr/lib/help/auths/locale/SysSyseventRead.html
194 file path=usr/lib/help/auths/locale/SysSyseventWrite.html
195 file path=usr/lib/help/auths/locale/TNDAemon.html
196 file path=usr/lib/help/auths/locale/TNctl.html
197 file path=usr/lib/help/auths/locale/ValueTND.html
198 file path=usr/lib/help/auths/locale/WifiConfig.html
199 file path=usr/lib/help/auths/locale/WifiWep.html
200 file path=usr/lib/help/auths/locale/ZoneCloneFrom.html
201 file path=usr/lib/help/auths/locale/ZoneHeader.html
202 file path=usr/lib/help/auths/locale/ZoneLogin.html
203 file path=usr/lib/help/auths/locale/ZoneManage.html
204 file path=usr/lib/help/profiles/locale/RtAcctadm.html
205 file path=usr/lib/help/profiles/locale/RtAll.html
206 file path=usr/lib/help/profiles/locale/RtAuditCfg.html
207 file path=usr/lib/help/profiles/locale/RtAuditCtrl.html
208 file path=usr/lib/help/profiles/locale/RtAuditReview.html
209 file path=usr/lib/help/profiles/locale/RtCPUPowerManagement.html
210 file path=usr/lib/help/profiles/locale/RtConsUser.html
211 file path=usr/lib/help/profiles/locale/RtContractObserver.html
212 file path=usr/lib/help/profiles/locale/RtCronMngmnt.html
213 file path=usr/lib/help/profiles/locale/RtCryptoMngmnt.html
214 file path=usr/lib/help/profiles/locale/RtDHCPMngmnt.html
215 file path=usr/lib/help/profiles/locale/RtDatAdmin.html
216 file path=usr/lib/help/profiles/locale/RtDefault.html
217 file path=usr/lib/help/profiles/locale/RtDeviceMngmnt.html
218 file path=usr/lib/help/profiles/locale/RtDeviceSecurity.html
219 file path=usr/lib/help/profiles/locale/RtExAcctFlow.html
220 file path=usr/lib/help/profiles/locale/RtExAcctNet.html
221 file path=usr/lib/help/profiles/locale/RtExAcctProcess.html
222 file path=usr/lib/help/profiles/locale/RtExAcctTask.html
223 file path=usr/lib/help/profiles/locale/RtFTPMngmnt.html
224 file path=usr/lib/help/profiles/locale/RtFileSysMngmnt.html
225 file path=usr/lib/help/profiles/locale/RtFileSysSecurity.html
226 file path=usr/lib/help/profiles/locale/RtHotplugMngmnt.html
227 file path=usr/lib/help/profiles/locale/RtIPFilterMngmnt.html
228 file path=usr/lib/help/profiles/locale/RtIdmapMngmnt.html
229 file path=usr/lib/help/profiles/locale/RtIdmapNameRulesMngmnt.html
230 file path=usr/lib/help/profiles/locale/RtInetdMngmnt.html
231 file path=usr/lib/help/profiles/locale/RtInfoSec.html
232 file path=usr/lib/help/profiles/locale/RtKerberosCIntMngmnt.html
233 file path=usr/lib/help/profiles/locale/RtKerberosSrvrMngmnt.html
234 file path=usr/lib/help/profiles/locale/RtLogMngmnt.html
235 file path=usr/lib/help/profiles/locale/RtMailMngmnt.html
236 file path=usr/lib/help/profiles/locale/RtMaintAndRepair.html
237 file path=usr/lib/help/profiles/locale/RtMediaBkup.html
238 file path=usr/lib/help/profiles/locale/RtMediaCtlg.html
239 file path=usr/lib/help/profiles/locale/RtMediaRestore.html
240 file path=usr/lib/help/profiles/locale/RtNDMPMngmnt.html

```
241 file path=usr/lib/help/profiles/locale/RtNameServiceAdmin.html
242 file path=usr/lib/help/profiles/locale/RtNameServiceSecure.html
243 file path=usr/lib/help/profiles/locale/RtNetAutoconfAdmin.html
244 file path=usr/lib/help/profiles/locale/RtNetAutoconfUser.html
245 file path=usr/lib/help/profiles/locale/RtNetILB.html
246 file path=usr/lib/help/profiles/locale/RtNetIPsec.html
247 file path=usr/lib/help/profiles/locale/RtNetLinkSecure.html
248 file path=usr/lib/help/profiles/locale/RtNetMngmnt.html
249 file path=usr/lib/help/profiles/locale/RtNetObservability.html
250 file path=usr/lib/help/profiles/locale/RtNetSecure.html
251 file path=usr/lib/help/profiles/locale/RtNetVRRP.html
252 file path=usr/lib/help/profiles/locale/RtNetWifiMngmnt.html
253 file path=usr/lib/help/profiles/locale/RtNetWifiSecure.html
254 file path=usr/lib/help/profiles/locale/RtObAccessMngmnt.html
255 file path=usr/lib/help/profiles/locale/RtObjectLabelMngmnt.html
256 file path=usr/lib/help/profiles/locale/RtOperator.html
257 file path=usr/lib/help/profiles/locale/RtOutsideAccred.html
258 file path=usr/lib/help/profiles/locale/RtPriAdmin.html
259 file path=usr/lib/help/profiles/locale/RtPrntAdmin.html
260 file path=usr/lib/help/profiles/locale/RtProcManagement.html
261 file path=usr/lib/help/profiles/locale/RtReparseMngmnt.html
262 file path=usr/lib/help/profiles/locale/RtReservedProfile.html
263 file path=usr/lib/help/profiles/locale/RtRightsDelegate.html
264 file path=usr/lib/help/profiles/locale/RtSMBFSMngmnt.html
265 file path=usr/lib/help/profiles/locale/RtSMBMngmnt.html
266 file path=usr/lib/help/profiles/locale/RtSoftwareInstall.html
267 file path=usr/lib/help/profiles/locale/RtSysAdmin.html
268 file path=usr/lib/help/profiles/locale/RtSysEvMngmnt.html
269 file path=usr/lib/help/profiles/locale/RtSysPowerMgmt.html
270 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtBrightness.html
271 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspend.html
272 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspendtoDisk.html
273 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspendtoRAM.html
274 file path=usr/lib/help/profiles/locale/RtUserMngmnt.html
275 file path=usr/lib/help/profiles/locale/RtUserSecurity.html
276 file path=usr/lib/help/profiles/locale/RtVscanMngmnt.html
277 file path=usr/lib/help/profiles/locale/RtZFSFileSysMngmnt.html
278 file path=usr/lib/help/profiles/locale/RtZFSStorageMngmnt.html
279 file path=usr/lib/help/profiles/locale/RtZoneMngmnt.html
280 file path=usr/lib/help/profiles/locale/RtZoneSecurity.html
281 file path=usr/lib/locale/C/LC_MESSAGES/AMD.po
282 file path=usr/lib/locale/C/LC_MESSAGES/DISK.po
283 file path=usr/lib/locale/C/LC_MESSAGES/FMD.po
284 file path=usr/lib/locale/C/LC_MESSAGES/FMNOTIFY.po
285 file path=usr/lib/locale/C/LC_MESSAGES/GMCA.po
286 file path=usr/lib/locale/C/LC_MESSAGES/INTEL.po
287 file path=usr/lib/locale/C/LC_MESSAGES/NXGE.po
288 file path=usr/lib/locale/C/LC_MESSAGES/PCI.po
289 file path=usr/lib/locale/C/LC_MESSAGES/PCIEX.po
290 file path=usr/lib/locale/C/LC_MESSAGES/SCA1000.po
291 file path=usr/lib/locale/C/LC_MESSAGES/SCA500.po
292 file path=usr/lib/locale/C/LC_MESSAGES/SCF.po
293 file path=usr/lib/locale/C/LC_MESSAGES/SENSOR.po
294 file path=usr/lib/locale/C/LC_MESSAGES/SMF.po
295 file path=usr/lib/locale/C/LC_MESSAGES/STORAGE.po
296 file path=usr/lib/locale/C/LC_MESSAGES/SUN4.po
297 file path=usr/lib/locale/C/LC_MESSAGES/SUN4U.po
298 file path=usr/lib/locale/C/LC_MESSAGES/SUN4V.po
299 file path=usr/lib/locale/C/LC_MESSAGES/SUNOS.po
300 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_ADMIN.po group=sys
301 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_LINFO group=sys
302 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_NETRPC.po group=sys
303 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_OSCMD.po group=sys
304 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_OSLIB.po group=sys
305 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_SGS.po group=sys
306 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_SYSOSPAM.po group=sys
```

```
307 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_UCBCMD.po group=sys
308 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_ZONEINFO.po group=sys
309 file path=usr/lib/locale/C/LC_MESSAGES/ZFS.po
310 file path=usr/lib/locale/C/LC_MESSAGES/libast group=sys
311 file path=usr/lib/locale/C/LC_MESSAGES/libcmd group=sys
312 file path=usr/lib/locale/C/LC_MESSAGES/libdll group=sys
313 file path=usr/lib/locale/C/LC_MESSAGES/libshell group=sys
314 file path=usr/lib/locale/C/LC_MESSAGES/libsum group=sys
315 file path=usr/lib/locale/C/LC_MESSAGES/magic group=sys
316 file path=usr/lib/locale/C/LC_MESSAGES/mailx.help group=sys
317 file path=usr/lib/locale/C/LC_MESSAGES/more.help group=sys
318 file path=usr/lib/locale/C/LC_MESSAGES/priv_names group=sys
319 file path=usr/lib/locale/C/LC_MESSAGES/uxlibc.src group=sys
320 file path=usr/lib/locale/C/LC_TIME/SUNW_OST_OSCMD.po group=sys
321 file path=usr/lib/locale/C/LC_TIME/SUNW_OST_OSLIB.po group=sys
322 file path=usr/share/lib/locale/com/sun/admin/pm/client/pmHelpResources.java \
323 group=lp
324 file path=usr/share/lib/locale/com/sun/admin/pm/client/pmResources.java \
325 group=lp
341 file \
342 path=usr/share/lib/locale/com/sun/dhcppmgr/bridge/ResourceBundle.properties
343 file \
344 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/common/ResourceBundle.properti
345 file \
346 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppbatch/ResourceBundle.prope
347 file \
348 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppconfig/ResourceBundle.prop
349 file \
350 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhtadm/ResourceBundle.properti
351 file \
352 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/pntadm/ResourceBundle.properti
353 file \
354 path=usr/share/lib/locale/com/sun/dhcppmgr/client/OptionDescriptions.properti
355 file \
356 path=usr/share/lib/locale/com/sun/dhcppmgr/client/ResourceBundle.properties
357 file \
358 path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWbinfiles/ResourceBundle
359 file \
360 path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWfiles/ResourceBundle.pr
361 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/bannersmc.gif
362 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/dot1.gif
363 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/dot2.gif
364 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/folder.gif
365 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/macro2.gif
366 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/macroflow.gif
367 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/tip2.gif
368 file \
369 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_create.html
370 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_del.html
371 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_dup.html
372 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_how.html
373 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_mod.html
374 file \
375 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_multi.html
376 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_ref.html
377 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_rel.html
378 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_view.html
379 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_wiz.html
380 file \
381 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_config_wiz.html
382 file \
383 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_convert_wiz.html
384 file \
385 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_export_wiz.html
386 file \
387 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_import_wiz.html
```

```
388 file \
389   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_create.html
390 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_del.html
391 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_dup.html
392 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_how.html
393 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_mod.html
394 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_ref.html
395 file \
396   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_view.html
397 file \
398   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macros_about.html
399 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_hlp.html
400 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_how.html
401 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_idx.html
402 file \
403   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_menus.html
404 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_top.html
405 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_del.html
406 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_ref.html
407 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_wiz.html
408 file \
409   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_create.htm
410 file \
411   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_del.html
412 file \
413   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_dup.html
414 file \
415   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_how.html
416 file \
417   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_mod.html
418 file \
419   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_ref.html
420 file \
421   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_tags.html
422 file \
423   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_view.html
424 file \
425   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_choose.html
426 file \
427   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_config.html
428 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_dis.html
429 file \
430   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_enable.html
431 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_how.html
432 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_ref.html
433 file \
434   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_serv.html
435 file \
436   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_unconfig.ht
437 file \
438   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_server_serv.html
439 file \
440   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_server_unconfig.h
441 file \
442   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_solaris_about.htm
443 file \
444   path=usr/share/lib/locale/com/sun/dhcppmgr/common/ResourceBundle.properties
445 file path=usr/share/lib/locale/com/sun/dhcppmgr/data/ResourceBundle.properties
446 file path=usr/share/lib/locale/com/sun/dhcppmgr/ui/ResourceBundle.properties
326 file path=usr/share/lib/locale/com/sun/slp/ClientLib_en.properties group=sys
327 file path=usr/share/lib/locale/com/sun/slp/Server_en.properties group=sys
328 legacy pkg=SUNW00on arch=all \
329   desc="localizable message files for the OS-Networking consolidation" \
330   name="Localizable ON message files" version=11.11,REV=2009.11.10
331 license cr_Sun license=cr_Sun
332 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/network-dhcp-dhccpmgr.mf

1

1062 Tue Nov 4 14:40:16 2014
new/usr/src/pkg/manifests/network-dhcp-dhccpmgr.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <dammcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 set name=pkg.fmri value=pkg:/network/dhcp/dhccpmgr@$(PKGVERS)
28 set name=pkg.obsolete value=true
29 set name=pkg.description \
30   value="Graphical management interface for the DHCP server"
31 set name=pkg.summary value="DHCP Manager"
32 set name=info.classification \
33   value=org.opensolaris.category.2008:System/Services
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/sadm
37 dir path=usr/sadm/admin
38 dir path=usr/sadm/admin/bin
39 dir path=usr/sadm/admin/dhccpmgr
40 dir path=usr/sadm/admin/dhccpmgr/help
41 dir path=usr/sadm/admin/dhccpmgr/help/art
42 dir path=usr/share/man/man1m
43 file path=usr/sadm/admin/bin/dhccpmgr mode=0555
44 file path=usr/sadm/admin/dhccpmgr/SUNWfiles.jar mode=0444
45 file path=usr/sadm/admin/dhccpmgr/dhccpmgr.jar mode=0444
46 file path=usr/sadm/admin/dhccpmgr/dhccpmgr.so.1 mode=0755
47 file path=usr/sadm/admin/dhccpmgr/help/art/bannersmc.gif mode=0444
48 file path=usr/sadm/admin/dhccpmgr/help/art/dot1.gif mode=0444
49 file path=usr/sadm/admin/dhccpmgr/help/art/dot2.gif mode=0444
50 file path=usr/sadm/admin/dhccpmgr/help/art/folder.gif mode=0444
51 file path=usr/sadm/admin/dhccpmgr/help/art/macro2.gif mode=0444
52 file path=usr/sadm/admin/dhccpmgr/help/art/macroflow.gif mode=0444
53 file path=usr/sadm/admin/dhccpmgr/help/art/tip2.gif mode=0444
54 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_create.html mode=0444
55 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_del.html mode=0444
56 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_dup.html mode=0444
57 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_how.html mode=0444
58 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_mod.html mode=0444
```

new/usr/src/pkg/manifests/network-dhcp-dhccpmgr.mf

2

```
57 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_multi.html mode=0444
58 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_ref.html mode=0444
59 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_rel.html mode=0444
60 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_wiz.html mode=0444
61 file path=usr/sadm/admin/dhccpmgr/help/dhcp_addr_wiz.html mode=0444
62 file path=usr/sadm/admin/dhccpmgr/help/dhcp_config_wiz.html mode=0444
63 file path=usr/sadm/admin/dhccpmgr/help/dhcp_convert_wiz.html mode=0444
64 file path=usr/sadm/admin/dhccpmgr/help/dhcp_export_wiz.html mode=0444
65 file path=usr/sadm/admin/dhccpmgr/help/dhcp_import_wiz.html mode=0444
66 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_create.html mode=0444
67 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_del.html mode=0444
68 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_dup.html mode=0444
69 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_how.html mode=0444
70 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_mod.html mode=0444
71 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_ref.html mode=0444
72 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macro_view.html mode=0444
73 file path=usr/sadm/admin/dhccpmgr/help/dhcp_macros_about.html mode=0444
74 file path=usr/sadm/admin/dhccpmgr/help/dhcp_main_hlp.html mode=0444
75 file path=usr/sadm/admin/dhccpmgr/help/dhcp_main_how.html mode=0444
76 file path=usr/sadm/admin/dhccpmgr/help/dhcp_main_idx.html mode=0444
77 file path=usr/sadm/admin/dhccpmgr/help/dhcp_main_menus.html mode=0444
78 file path=usr/sadm/admin/dhccpmgr/help/dhcp_main_top.html mode=0444
79 file path=usr/sadm/admin/dhccpmgr/help/dhcp_net_del.html mode=0444
80 file path=usr/sadm/admin/dhccpmgr/help/dhcp_net_ref.html mode=0444
81 file path=usr/sadm/admin/dhccpmgr/help/dhcp_net_wiz.html mode=0444
82 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_create.html mode=0444
83 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_del.html mode=0444
84 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_dup.html mode=0444
85 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_how.html mode=0444
86 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_mod.html mode=0444
87 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_ref.html mode=0444
88 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_tags.html mode=0444
89 file path=usr/sadm/admin/dhccpmgr/help/dhcp_option_view.html mode=0444
90 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_choose.html mode=0444
91 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_config.html mode=0444
92 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_dis.html mode=0444
93 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_enable.html mode=0444
94 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_how.html mode=0444
95 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_ref.html mode=0444
96 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_serv.html mode=0444
97 file path=usr/sadm/admin/dhccpmgr/help/dhcp_relay_unconfig.html mode=0444
98 file path=usr/sadm/admin/dhccpmgr/help/dhcp_server_serv.html mode=0444
99 file path=usr/sadm/admin/dhccpmgr/help/dhcp_server_unconfig.html mode=0444
100 file path=usr/sadm/admin/dhccpmgr/help/dhcp_solaris_about.html mode=0444
101 file path=usr/share/man/man1m/dhccpmgr.1m
102 legacy pkg=SUNWdhccm desc="Graphical management interface for the DHCP server" \
103   name="DHCP Manager"
104 license cr_sun license=cr_sun
105 license lic_CDDL license=lic_CDDL
106 link path=usr/sbin/dhccpmgr target=./sadm/admin/bin/dhccpmgr
107 depend fmri=runtime/java type=require
```

new/usr/src/pkg/manifests/service-network-dhcp-datastore-binfiles.mf

1

1087 Tue Nov 4 14:40:16 2014
new/usr/src/pkg/manifests/service-network-dhcp-datastore-binfiles.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 set name=pkg.fmri \
28     value=pkg:/service/network/dhcp/datastore/binfiles@$(PKGVERS)
29 set name=pkg.obsolete value=true
28 set name=pkg.description \
29     value="Binary File Format Public module exporting Version 1 of the Service P
30 set name=pkg.summary \
31     value="Binary File Format Data Module for BOOTP/DHCP Services"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:System/Services
30 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 dir path=usr/lib/inet
38 dir path=usr/lib/inet/dhcp
39 dir path=usr/lib/inet/dhcp/svc
40 dir path=usr/sadm
41 dir path=usr/sadm/admin
42 dir path=usr/sadm/admin/dhcpmgr
43 file path=usr/lib/inet/dhcp/svc/ds_SUNWbinfiles.so.1
44 file path=usr/sadm/admin/dhcpmgr/SUNWbinfiles.jar mode=0444
45 legacy pkg=SUNWdhcsb \
46     desc="Binary File Format Public module exporting Version 1 of the Service Pr
47     name="Binary File Format Data Module for BOOTP/DHCP Services"
48 license cr_Sun license=cr_Sun
49 license lic_CDDL license=lic_CDDL
50 link path=usr/lib/inet/dhcp/svc/ds_SUNWbinfiles.so \
51     target=./ds_SUNWbinfiles.so.1
```

new/usr/src/pkg/manifests/service-network-dhcp.mf

1

1062 Tue Nov 4 14:40:16 2014
new/usr/src/pkg/manifests/service-network-dhcp.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/dhcp@$(PKGVERS)
28 set name=pkg.obsolete value=true
29 set name=pkg.description \
30   value="Usr filesystem portion of the SunOS BOOTP/DHCP service, which uses th
31 set name=pkg.summary value="BOOTP/DHCP Server Services"
32 set name=info.classification \
33   value=org.opensolaris.category.2008:System/Services
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/inet group=sys
37 dir path=etc/init.d group=sys
38 dir path=lib
39 dir path=lib/svc
40 dir path=lib/svc/manifest group=sys
41 dir path=lib/svc/manifest/network group=sys
42 dir path=usr group=sys
43 dir path=usr/include
44 dir path=usr/lib
45 dir path=usr/lib/inet
46 dir path=usr/lib/inet/dhcp
47 dir path=usr/lib/inet/dhcp/nsu
48 dir path=usr/lib/inet/dhcp/svc
49 dir path=usr/lib/inet/dhcp/svcadm
50 dir path=usr/sbin
51 dir path=usr/share/man
52 dir path=usr/share/man/man1m
53 dir path=usr/share/man/man5
54 file path=etc/init.d/dhcp group=sys mode=0744
55 file path=lib/svc/manifest/network/dhcp-server.xml group=sys mode=0444
56 file path=usr/include/dhcp_svc_public.h
57 file path=usr/lib/inet/dhcp/nsu/rfc2136.so.1
58 file path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so.0
```

new/usr/src/pkg/manifests/service-network-dhcp.mf

2

```
57 file path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so.1
58 file path=usr/lib/inet/dhcp/svcadm/dhcppcli.jar mode=0444
59 file path=usr/lib/inet/dhcp/svcadm/dhcppcommon.jar mode=0444
60 file path=usr/lib/inet/dhcp/svcadm/dhcpconfig mode=0555
61 file path=usr/lib/inet/dhcp/svcadm/dhcpdmode.jar mode=0444
62 file path=usr/lib/inet/dhcp/svcadm/dhtadm mode=0555
63 file path=usr/lib/inet/dhcp/svcadm/pntadm mode=0555
64 file path=usr/lib/inet/dsvclckd mode=0555
65 file path=usr/lib/inet/in.dhcpd mode=0555
66 file path=usr/lib/libdhcpsvc.so.1
67 file path=usr/sbin/dhcpconfig mode=0555
68 file path=usr/sbin/dhtadm mode=0555
69 file path=usr/sbin/pntadm mode=0555
70 file path=usr/share/man/man1m/dhcpconfig.1m
71 file path=usr/share/man/man1m/dhtadm.1m
72 file path=usr/share/man/man1m/dsvclckd.1m
73 file path=usr/share/man/man1m/in.dhcpd.1m
74 file path=usr/share/man/man1m/pntadm.1m
75 file path=usr/share/man/man4/dhcp_network.4
76 file path=usr/share/man/man4/dhcppsvc.conf.4
77 file path=usr/share/man/man4/dhcptab.4
78 file path=usr/share/man/man5/dhcp_modules.5
79 legacy pkg=SUNWdhcsr \
80   desc="Root filesystem portion of the SunOS BOOTP/DHCP service, which uses th
81   name="BOOTP/DHCP Server Services, (Root)"
82 legacy pkg=SUNWdhcsu \
83   desc="Usr filesystem portion of the SunOS BOOTP/DHCP service, which uses the
84   name="BOOTP/DHCP Server Services, (Usr)"
85 license cr_Sun license=cr_Sun
86 license lic_CDDL license=lic_CDDL
87 license usr/src/cmd/cmd-inet/usr.lib/inet/dhcpd/THIRDPARTYLICENSE \
88   license=usr/src/cmd/cmd-inet/usr.lib/inet/dhcpd/THIRDPARTYLICENSE
89 link path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so target=../ds_SUNWfiles.so.1
90 depend fmri=network/dhcp/dhcpmgr type=require
91 depend fmri=network/ftp type=require
92 depend fmri=runtime/java type=require
```

new/usr/src/tools/findunref/exception_list.open

1

```
*****
7680 Tue Nov  4 14:40:16 2014
new/usr/src/tools/findunref/exception_list.open
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
Approved by: Dan McDonald <danmcd@omniti.com>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2014 Gary Mills
23 #
24 # Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
26 #
27 #
28 # open-tree exception list
29 #
30 # See README.exception_lists for details
31 #
32 #
33 #
34 # Ignore oddly-named text files scattered about -- someday these should be
35 # suffixed with .txt so we don't have to list them.
36 #
37 ./usr/src/cmd/oawk/EXPLAIN
38 ./usr/src/cmd/vi/port/ex.news
39 ./usr/src/cmd/ssh/doc
40 #
41 #
42 # Ignore everything under trees that may be resynched from outside ON.
43 #
44 ./usr/src/cmd/perl
45 ./usr/src/cmd/sqlite
46 ./usr/src/lib/libsqlite
47 ./usr/src/cmd/tcpdp
48 ./usr/src/grub
49 ./usr/src/uts/intel/sys/acpi
50 #
51 #
52 # Ignore ksh93/ast-related files that are only used to resync our build
53 # configuration with upstream.
54 #
55 ./usr/src/lib/libast/*/src/lib/libast/FEATURE
56 ./usr/src/lib/libast/*/src/lib/libast/ast_namval.h
57 ./usr/src/lib/libast/common/comp/conf.*
```

new/usr/src/tools/findunref/exception_list.open

2

```
58 ./usr/src/lib/libast/common/features
59 ./usr/src/lib/libast/common/include/ast_windows.h
60 ./usr/src/lib/libast/common/port/lc.tab
61 ./usr/src/lib/libast/common/port/lcgen.c
62 ./usr/src/lib/libcmd/*/src/lib/libcmd/FEATURE
63 ./usr/src/lib/libcmd/common/features
64 ./usr/src/lib/libdll/*/src/lib/libdll/FEATURE
65 ./usr/src/lib/libdll/common/features
66 ./usr/src/lib/libpp/*pp.*
67 ./usr/src/lib/libpp/common/gentab.sh
68 ./usr/src/lib/libpp/common/ppsym.c
69 ./usr/src/lib/libpp/i386/ppdebug.h
70 ./usr/src/lib/libpp/sparc/ppdebug.h
71 ./usr/src/lib/libshell/*/src/cmd/ksh93/FEATURE
72 ./usr/src/lib/libshell/common/data/math.tab
73 ./usr/src/lib/libshell/common/features
74 ./usr/src/lib/libshell/misc/buildksh93.sh
75 ./usr/src/lib/libshell/misc/buildksh93.readme
76 #
77 #
78 # Ignore ksh93/ast-related "iffe" (if feature enabled) probe
79 #
80 ./usr/src/lib/libsum/common/features/sum
81 #
82 #
83 # Ignore ksh93/ast-related upstream source, currently superseded by
84 # a per-platform version of sum.h, since we use libmd.so.1 for some
85 # ciphers.
86 #
87 ./usr/src/lib/libsum/common/sum.h
88 #
89 #
90 # Ignore ksh93/ast-related test programs.
91 #
92 ./usr/src/cmd/ast/msgcc/msgcc.tst
93 ./usr/src/lib/libast/common/port/astmath.c
94 #
95 #
96 # Ignore ksh93/ast-related source components that are not currently
97 # used but may be useful later.
98 #
99 ./usr/src/lib/libcmd/common/cksum.c
100 ./usr/src/lib/libcmd/common/md5sum.c
101 ./usr/src/lib/libcmd/common/sum.c
102 ./usr/src/lib/libshell/common/bltins/mksservice.c
103 ./usr/src/lib/libshell/common/data/bash_pre_rc.sh
104 ./usr/src/lib/libshell/common/include/env.h
105 ./usr/src/lib/libshell/common/sh/bash.c
106 ./usr/src/lib/libshell/common/sh/env.c
107 ./usr/src/lib/libshell/common/sh/shcomp.c
108 ./usr/src/lib/libshell/common/sh/suid_exec.c
109 #
110 #
111 # Ignore any files built as part of the nightly program itself.
112 #
113 # ISUSED - let checkpaths know that the next entry is good.
114 ./usr/src/*.out
115 # ISUSED - let checkpaths know that the next entry is good.
116 ./usr/src/*.ref
117 #
118 #
119 # Ignore internal test directories and test programs.
120 #
121 */tests
122 */test
123 *Test.java
```

new/usr/src/tools/findunref/exception_list.open

3

```
124 *_test.[ch]
125 ./usr/src/cmd/ldap/common/*test.c
126 ./usr/src/cmd/logadm/tester
127 ./usr/src/cmd/print/printmgr/com/sun/admin/pm/client/helpertools/extract
128 ./usr/src/cmd/print/printmgr/com/sun/admin/pm/server/pmtest
129 ./usr/src/cmd/sendmail/libsm/t-*.c
130 ./usr/src/cmd/sort/common/convert.c
131 ./usr/src/cmd/sort/common/invoke.c
132 ./usr/src/lib/crypt_modules/sha256/test.c
133 ./usr/src/lib/efcode/fcode_test
134 ./usr/src/lib/libkvm/common/test.c
135 ./usr/src/lib/libsaveargs/tests/

137 #
138 # Ignore debugging code.
139 #
140 ./usr/src/cmd/fs.d/pcfs/fsck/inject.c
141 ./usr/src/cmd/sort/common/statistics.c

143 #
144 # Ignore internal packages, scripts, and tools that are intentionally not
145 # built or used during a nightly.
146 #
147 ./usr/src/cmd/sgs/packages
148 ./usr/src/cmd/sgs/rtdl.4.x
149 ./usr/src/cmd/prototypes
150 ./usr/src/cmd/pools/poold/com/sun/solaris/*/package.html
151 ./usr/src/uts/intel/io/acpica/cmp_ca.sh

153 #
154 # Ignore files that are only used by internal packages.
155 #
156 ./usr/src/cmd/sgs/*/*chk.msg

158 #
159 # Ignore files that get used during a EXPORT_SRC or CRYPT_SRC build only.
160 #
161 ./usr/src/lib/gss_mechs/mech_dh/backend/mapfile-vers
162 ./usr/src/lib/gss_mechs/mech_dh/dh1024/mapfile-vers
163 ./usr/src/lib/gss_mechs/mech_dh/dh192/mapfile-vers
164 ./usr/src/lib/gss_mechs/mech_dh/dh640/mapfile-vers

166 #
167 # Ignore Makefiles which are used by developers but not used by nightly
168 # itself. This is a questionable practice, since they tend to rot.
169 #
170 ./usr/src/cmd/syslogd/sparcv9/Makefile
171 ./usr/src/uts/sparc/uhci/Makefile
172 ./usr/src/lib/pam_modules/smb/amd64/Makefile
173 ./usr/src/lib/pam_modules/smb/sparcv9/Makefile
174 ./usr/src/cmd/isns/isnsd/xml_def/isnsmgmtSchema.xsd

176 #
177 # Ignore dtrace scripts only used by developers
178 #
179 ./usr/src/cmd/vscan/vscand/vscan.d

181 #
182 # Ignore sample source code.
183 #
184 ./usr/src/cmd/sendmail/libmilter/example.c
185 ./usr/src/lib/libdhcpsvc/modules/templates

186 #
187 # Ignore .xcl files that aren't used because the program is statically linked.
188 #
```

new/usr/src/tools/findunref/exception_list.open

4

```
189 ./usr/src/cmd/cmd-inet/sbin/dhcpagent/dhcpagent.xcl

191 #
192 # Ignore sendmail files included for completeness' sake, but which won't
193 # be used until certain _FFR (for future release) #define's go live.
194 #
195 ./usr/src/cmd/sendmail/src/statusd_shm.h

197 #
198 # Ignore files originally supplied by ISC (Internet Software Consortium)
199 # as part of a BIND release.
200 #
201 ./usr/src/lib/libresolv2/common/irs/getaddrinfo.c
202 ./usr/src/lib/libresolv2/common/irs/nis_p.h
203 ./usr/src/lib/libresolv2/common/resolv/res_mkupdate.h
204 ./usr/src/lib/libresolv2/include/err.h

206 #
207 # Ignore mont_mulf.c. It is used as a starting point for some hand optimized
208 # assembly files. We keep it around for future reference.
209 #
210 ./usr/src/common/bignum/mont_mulf.c

212 #
213 # Ignore the sparc Makefiles for x86-only drivers;
214 # they're used to build warlock only.
215 #
216 ./usr/src/uts/sparc/sata/Makefile
217 ./usr/src/uts/sparc/si3124/Makefile
218 ./usr/src/uts/sparc/nv_sata/Makefile
219 ./usr/src/uts/sparc/ahci/Makefile

221 #
222 # Ignore uttrack.c. It is provided as part of the standard
223 # ACPI CA source code but provides optional resource tracking
224 # functionality which is not used.
225 #
226 ./usr/src/uts/intel/io/acpica/utilities/uttrack.c

228 #
229 # Ignore any files that get used during a gcc build only.
230 #
231 ./usr/src/cmd/sgs/rtdl/common/mapfile-order-gcc

233 #
234 # The sharemgr command is built 32-bit only by default, but support
235 # for building 64-bit is latent in the Makefiles.
236 #
237 ./usr/src/cmd/dfs.cmds/sharemgr/amd64/Makefile
238 ./usr/src/cmd/dfs.cmds/sharemgr/sparcv9/Makefile

240 #
241 # Legitimately unreferenced license/copying files. Please include
242 # explanatory comments when adding items here.
243 #

245 #
246 # OPENSOLARIS.LICENSE needs to remain in usr/src as long as it is
247 # referenced in the CDDL headers.
248 #
249 ./usr/src/OPENSOLARIS.LICENSE

251 # Though "COPYING" is usually used as a filename for GPL, the license
252 # information for openssh is actually found in usr/src/cmd/ssh/doc/LICENSE.
253 # The COPYING.Ylonen file is merely additional information.
254 #
```

new/usr/src/tools/findunref/exception_list.open

5

255 ./usr/src/cmd/ssh/doc/COPYING.Ylonen

257 #

258 # This covers header files that are not delivered.

259 #

260 ./usr/src/uts/common/xen/public/COPYING

262 #

263 # ld tests which are not currently delivered

264 #

265 ./usr/src/cmd/sgs/test

266 ./usr/src/cmd/mdb/test